


# Geotechnical Evaluation

## East Maricopa Floodway Chandler Heights Detention Basin Maricopa County, Arizona



Prepared for:

**Kirkham Michael Consulting Engineers**  
9210 North 25th Avenue  
Suite 195  
Phoenix, Arizona 85021

and  
**Flood Control District of Maricopa County**  
2801 West Durango Street  
Phoenix, Arizona 85009-6399

Prepared by:

# **Ninyo & Moore**

Geotechnical and Environmental Sciences Consultants

**GEOTECHNICAL EVALUATION  
EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA**

Property of  
Flood Control District of MC Library  
Please Return to  
2801 W. Durango  
Phoenix, AZ 85009

**PREPARED FOR:**

Kirkham Michael Consulting Engineers  
9210 North 25<sup>th</sup> Avenue, Suite 195  
Phoenix, Arizona 85021

Flood Control District of Maricopa County  
2801 West Durango Street  
Phoenix, Arizona 85009-6399

**PREPARED BY:**

Ninyo & Moore Geotechnical and Environmental Sciences Consultants  
5035 South 33<sup>rd</sup> Street  
Phoenix, Arizona 85040

October 31, 2002  
Project No. 600198002

October 31, 2002  
Project No. 600198002

Mr. Barry Ling, P.E.  
Kirkham Michael Consulting Engineers  
9210 North 25<sup>th</sup> Avenue, Suite 195  
Phoenix, Arizona 85021

Subject: Geotechnical Evaluation  
East Maricopa Floodway  
Chandler Heights Detention Basin  
Maricopa County, Arizona

Dear Mr. Ling:

In accordance with our proposal dated January 28, 2002 and your authorization to proceed dated April 23, 2002, Ninyo & Moore has performed a geotechnical evaluation for the above-referenced site. The attached report represents our methodology, findings, conclusions, and recommendations regarding the geotechnical conditions at the project site.

We appreciate the opportunity to be of service to you during this phase of the project. If you have any questions or comments regarding this report, please call at your convenience.

Sincerely,  
NINYO & MOORE

*Steven D. Nowaczyk*

Steven D. Nowaczyk, P.E.  
Senior Project Engineer

SDN/MDE/RM/kmf/hmm

Distribution: (4) Addressee



Robert W. McMichael, P.E.  
Manager/Chief Engineer

**TABLE OF CONTENTS**

	<u>Page</u>
1. INTRODUCTION .....	1
2. SCOPE OF SERVICES .....	1
3. SITE DESCRIPTION .....	2
4. PROPOSED CONSTRUCTION.....	3
5. FIELD EXPLORATION .....	4
5.1. Soil Borings .....	4
5.2. Test Pits .....	5
5.3. Piezometer Monitoring Wells .....	5
5.4. Field Percolation Tests.....	6
5.5. Field Screening for Volatile Organic Compounds (VOCs).....	6
6. LABORATORY TESTING .....	7
7. GEOLOGY AND SUBSURFACE CONDITIONS .....	7
7.1. Geologic Setting .....	7
7.2. Subsurface Conditions .....	8
7.3. Groundwater .....	9
8. CONCLUSIONS .....	9
9. RECOMMENDATIONS.....	10
9.1. Earthwork .....	10
9.1.1. Excavation Characteristics .....	10
9.1.2. Grading, Fill Placement, and Compaction .....	11
9.1.3. Reuse of Excavated Material as Borrow .....	12
9.1.4. Imported Fill Material .....	13
9.2. Levee Stability and Seepage.....	14
9.2.1. Side Slope Stability .....	14
9.2.2. Cut-Off Barrier.....	15
9.2.3. Basin Base Infiltration.....	17
9.3. New Levee Construction .....	18
9.4. Side Weir and Outlet Works .....	18
9.4.1. Foundation Preparation For Side Wier and Outlet Works.....	19
9.4.2. Pipe Penetrations.....	20
9.4.3. Concrete .....	20
9.5. Pre-Construction Conference.....	21
9.6. Construction Observation and Testing .....	21
10. LIMITATIONS.....	21
11. SELECTED REFERENCES .....	23

**Tables**

Table 1 – Approximate Percentage of Soil Types Encountered from Ground Surface to Anticipated Bottom of Basin .....8  
Table 2 – Approximate Percentage of Soil Types Encountered at the Anticipated Bottom of Basin Excavation .....9  
Table 3 – Summary of Expansion Index and Corrosivity Test Results .....12  
Table 4 – Summary of Percolation Tests Within Chandler Heights Basin .....17

**Figures**

Figure 1 – Site Vicinity Map  
Figure 2 – Soil Boring/Test Pit Location Map  
Figure 3 – Slope Stability Analysis of Typical Embankment  
Figure 4 – Conceptual Figure Cut-Off Barrier

**Appendices**

Appendix A – Boring and Test Pits Logs  
Appendix B – Laboratory Testing  
Appendix C – Percolation Test Results  
Appendix D – Agronomic Tests Results  
Appendix E – Earthwork Specifications Recommendations

## 1. INTRODUCTION

In accordance with our proposal dated January 28, 2002 and your authorization to proceed dated April 23, 2002, we have performed a geotechnical evaluation for the Chandler Heights Detention Basin project located in eastern Maricopa County, Arizona. The purpose of our evaluation was to assess the subsurface conditions at the project site in order to formulate geotechnical recommendations for design and construction of the new basin. This report presents the results of our evaluation and our geotechnical conclusions and recommendations regarding the proposed construction.

## 2. SCOPE OF SERVICES

The scope of our services for the project generally included the following:

- Reviewing readily available aerial photographs and published geologic literature, including maps and reports pertaining to the project site and vicinity.
- Marking-out the boring locations and notifying Arizona Blue Stake of the boring locations prior to drilling.
- Drilling, logging, and sampling 45 small-diameter exploratory borings to depths of about 16 to 33 feet below ground surface (bgs). The boring logs are presented in Appendix A.
- Excavating, logging, and sampling 26 test pit explorations to depths of about 10 to 12 feet bgs. The test pit logs are also presented in Appendix A.
- Performing six field infiltration tests at the anticipated bottom-of-basin level, in general accordance with the City of Chandler method. The results of this testing are presented in Appendix C.
- Installing three piezometers in boreholes that were drilled along the East Maricopa Floodway (EMF).
- Performing laboratory tests on selected samples obtained from the borings to evaluate in-situ moisture content and dry density, grain size analysis, Atterberg limits, hydro-consolidation (swell/collapse) tests, maximum density/optimum moisture relationship, expansion index, agronomic testing (growability), permeability tests, unconsolidated undrained triaxial compression tests and corrosivity characteristics (including pH, minimum electrical resistivity, soluble sulfates, and chlorides). The results of the laboratory testing are presented on the logs in Appendix A and/or the laboratory sheets present in Appendix B. The results from the agronomic testing are presented in Appendix D.

- Preparing this report that presents our findings, conclusions, and preliminary recommendations regarding the design and construction of the new basin.

### 3. SITE DESCRIPTION

The project site is located in Sections 15 and 22 of Township 2 South, Range 6 East. The project area covers approximately 320 acres of land and is situated in the Town of Gilbert, Arizona. The project area is bounded by Higley Road to the east, Queen Creek Road to the north, Queen Creek Wash to the southwest, and the EMF to the west. Its location is depicted on the Site Location Map (Figure 1).

At the time of our evaluation, the project area was vacant. Farming apparently occurred on the site in the past, particularly in its northern and extreme southern portions. Scattered trees, small brush, and weeds were observed during our site visits. In addition, several unpaved roads randomly crossed the site, although there were several unpaved roads that are on east-west alignments. One of these coincided with the alignment of Ocotillo Road in the south-central portion of the project area and is also coincident with an existing east-west aligned fence line. Some scattered piles of soil were also observed. We understand that some spoils from the original construction of the EMF were dumped and spread out over the northern portion of this site.

According to the *Higley, Arizona 7.5-Minute USGS Topographic Quadrangle Map (1981)*, the project area lies at an average elevation of roughly 1,315 feet relative to mean sea level (MSL). Based on the information from this quadrangle map and the topographic information we obtained from your office, the project area slopes very gently from the east to the west, toward the EMF, with a vertical relief of less than 10 feet across the site.

Two aerial photographs were reviewed for this project. A 1967 photograph from the *USDA Soil Survey of Eastern Maricopa and Northern Pinal Counties, Arizona* indicated a denser vegetation and small shrubs across the central and northern portion of the project area than exists at the site presently. In addition, a small area of row crops is recorded in the same photograph near the extreme southern tip of the project area. A series of 1999 aerial photographs from *Landiscor's Phoenix Real Estate Photo Book* show the project area similar to its current condition. Our evalua-

tion of the aerial photographs and visual reconnaissance did not indicate any large disturbed areas that might be indicative of past development or filling. We also observed some public use of recreational vehicles during our field activities within the project area, with associated trails tracking across the project area.

#### 4. PROPOSED CONSTRUCTION

The project generally includes the construction of a new detention basin along the southeast side of the EMF, from Queen Creek Road to just north of Chandler Heights Road. The basin will collect runoff from Queen Creek and Sanokai Wash, temporarily retain the water and ultimately discharge it into the EMF. The basin elevation will vary from about 1,299 feet above MSL near the north side, to about 1,296 feet above MSL near the south side. Consequently, the excavations needed to create the basin area will extend to about 10 to 20 feet bgs. Natural soil berms, which will act as levees, will result (from the excavation) between the basin, the EMF and Queen Creek. Based on our conversations with your office and the Flood Control District of Maricopa County, we understand that this construction does not constitute a jurisdictional dam.

A segment of the Queen Creek channel, from its crossing under Higley Road to the existing sedimentation basin to the north of Chandler Heights Road, will be improved by widening and re-channeling of the sides. The re-channelized Queen Creek will be about 100 feet wide from about Station 93+00 to 66+30. A new drop structure will be constructed at this station and the width of the creek (downstream from the drop structure) will be increased to about 200 feet. This 200 foot width will be maintained until about Station 52+20, where the creek will gradually taper over about 550 linear feet to a channel width of 50 feet. This 50 foot width will be maintained until the creek terminates into the existing sedimentation basin on the south side of the site.

Based on the available information, we understand that a new sediment basin will be created just southwest of Higley Road. Two new drop structures will be constructed upstream of this sediment basin. In addition, a weir structure will be constructed on the south side of the sediment basin. The bottom of this sediment basin will extend to about elevation 1,303 feet MSL.

In addition to the sediment basin near Higley Road, there will also be a new sediment basin constructed in association with the Sanokai Wash, which will be located adjacent to Queen Creek at about Station 64+00. This sediment basin will have a weir structure located on its west side.

The vertical alignment of the creek bottom will also be improved. From Higley Road to the Ocotillo Road alignment, a new drop structure will be constructed at about Station 66+30, which will be about 4 feet high, that will lower the level of the creek from about 1,305 to 1,301 feet above MSL. As a result of the improvements to Queen Creek, some of the levees between Queen Creek and the EMF, specifically about the top 2 to 3 feet, will extend above the existing ground surface. This portion of the levee will be constructed of new engineered fill.

A 550-foot long, concrete side weir will be constructed along the northwest side of Queen Creek, from about Station 46+70 to 52+20. This side weir will enable water to enter the basin from the improved Queen Creek. The side weir crest elevation is tentatively planned to be at about 1,307 feet above MSL.

To allow the water to transfer into the EMF from the basin, one outlet is planned near the southwestern tip of the basin and will consist of four, 6 feet wide by 4 feet high reinforced concrete box culverts. This outlet will be maintained with sluice and flap gates.

The side slopes around the perimeter of the basin are proposed to be constructed with a 4 vertical to 1 horizontal slope or shallower. The land use within the new basin is tentatively planned to accommodate multiple-use facilities, and could include several baseball and soccer fields. A small portion of the basin located along the Ocotillo Road alignment will not be excavated. This area is reserved for future roadway development.

## 5. FIELD EXPLORATION

### 5.1. Soil Borings

Ninyo & Moore conducted an initial soil boring subsurface evaluation at the site between July 11 and 19, 2001 and an additional subsurface evaluation between June 4 and 6, 2002 in order to evaluate the existing subsurface conditions and to collect soil samples for laboratory

testing. Our evaluation consisted of the excavating, logging, and sampling of 45 small-diameter borings. The borings were drilled using a CME-55 and -75 truck-mounted drill rig. Of these borings, 17 were drilled along the EMF perimeter (denoted as CH-1 through CH-10 and CH39 through CH-45), 19 were drilled along the Queen Creek perimeter (denoted as CH-11 through CH-19 and CH-27 through CH-36), two were drilled along the southeast perimeter of the existing sediment basin (denoted as CH-37 and CH-38), one was drilled along the Queen Creek Road perimeter (denoted as CH-20), and six were drilled within the new basin area (denoted as CH-21 through CH-26). Bulk and relatively undisturbed soil samples were collected at selected intervals. Detailed descriptions of the soils encountered are presented in the boring logs in Appendix A.

The ground surface elevations and the horizontal locations at each boring were measured by Consultant Engineering, Inc. of Phoenix, Arizona, after the drilling was complete. The elevations of each boring location are presented on the logs. The general locations of each of the borings are denoted on the Soil Boring/Test Pit Location Map (Figure 2).

## **5.2. Test Pits**

In order to supplement the information obtained from the soil borings, Ninyo & Moore conducted an initial test pit subsurface evaluation on November 26 and 27, 2001 and an additional test pit evaluation between August 19 and 23, 2002. The test pits were generally excavated along the EMF and Queen Creek perimeter and within the new basin area using a Ford 555E backhoe. Detailed descriptions of the soils encountered are presented in the boring logs in Appendix A, and the general locations of the test pits are denoted on Figure 2.

## **5.3. Piezometer Monitoring Wells**

In order to monitor surface water seepage from the EMF after a large rain event, three of the boreholes were completed as piezometers. Specifically, the piezometers were installed in borings CH-2, CH-6, and CH-9. In general, the bottom half of the piezometer well casing consisted of bottom capped screened PVC, and the top half solid impermeable PVC. The annuli around the wells were backfilled with permeable sand and grouted near the ground.

surface using cement-bentonite slurry. The above ground exposures of the well casings were enclosed and capped with an above-ground lockable protective steel casing.

No substantial rainfall events occurred during our study period and therefore no meaningful readings were possible; however, the wells were left in place. Consequently, if a heavy rain event occurs in the future, the piezometers may be read and the information could be useful. If this information is not needed, the piezometers should be removed during construction and backfilled with a cement/bentonite mixture.

#### **5.4. Field Percolation Tests**

In order to provide a preliminary evaluation of the infiltration rate near the proposed bottom of the basin, Ninyo & Moore conducted six infiltration tests in general accordance with the City of Chandler Typical Detail No. C-109. This method was selected because it is commonly considered to be a standard throughout metropolitan Phoenix. These tests were performed near the central portion of the proposed basin at the site, adjacent to borings CH-21, CH-22, CH-23, CH-24, CH-25, and CH-26. The procedures used consisted of the insertion of a 12-inch diameter solid riser into undisturbed soil, to a depth of approximately 15 to 20 feet bgs, followed by prewetting of the soil. The test continued after the prewetting period by refilling the casing and monitoring the drop in water level as a function of time until steady-state conditions were achieved. The results of this testing are provided in Appendix C.

#### **5.5. Field Screening for Volatile Organic Compounds (VOCs)**

In order to provide a preliminary screening of soil for the possible presence of volatile organic compounds (VOCs), several collected samples were tested in the field as drilling progressed with a photoionization detector (PID). The Mini-Rae PID was calibrated at the beginning of each sampling day with 100 ppm isobutylene span gas. A zip-lock plastic bag was partially filled with a portion of each collected soil sample, sealed, the soil disturbed, and allowed to volatilize for 10 minutes. The tip of the PID was then inserted into the head-space of the plastic bag.

The highest PID reading was noted and recorded on the field boring logs and in the field notebook. No elevated VOC readings were observed during our field work.

## 6. LABORATORY TESTING

The soil samples collected from our drilling activities were transported to the Ninyo & Moore laboratory in Phoenix, Arizona for geotechnical laboratory analysis. The analysis included in-situ moisture content and dry density, grain size analysis, Atterberg limits, hydro-consolidation (swell/collapse) tests, maximum density/optimum moisture relationship, expansion index, agronomic testing (growability), permeability tests, unconsolidated undrained triaxial compression tests and corrosivity characteristics (including pH, minimum electrical resistivity, soluble sulfates, and chlorides). The results of the laboratory testing are presented on the logs in Appendix A and/or the laboratory sheets present in Appendix B.

Agronomic testing consisting of the testing of primary nutrients, secondary nutrients, micro nutrients, as well as other agricultural characteristics, was performed by Fruit Growers Laboratory, Inc. of Santa Paula, California. The results of these tests, which include planting recommendations, are presented in Appendix D.

## 7. GEOLOGY AND SUBSURFACE CONDITIONS

The geology and subsurface conditions at the site are described in the following sections.

### 7.1. Geologic Setting

The project site is located in the Sonoran Desert Section of the Basin and Range Physiographic Province, which is typified by broad alluvial valleys separated by steep, discontinuous, subparallel mountain ranges. The mountain ranges generally trend north-south and northwest-southeast. The basin floors consist of alluvium with thickness extending to several thousands of feet.

The basins and surrounding mountains were formed approximately 10 to 13 million years ago during the mid- to late-Tertiary. Extensional tectonics resulted in the formation of horsts

(mountains) and grabens (basins) with vertical displacement along high-angle normal faults. Intermittent volcanic activity also occurred during this time. The surrounding basins filled with alluvium from the erosion of the surrounding mountains as well as from deposition from rivers. Coarser-grained alluvial material was deposited at the margins of the basins near the mountains. The surficial geology of the proposed detention basin is described as latest Quaternary age deposits (<10,000 years old) and Pleistocene deposits (<250,000 years old) consisting of sand, clay, and silt with local occurrences of fine gravels and coarse deposits that contain minimal to moderate soil development (Pearthree, 1994).

## 7.2. Subsurface Conditions

Our knowledge of the subsurface conditions at the project site is based on our field exploration and laboratory testing, and our understanding of the general geology of the area. The following paragraphs provide generalized descriptions of the materials encountered. More detailed descriptions are presented on the boring logs in Appendix A.

Stratified desert alluvium was encountered at the surface of the borings and extended to the total depth explored. The alluvium generally consisted of clay (CL), silt (ML), clayey/silty sand (SC/SM) and clayey/silty fine to coarse gravel (GP/GC/GM). Scattered caliche nodules, filaments, and stringers were present in many of the borings. Table 1 provides a breakdown of the soil types encountered in our borings within the proposed basin excavation (e.g., from the ground surface to about 10 to 20 feet bgs):

**Table 1 – Approximate Percentage of Soil Types Encountered from Ground Surface to Anticipated Bottom of Basin**

GP/GC/GM	SP	SC/SM	ML	CL
1%	1%	30%	15%	53%

Table 2 provides a breakdown of the soil types encountered in our borings at the anticipated bottom of the basin excavation (e.g., about 10 to 20 feet bgs):

**Table 2 – Approximate Percentage of Soil Types Encountered at the Anticipated Bottom of Basin Excavation**

<b>GP/GC/GM</b>	<b>SP</b>	<b>SC/SM</b>	<b>ML</b>	<b>CL</b>
4%	0%	67%	7%	22%

The geological characteristics of the surface soils within the project site generally includes the presence of a Holocene “apron” overlying an older Late Pleistocene deposit. The Holocene deposits are typically of lower density and are relatively susceptible to collapse upon wetting. Consequently, the position of the contact between the Holocene and Late Pleistocene deposits is relevant. Based on our field work and laboratory testing, we estimate that this contact ranges from about elevation 1,285 to 1,305 feet MSL. Localized variations may be greater than the given range and are largely attributable to erosion of the Late Pleistocene surface.

### **7.3. Groundwater**

Groundwater was not encountered in our boring excavations. Based on well data from the Arizona Department of Water Resources (ADWR), the approximate depth to groundwater is in excess of about 180 feet bgs. Groundwater levels can fluctuate due to seasonal variations, irrigation, groundwater withdrawal or injection, and other factors. In general, groundwater is not expected to be a constraint to the construction of the project; however, given the occurrence of relatively pervious zones, perched tailwater resulting from flood irrigation of cropland might be encountered.

## **8. CONCLUSIONS**

Based on the results of our subsurface evaluation, laboratory testing, and data analysis, it is our opinion that the proposed construction is feasible from a geotechnical standpoint, provided that the recommendations of this report are incorporated into the design and construction of the proposed project, as appropriate. Geotechnical considerations include the following:

- The on-site soils consist of stratified desert alluvium with a high degree of heterogeneity and anisotropy. The soils should generally be excavatable to planned depths with conventional earthmoving construction equipment in good working condition.
- A basin side slope angle of 4 horizontal to 1 vertical is feasible from a geotechnical standpoint. Our calculations show an acceptable factor of safety against appropriate failure modes.
- Of primary concern is the possibility of cracking, piping, and/or seepage through the natural levees. These concerns were addressed in the Failure Mode Analysis (FMA) performed for this project. As a result, one of the primary conclusions was that a cut-off barrier (located within the levee between the basin and the EMF and the improved Queen Creek) would reduce the risk associated with several of the potential failure modes discussed.
- We recommend that the side weirs be supported on a zone of engineered fill that extends through the Holocene alluvium soils to older Pleistocene deposits. Based on our field work, laboratory testing and analysis, we recommend that this zone of engineered fill extend to elevation 1,290 feet or deeper below the weir between the basin and Queen Creek, elevation 1,300 feet or deeper below the weir associated with the Queen Creek sediment basin and elevation 1,300 feet or deeper below the weir associated with the Sanokai Wash sediment basin. An engineering geologist or geotechnical engineer should evaluate the exposed soil, modifications based on field observations may be appropriate.
- Anti-seepage devices, such as seepage collars, should be used for the installation of pipes or other penetrations that cross through or beneath the levees

## 9. RECOMMENDATIONS

The following sections present our geotechnical recommendations for the proposed basin construction.

### 9.1. Earthwork

The following sections provide our earthwork recommendations. Other recommendations for grading and earthwork are included in our Earthwork Specifications Recommendations, Appendix E. If there are conflicting recommendations, those provided in this report supersede those in Appendix E.

#### 9.1.1. Excavation Characteristics

Our evaluation of the excavation characteristics of the on-site materials is based on the results of 45 exploratory borings, 26 test pits, our site observations, and our experience

with similar materials. In our opinion, excavation of the on-site materials can generally be accomplished to the anticipated basin depth with conventional earthmoving equipment in good operating condition. However, scattered caliche nodules, filaments, and stringers were encountered in many of the borings and test pits, which may be somewhat more time consuming to excavate. This cementation predominates in the older Pleistocene deposits, which were encountered below roughly elevation 1,285 to 1,305 feet MSL.

The trenches and excavations should be designed and constructed in accordance with OSHA regulations. These regulations provide trench sloping and shoring design parameters for trenches up to 20 feet deep based on a description of the soil types encountered. Trenches greater than 20 feet deep should be designed by the Contractor's engineer based on site-specific geotechnical analyses. For planning purposes, we recommend that the OSHA soil classification for the encountered alluvial soil be considered as Type C.

#### **9.1.2. Grading, Fill Placement, and Compaction**

Vegetation and debris from the clearing operation should be removed from the site and disposed of at a legal dumpsite. Demolition debris should be removed from the site and disposed of at a legal dumpsite. Obstructions that extend below finish grade, if present, should be removed and the resulting holes filled with compacted soil.

A geotechnical consultant should carefully evaluate areas of soft or wet soils prior to placement of fill or other construction. Drying or overexcavation and replacement of such materials may be anticipated.

Imported soils and soils generated from on-site excavation activities that exhibit very low to low expansive potential, are generally suitable for reuse as engineered fill in structural areas. Very low to low expansive potential soils are defined as having an Expansion Index (by ASTM D 4829-95) of 50 or less.

We recommend that new fill be placed in horizontal lifts approximately 8 inches in loose thickness and compacted by appropriate mechanical methods, to 95 percent or more relative compaction, in accordance with ASTM D 698-00 at a moisture content within two percent of its above optimum.

Based on the laboratory tests we performed, the earthwork (shrinkage) factor of 5 to 25 percent is appropriate for the on-site soils within the basin area. This shrinkage factor range represents an average of the material tested. Potential bidders should consider this in preparing estimates and should review the available data to make their own conclusions regarding excavation conditions.

As much of this site was historically used for farming, the top 6 to 12 inches may contain some organics. This layer may need to be segregated during construction and could be reused in non-structural areas of the site.

**9.1.3. Reuse of Excavated Material as Borrow**

The composition of the soils that will likely be excavated for construction of the basin was described in Section 7.2. In addition to the index testing (grain size analysis and Atterberg limits) that was conducted to classify these soils, we performed Expansion Index and corrosivity tests as a means to evaluate these soils for potential reuse. Table 3 outlines the results of these tests. Given the very large volume of soil to be excavated and the heterogeneous nature of the natural soils, much wider variations in soil characteristics than suggested by these results are possible.

**Table 3 – Summary of Expansion Index and Corrosivity Test Results**

Sample Location	Sample Depth (ft)	Expansion Index	pH	Resistivity (ohm-cm)	Water-Soluble Sulfate Content in Soil (%)	Chloride Content (ppm)
CH-11	0-2	1.5	7.6	508	0.0025	160
CH-21	12-15	6	8.4	1,320	0.0004	10
CH-23	0-2	1.5	--	--	--	--
CH-25	12-15	0	--	--	--	--

The Expansion Index test is used to evaluate the intrinsic swell or expansion potential of a remolded soil sample upon saturation with water. Based on Uniform Building Code (UBC) Standard No. 18-2, an Expansion Index from 0 to 20 indicates a very low expansion potential, 21 to 50 indicates a low expansion potential, 51 to 90 indicates a medium expansion potential, 91 to 130 indicates a high expansion potential, and 130 or above indicates a very high expansion potential. The soils that we tested exhibited a very low expansion potential.

The pH and minimum electrical resistivity tests were performed in general accordance with Arizona Test 236b, while sulfate and chloride tests were performed in accordance with Arizona Test 733 and 736, respectively. The soil pH values ranged from 7.6 to 8.4, which is considered to be alkaline. The minimum electrical resistivity measured in the laboratory varied from 508 to 1,320 ohm-cm, which is considered to be corrosive to ferrous materials. The chloride content of the sample tested ranged from about 10 to 160 ppm, which is also considered to be corrosive to ferrous materials.

Based on the UBC criteria, the potential for sulfate attack is negligible for water-soluble sulfate contents in soil ranging from 0.00 to 0.10 percent by weight (0 to 1,000 ppm), and moderate for water-soluble sulfate contents ranging from 0.10 to 0.20 percent by weight (1,000 to 2,000 ppm). The potential for sulfate attack is severe for water-soluble sulfate contents ranging from 0.20 to 2.00 percent by weight (2,000 to 20,000 ppm), and very severe for water-soluble sulfate contents over 2.00 percent by weight (20,000 ppm). The soluble sulfate content of the soil samples tested ranged from 0.0004 to 0.0025 percent, which represents a negligible sulfate exposure for concrete.

#### **9.1.4. Imported Fill Material**

Imported fill in contact with ferrous materials or concrete, if utilized, should consist of clean, granular material with a very low or low expansion potential. Import material that is in contact with buried ferrous materials or concrete should also have low corrosion potential (minimum resistivity greater than 2,000 ohm-cm or chloride content less than 25 parts per million [ppm], and soluble sulfate content of less than 0.1 percent). The

geotechnical consultant should evaluate such materials and details of their placement prior to importation.

## **9.2. Levee Stability and Seepage**

The proposed construction of the new basin will result in natural levees along the perimeter of the basin, specifically along the EMF and Queen Creek. Levees are ordinarily constructed with select materials that are placed over a prepared foundation in an engineered manner and compacted to a specified density. For seepage and piping considerations, constructed levees are frequently zoned and may contain internal drainage. Embankment foundations are generally prepared with cut-offs extending below the embankment.

Due to the infrequent and transient nature of water storage and flow in the abutting channels, the levee soils, will remain dry and (in some cases) brittle until a wetting front passes through during flood events. Given the short impoundment time, seepage through embankments is not expected to reach steady-state conditions.

The composition of these natural levees will be highly heterogeneous and anisotropic, and could be subject to differential settlements, cracking, piping and/or seepage concerns. Although not disclosed in our sampling program, the natural levees and their foundations may contain defects such as desiccation cracks, open graded channels, etc. The following sections of the report address construction considerations with regards to the natural levees that will be constructed for this project and also address the basin infiltration that may be expected.

### **9.2.1. Side Slope Stability**

Based on our conversations with your office and our review of the 30 percent plans, we understand that the preliminary design of the side slopes around the perimeter of the basin calls for a 4 (horizontal) to 1 (vertical) slope or shallower. We performed preliminary slope stability analyses on a typical embankment section with this slope. The stability analyses were performed using the computer program PCSTABL6H, which is a static and pseudostatic stability program using Bishop's modified circular

failure surfaces. Based on the results of this analysis, we have calculated a factor of safety against failure in excess of 2.0. In establishing this factor of safety, we assumed very conservative embankment soil parameters and a total stress analysis. Because saturated conditions are not anticipated (except for the faces of the levees), rapid drawdown stability scenarios have been ruled out as highly unlikely.

On the basis of these analyses, we believe that the proposed 4:1 slope is feasible from a geotechnical standpoint. A graphical representation of this slope stability analysis is given in Figure 3.

### 9.2.2. Cut-Off Barrier

Because these natural levees will be constructed of native soils that are highly heterogeneous and not placed in an engineered manner, differential settlements, desiccation cracking, piping and seepage from the basin to the EMF and Queen Creek (or vice versa) are major design considerations. To better understand these and other potential risks associated with this type of construction, a failure mode assessment (FMA) was conducted for this project in December 2001.

The outcome of this FMA will be summarized in a Failure Mode Report, which will be prepared by Kirkham Michael Consulting Engineers. One of the major findings of this process was that a crack-stopper barrier (located within the levee between the basin and the EMF and Queen Creek) would reduce the risk associated with several of the potential failure modes discussed, particularly those associated with differential settlement, cracking, piping and seepage. The following paragraphs outline our recommendation for construction of a cut-off wall.

We recommend that the cut-off barrier be 12 or more inches wide and extend to a depth of 17 or more feet below the ground surface. A sketch that schematically represents our recommendations for the proposed barrier is attached to this report (Figure 4). The trench used for the barrier can likely be excavated with a backhoe or trencher. We anticipate that the trench sidewalls will generally stand near vertical for short periods of

time; however, the trench should not be left open overnight. The barrier should be located in embankment areas between the basin and the EMF where the top of the embankment is 55 feet wide or less. It is our opinion that the barrier does not have to extend under the weir structures, so long as the weir foundation soils are prepared as described herein. However, we do recommend that the barrier be located in embankment areas between the basin and Queen Creek and in embankment areas between Queen Creek and the surrounding properties to the east and southeast, regardless of the width of the embankment in these areas.

The geotextile used in the cut-off barrier should consist of a Contech C-80NW, Mirafi, Inc. 180N, or equivalent. Specifically, the following material properties should be utilized in selecting a geotextile:

Grad Tensile Strength (tested by ASTM D 4632)	200 or more pounds
Grade Elongation (tested by ASTM D 4632)	50 or more percent
Puncture Strength (tested by ASTM D 4833)	100 or more pounds
Mullen Burst (tested by ASTM D 3486)	350 or more psi
Trapezoidal Tear (tested by ASTM D 4533)	75 or more pounds

The geotextile material should be anchored at the surface with anchor pins spaces every 25 lineal feet, in accordance with the manufacture's specifications. The manufacture's representative should provide design support and construction observations and should provide written assurance of installation procedures.

Native soils excavated from the trench could be reused as engineered fill after the trench is excavated and the geotextile is placed and anchored, provided they meet the criteria mentioned above. Some of the excavated soils may be cemented. As such, soil clods may be present. Therefore, mechanical processing may be needed in such that no particle or soil clod is greater than 1.5 inches in its greatest dimension. No specific moisture-compaction specification for the trench backfill soils is recommended. However, the contractor should place the backfill in a manner that will inhibit bridging or the creation

of voids within the backfill matrix. In addition, the backfill material should be placed in a manner that does not damage to the geotextile material.

The top segment of the cut-off barrier trench (extended from the ground surface to a depth of 12 or more inches) should be capped with a low permeability soil, as shown on the sketch. Settlement of the backfill soils should be expected. As such, occasional maintenance, consisting of the backfilling of depressions, should be anticipated. Based on our conversations with local contractors, we understand that the cost to construct a cut-off barrier as described above ranges from about \$15 to \$20 per lineal foot.

**9.2.3. Basin Base Infiltration**

As mentioned earlier, four field percolation tests were performed for this basin. The tests were located within the central portion of the proposed basin area and extended to about 15 to 17 feet bgs. Table 4 summarizes these results of these percolation tests.

**Table 4 – Summary of Percolation Tests Within Chandler Heights Basin**

Approximate Test Location	Test Depth (ft)	Average Percolation Rate (ft <sup>3</sup> /hr/ft <sup>2</sup> )	Soil Type at Test Depth
CH-21	20	0.91	SM
CH-22	20	0.33	CL
CH-23	15	0.10	CL
CH-24	20	0.30	CL
CH-25	20	0.13	SM
CH-26	15	0.07	GM

The measured values should be viewed as highly approximate since soil permeability is among the more variable quantities used in soil mechanics. A conservative approach to seepage rates is recommended. This approach may include an equation similar to this:

$$\text{Estimated Value} = \text{Average Value} \pm 3 \times \text{Standard Deviation}$$

We estimate the average percolation rate for this basin to be  $0.31 \text{ ft}^3/\text{hr}/\text{ft}^2$  and a standard deviation of 0.31.

### 9.3. New Levee Construction

A portion of the levee created between Queen Creek and the EMF, will need to be raised about 2 to 3 feet, above the existing ground surface. Consequently, this portion will be engineered and compacted in lifts.

We recommend that the new fill needed for this top segment of the levee be placed in horizontal lifts approximately 8 inches in loose thickness and compacted by appropriate mechanical methods, to 95 percent or more relative compaction, in accordance with ASTM D 698-00, at a moisture content within two percent of its optimum. Selected low permeability on-site soils could be reused for this purpose. We recommend that this segment be keyed into the native soils.

### 9.4. Side Weir and Outlet Works

As mentioned earlier, we understand that a 550-foot long concrete side weir will be constructed along the northwest side of Queen Creek, specifically where it tapers in width from 200 feet to 50 feet. The side weir crest elevation is tentatively planned to be at about 1,307 feet above MSL. To allow the water to transfer into the EMF from the basin, one outlet is planned near the southwestern tip of the basin and will consist of four, 6 feet wide by 4 feet high reinforced concrete box culverts. This outlet will be maintained with sluice and flap gates.

In addition, we understand that the side weir will be concrete lined on both sides. The Queen Creek side will be slightly battered toward the basin, and the basin side will be stepped. The 30 percent plan drawings that we received also indicate two cut-off walls, located on either side of the side weir, extending about 5 to 6 feet below the bottom of the basin and Queen Creek respectively. We understand that the primary function of these walls is to discourage undermining, erosion and/or scouring of the weir by water flow.

#### **9.4.1. Foundation Preparation For Side Wier and Outlet Works**

As part of our scope of work, the characteristics of the foundation soils supporting the new levees were evaluated. Particularly, the extent of a Holocene "apron" overlying the older Late Pleistocene deposits was considered. The Holocene deposits are typically of lower density and are relatively susceptible to collapse upon wetting. Consequently, the position of the contact between the Holocene and Late Pleistocene deposits is relevant.

In our evaluation of the Holocene/Late Pleistocene contact, the qualitative description of cementation stage proposed by Machette (1985) was used in conjunction with that proposed by Beckwith and Hanson (1982). The various stages of cementation are denoted on the logs in Appendix A. Based on our field work and laboratory testing, we estimate that this contact ranges from about elevation 1,285 to 1,305 feet MSL. Localized variations are largely attributable to erosion of the Late Pleistocene surface.

Specifically, we recommend that the weir be supported on a zone of engineered fill that generally extends through the Holocene alluvium soils and to older Pleistocene deposits. Based on our field work, laboratory testing and analysis we recommend that this zone of engineered fill extend to elevation 1,290 feet or deeper below the weir between the basin and Queen Creek, elevation 1,300 feet or deeper below the weir associated with the Queen Creek sediment basin and elevation 1,300 feet or deeper below the weir associated with the Sanokai Wash sediment basin. The exposed soil should be carefully evaluated by an engineering geologist or geotechnical engineer.

Engineered fill should be placed in horizontal lifts approximately 8 inches in loose thickness and compacted by appropriate mechanical methods, to 95 percent or more relative compaction, in accordance with ASTM D 698-00 at a moisture content within two percent of its optimum moisture content. Selected low permeability, on-site soils could be reused for this purpose.

#### 9.4.2. Pipe Penetrations

An embankment breach can result from inadequately designed or constructed pipelines, utility conduits, or culverts (hereafter referred to as pipes) located beneath or within levees. During high water conditions, seepage tends to concentrate along the outer surface of pipes resulting in piping (potential washing out) of fill or foundation material. Seepage may also occur because of leakage from the pipe. Consequently, we recommend that anti-seepage devices be employed to mitigate piping or erosion along the outside wall of the pipe. The term "anti-seepage device" usually refers to metal diaphragms or concrete collars that extend from the pipe into the backfill material. To reduce piping potential, great care should be taken when compacting backfill around these seepage rings.

In addition, the pipe should have adequate strength to withstand the applied earth loads. Consideration should also be given to live loads imposed from equipment during construction and the loads from traffic and maintenance equipment after the levee construction.

The pipe joints should be selected to accommodate movements resulting from foundation or fill settlement. In addition, the pipe joints, as well as the pipe itself, should be watertight.

#### 9.4.3. Concrete

As mentioned previously, the results of the sulfate content laboratory tests indicate the site soils present a negligible sulfate exposure to concrete. In accordance with Table 19-A-3 of the 1994 UBC, we believe that Type II cement can be used for the construction of concrete structures at this site. However, due to potential uncertainties as to the use of reclaimed irrigation water, or topsoil that may contain higher sulfate contents, sulfate-resistant cement, pozzalon, or admixtures may be considered.

The concrete should have a water-cement ratio no greater than 0.5 by weight for normal weight aggregate concrete. From a quality standpoint, a 28-day compressive strength of 4,000 psi or higher is desirable because it will improve concrete durability.

#### **9.5. Pre-Construction Conference**

We recommend that a pre-construction conference be held. Representatives of the owner, the civil engineer, the geotechnical consultant, and the contractor should be in attendance to discuss the project plans and schedule. Our office should be notified if the project description included herein is incorrect or if the project characteristics are significantly changed.

#### **9.6. Construction Observation and Testing**

We recommend that a qualified geotechnical consultant perform observation and testing services for the project during construction operations. These services should be performed to evaluate exposed subgrade conditions, including the extent and depth of overexcavation if loose soils are encountered during construction, to evaluate the suitability of proposed borrow materials for use as fill, and to observe placement and test compaction of fill soils. We believe the design geotechnical consultant should be retained for construction services. However, if another geotechnical consultant is selected to perform observation and testing services for the project, we request that the selected consultant provide a letter to the owner, with a copy to Ninyo & Moore, indicating that they fully understand our recommendations and that they are in full agreement with the recommendations contained in this report. Qualified subcontractors utilizing appropriate techniques and construction materials should perform construction of the proposed improvements.

### **10. LIMITATIONS**

The field evaluation, laboratory testing, and geotechnical analyses presented in this geotechnical report have been conducted in general accordance with current practice and the standard of care exercised by geotechnical consultants performing similar tasks in the project area. No warranty, expressed or implied, is made regarding the conclusions, recommendations, and opinions presented

in this report. There is no evaluation detailed enough to reveal every subsurface condition. Variations may exist and conditions not observed or described in this report may be encountered during construction. Uncertainties relative to subsurface conditions can be reduced through additional subsurface exploration. Additional subsurface evaluation will be performed upon request. Please also note that our evaluation was limited to assessment of the geotechnical aspects of the project, and did not include evaluation of structural issues, environmental concerns, or the presence of hazardous materials.

This document is intended to be used only in its entirety. No portion of the document, by itself, is designed to completely represent any aspect of the project described herein. Ninyo & Moore should be contacted if the reader requires additional information or has questions regarding the content, interpretations presented, or completeness of this document.



This report is intended for design purposes only and may not provide sufficient data to prepare an accurate bid by some contractors. It is suggested that the bidders and their geotechnical consultant perform an independent evaluation of the subsurface conditions in the project areas. The independent evaluations may include, but not be limited to, review of other geotechnical reports prepared for the adjacent areas, site reconnaissance, and additional exploration and laboratory testing.

Our conclusions, recommendations, and opinions are based on an analysis of the observed site conditions. If geotechnical conditions different from those described in this report are encountered, our office should be notified and additional recommendations, if warranted, will be provided upon request. It should be understood that the conditions of a site could change with time as a result of natural processes or the activities of man at the subject site or nearby sites. In addition, changes to the applicable laws, regulations, codes, and standards of practice may occur due to government action or the broadening of knowledge. The findings of this report may, therefore, be invalidated over time, in part or in whole, by changes over which Ninyo & Moore has no control.

This report is intended exclusively for use by the client. Any use or reuse of the findings, conclusions, and/or recommendations of this report by parties other than the client is undertaken at said parties' sole risk.

## 11. SELECTED REFERENCES

- American Society for Testing and Materials (ASTM), 1992, Slurry Walls Design, Construction and Quality Control, ASTM
- American Society for Testing and Materials (ASTM), 1997 Annual Book of ASTM Standards.
- Arizona Department of Water Resources (ADWR). Drillers logs in file.
- Beckwith, G. H. and Hansen, L. A., 1982, "Calcareous Soils of the Southwestern United States", Geotechnical Properties, Behavior, and Performance of Calcareous Soils, ASTM STP 777, K. R. Dumars and R. C. Chaney, Eds., American Society for Testing and Materials, p. 16-35.
- Engineered Construction International, Inc., Slurry Trench Cut-Off Walls for Hazardous Waste Isolation
- Harr, M.E., 1962, Groundwater and Seepage, McGraw-Hill Book Company.
- International Conference of Building Officials, 1997, Uniform Building Code: Whittier California.
- Landiscor, 1999, Real Estate Photo Book for the Greater Phoenix Area.
- Machette, M. N., 1985, "Calcic Soils of the Southwestern United States", Soils and Quaternary Geology of the Southwestern United States, Ed. David L. Weide, P. 1-21
- Ninyo & Moore, In-house proprietary information.
- Pearthree, P.A., and Hucklebery, G., 1994, Surficial Geologic Map of the Mesa 30' X 60' Quadrangle, AZ: Arizona Geological Survey, Open-File Report Series OFR 94-24, Scale 1:100,000.
- Terzaghi, K., 1996, Soil Mechanics in Engineering Practice, Third Edition, Wiley Interscience
- United States Army Corps of Engineers, 2000, Design and Construction of Levees.
- United States Department of Agriculture, Soil Conservation Service, 1974 Soil Survey, Eastern Maricopa and Northern Pinal Counties Area, Arizona: dated November 1973.
- United States Department of the Interior, Bureau of Reclamation, Design of Small Dams, Third Edition, 1987
- United States Geological Survey, 1981, Higley -Arizona, Maricopa County, 7.5 Minute Series (Topographic): Scale 1" = 24,000'.



Source: Microsoft Streets98, 1998.

**Ninyo & Moore**


**SITE LOCATION MAP**

**EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA**

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
1



**LEGEND**

- ◆ TP-24 Approximate location of exploratory test pit.
- CH-26 Approximate location of exploratory boring.

NOTE: Dimensions and directions approximate.



0 700  
APPROXIMATE  
SCALE IN FEET

**Ninyo & Moore**


**SOIL BORING/TEST PIT LOCATION MAP**

**EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA**


<b>PROJECT NO.</b> 600198002	<b>DATE</b> 10/02	<b>FIGURE</b> 2
---------------------------------	----------------------	--------------------

Figure 3: Slope Stability Analysis of Typical Embankment

Ten Most Critical. C:EMF-TYP.PLT By: Curt 09-28-01 3:52pm



Factors Of Safety Calculated By The Modified Bishop Method



NOT TO SCALE

***Ninyo & Moore***

CONCEPTUAL FIGURE  
CUT-OFF BARRIER

EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
4



## APPENDIX A BORING AND TEST PIT LOGS

### Field Density Test Procedure

Field density tests were performed to evaluate the in-place density of soil in general accordance with ASTM D 1556-00 (Sand Cone method), ASTM D 2937-00 (Drive Cylinder method) or ASTM D 2922-96/D 3017-96 (Nuclear Gauge method). The results of the field density tests are provided on the logs of the exploratory excavations included in this appendix.

### Field Procedure for the Collection of Disturbed Samples

Disturbed soil samples were obtained in the field using the following methods.

#### Bulk Samples

Bulk samples of representative earth materials were obtained from the exploratory excavations. The samples were bagged and transported to the laboratory for testing.

#### The Standard Penetration Test (SPT) Spoon

Disturbed drive samples of earth materials were obtained by means of a Standard Penetration Test spoon sampler. The sampler is composed of a split barrel with an external diameter of 2 inches and an unlined internal diameter of 1-3/8 inches. The spoon was driven into the ground 12 to 18 inches with a 140-pound hammer free-falling from a height of 30 inches in general accordance with ASTM D 1586-99. The blow counts were recorded for every 6 inches of penetration; the blow counts reported on the logs are those for the last 12 inches of penetration. Soil samples were observed and removed from the spoon, bagged, sealed and transported to the laboratory for testing.

### Field Procedure for the Collection of Relatively Undisturbed Samples

Relatively undisturbed soil samples were obtained in the field using the following methods.

#### The Modified Split-Barrel Drive Sampler

The sampler, with an external diameter of 3.0 inches, was lined with 1-inch long, thin brass rings with inside diameters of approximately 2.4 inches. The sample barrel was driven into the ground with the weight of a hammer or the kelly bar of the drill rig in general accordance with ASTM D 3550-01. The driving weight was permitted to fall freely. The approximate length of the fall, the weight of the hammer or bar, and the number of blows per foot of driving are presented on the boring logs as an index to the relative resistance of the materials sampled. The samples were removed from the sample barrel in the brass rings, sealed, and transported to the laboratory for testing.


## U.S.C.S. METHOD OF SOIL CLASSIFICATION

MAJOR DIVISIONS	SYMBOL	TYPICAL NAMES	
<b>COARSE-GRAINED SOILS</b> (More than 1/2 of soil >No. 200 sieve size)	<b>GRAVELS</b> (More than 1/2 of coarse fraction > No. 4 sieve size)	GW	Well graded gravels or gravel-sand mixtures little or no fines
		GP	Poorly graded gravels or gravel-sand mixtures, little or no fines
		GM	Silty gravels, gravel-sand-silt mixtures
		GC	Clayey gravels, gravel-sand-clay mixtures
	<b>SANDS</b> (More than 1/2 of coarse fraction <No. 4 sieve size)	SW	Well graded sands or gravelly sands, little or no fines
		SP	Poorly graded sands or gravelly sands, little or no fines
		SM	Silty sands, sand-silt mixtures
		SC	Clayey sands, sand-clay mixtures
<b>FINE-GRAINED SOILS</b> (More than 1/2 of soil <No. 200 sieve size)	<b>SILTS &amp; CLAYS</b> Liquid Limit <50	ML	Inorganic silts and very fine sands, rock flour, silty or clayey fine sands or clayey silts with slight plasticity
		CL	Inorganic clays of low to medium plasticity, gravelly clays, sandy clays, silty clays, lean clays
		OL	Organic silts and organic silty clays of low plasticity
	<b>SILTS &amp; CLAYS</b> Liquid Limit >50	MH	Inorganic silts, micaceous or diatomaceous fine sandy or silty soils, elastic silts
		CH	Inorganic clays of high plasticity, fat clays
		OH	Organic clays of medium to high plasticity, organic silty clays, organic silts
<b>HIGHLY ORGANIC SOILS</b>		Pt	Peat and other highly organic soils

### CLASSIFICATION CHART (Unified Soil Classification System)

CLASSIFICATION	RANGE OF GRAIN SIZES	
	U.S. Standard Sieve Size	Grain Size in Millimeters
<b>BOULDERS</b>	Above 12"	Above 305
<b>COBBLES</b>	12" to 3"	305 to 76.2
<b>GRAVEL</b>	3" to No. 4	76.2 to 4.76
	Coarse 3" to 3/4"	76.2 to 19.1
Fine 3/4" to No. 4	19.1 to 4.76	
<b>SAND</b>	No. 4 to No. 200	4.76 to 0.074
	Coarse No. 4 to No. 10	4.76 to 2.00
	Medium No. 10 to No. 40	2.00 to 0.420
Fine No. 40 to No. 200	0.420 to 0.074	
<b>SILT &amp; CLAY</b>	Below No. 200	Below 0.074

GRAIN SIZE CHART



PLASTICITY CHART

**Ninyo & Moore**

U.S.C.S. METHOD OF SOIL CLASSIFICATION

DEPTH (feet)

BULK SAMPLES  
Driven

BLOWS/FOOT

MOISTURE (%)

DRY DENSITY (PCF)

SYMBOL

CLASSIFICATION  
U.S.C.S.

DATE DRILLED \_\_\_\_\_ BORING NO. \_\_\_\_\_ PATTERNS \_\_\_\_\_  
 GROUND ELEVATION \_\_\_\_\_ SHEET 1 OF 1  
 METHOD OF DRILLING \_\_\_\_\_  
 DRIVE WEIGHT \_\_\_\_\_ DROP \_\_\_\_\_  
 SAMPLED BY \_\_\_\_\_ LOGGED BY \_\_\_\_\_ REVIEWED BY \_\_\_\_\_

DESCRIPTION/INTERPRETATION

SOILS

- GW (GW:G3N) = well graded GRAVEL
- GP (GP:G) = poorly graded GRAVEL, sandy gravel, aggregate base
- GM (GM:GZ) = silty GRAVEL
- GC (GC:OG) = clayey GRAVEL
- SW (SW:D) = well graded SAND
- SP (SP:S) = poorly graded SAND
- SM (NZ) = silty SAND
- SC (NO) = clayey SAND
- CL (O) = low plasticity CLAY or just CLAY
- ML (Z) = silt
- OL (4) = low plasticity organic SILT
- CH (C) = high plasticity CLAY
- MH (M) = plastic SILT
- OH (5) = high plasticity organic CLAY
- PT (Q) = peat

ROCKS AND CONCRETE

- (1) = SILTSTONE (clayey SILTSTONE, sandy SILTSTONE, etc.)
- (1) = SANDSTONE (silty SANDSTONE, clayey SANDSTONE, etc.)
- (H) = CLAYSTONE (sandy CLAYSTONE, silty CLAYSTONE, etc.)
- (O12) = BRECCIA rock with angular and/or gravel- or cobble-sized clasts
- (B) + (1) = CONGLOMERATE
- (>) = SHALE or SLATE
- (I) = GRANITIC ROCK or BONSALL TONALITE
- (2) = METAVOLCANIC (or VOLCANIC) ROCK
- (2+1) = VOLCANIC TUFF
- (V) = GABBROIC ROCK or other intrusive igneous rock
- (P) = ASPHALT CONCRETE
- (9) = CONCRETE
- (WATER) Water table during drilling.
- (FWATER) Water table at boring completion.
- (%) = CALICHE
- (.) = GYPSUM
- (\$ ) = SCHIST
- (7) = Mudstone
- (( )) = Dolomite

0  
6.2  
14  
18.6  
24.8



BORING LOG

LEGEND FOR BORING LOGS

PROJECT NO.  
PATTERNS

DATE  
REV. 5/99

FIGURE

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/10/01</u> BORING NO. <u>CH-1</u>		
	Bulk	Driven						GROUND ELEVATION <u>1312' MSL</u>	SHEET <u>1</u> OF <u>2</u>	METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Auto)</u>	DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u>	LOGGED BY <u>MDE</u>	REVIEWED BY <u>LLG</u>
								<b>DESCRIPTION/INTERPRETATION</b>		
0							ML	<b>ALLUVIUM:</b> Brown (7.5 YR 5/4), damp, loose to dense, clayey SILT.  Stage I cementation, weakly cemented by calcium carbonate, weak reaction with HCL, sparse calcium carbonate filaments.		
42										
5			9	10.7				Medium dense.		
11			11	11.1	88.4					
10			26	8.9			SM	Pale brown (10 YR 6/3), dry to damp, dense, silty SAND; trace fine, subrounded gravel.  Stage I cementation, weakly cemented by calcium carbonate, weak reaction with HCL, sparse calcium carbonate filaments.		
28			28	10.2	90.1		CL	Reddish brown (5 YR 5/4), damp, hard, silty CLAY.  Stage I cementation, weakly cemented by calcium carbonate, weak reaction with HCL, sparse calcium carbonate filaments.		
15			16	15.9				Very stiff.		
9			9				ML	Brown (7.5 YR 5/4), damp, loose, clayey SILT.  Stage I cementation, non-cemented, no reaction to HCL.		
20										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-1

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.				
	Bulk	Driven						7/10/01	CH-1				
								GROUND ELEVATION	1312' MSL	SHEET	2	OF	2
								METHOD OF DRILLING	CME 75, 8" Diameter Hollow-Stem Auger				
								DRIVE WEIGHT	140 lbs. (Auto)	DROP	30"		
								SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY	LLG
								<b>DESCRIPTION/INTERPRETATION</b>					
20			21				SM	<u>ALLUVIUM:</u> (continued) Very pale brown (10 YR 7/4), dry, medium dense, silty SAND. Soil type change from ML to SM within sample interval.					
								Total Depth = 21.5' Groundwater not encountered. Backfilled on 7/10/01.					
25													
30													
35													
40													

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-2

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/17/01</u> BORING NO. <u>CH-2</u>	
							GROUND ELEVATION <u>1309' MSL</u> SHEET <u>1</u> OF <u>2</u>	
								METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>

DEPTH (feet)	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
0					CL	<b>ALLUVIUM:</b> Brown (7.5 YR 5/4), dry, stiff, silty CLAY; scattered caliche filaments, weakly cemented. Stage I, weak reaction with HCL.
12	12	9.8	85.5			
5	45					Hard.
12	12	8.0				Very stiff.
10	37	4.7	100.8			Hard.
82/9"		13.3				Stage I cementation, scattered caliche filaments, weakly cemented, weak to no reaction with HCL.
15	39				SM	Pale brown (10 YR 6/3), dry, medium dense, silty SAND.
					CL	Brown (7.5 YR 5/4), dry, hard, silty CLAY. Stage II cementation, scattered caliche nodules, moderately cemented.
53	53	5.5				
20						

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-3

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.				
	Bulk	Driven						7/17/01	CH-2				
								GROUND ELEVATION	1309' MSL	SHEET	2	OF	2
								METHOD OF DRILLING	CME 75, 8" Diameter Hollow-Stem Auger				
								DRIVE WEIGHT	140 lbs. (Auto)	DROP	30"		
								SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY	LLG
								<b>DESCRIPTION/INTERPRETATION</b>					
20			27	6.0	94.2		CL	<b>ALLUVIUM: (continued)</b> Brown (7.5 YR 5/4), dry, hard, silty CLAY. Stage II cementation, scattered calcium carbonate nodules.					
								Total Depth = 21.5' Groundwater not encountered. Piezometer installed on 7/17/01.					
25													
30													
35													
40													

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-4

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/11/01</u> BORING NO. <u>CH-3</u>
							GROUND ELEVATION <u>1309' MSL</u> SHEET <u>1</u> OF <u>2</u>
							METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
							DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>
							SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>
<b>DESCRIPTION/INTERPRETATION</b>							

0					CL	<p><u>FILL</u>: Brown (7.5 YR 5/4), damp, stiff, silty CLAY. Stage II cementation, scattered calcium carbonate filaments, weakly cemented.</p>
	12	14.6	84.2	Very stiff.		
5	17			Hard; few sand.		
	34	8.4				
10	35	5.4	102.1	ML	<p><u>ALLUVIUM</u>: Reddish brown (5 yr 5/4), damp, medium dense, sandy SILT. Stage I cementation, weakly cemented, moderate reaction with HCL.</p>	
	55	3.0		SM	<p>Brown (7.5 YR 5/4), damp, dense to very dense, silty SAND; some fine subrounded gravel. Stage II cementation, moderate cementation by caliche, color change to light gray.</p>	
15	67/11"	6.3		CL	<p>Brown (7.5 YR 5/4), damp, hard, silty CLAY. Stage II cementation, trace caliche nodules less than 1/2" in diameter.</p>	
	68	7.4	95.8			
20						

# Ninyo & Moore

## BORING LOG

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO. 600198002	DATE 10/02	FIGURE A-5
--------------------------	---------------	---------------

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.				
	Bulk	Driven						7/11/01	CH-3				
								GROUND ELEVATION	SHEET	OF			
								METHOD OF DRILLING	CME 75, 8" Diameter Hollow-Stem Auger				
								DRIVE WEIGHT	140 lbs. (Auto)	DROP	30"		
								SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY	LLG
								DESCRIPTION/INTERPRETATION					
20			70	7.1			ML	<u>ALLUVIUM:</u> (continued) Brown (7.5 YR 5/4), damp, hard, silty CLAY, trace nodules. Stage II cementation, trace carbonate nodules less than 1/2" in diameter.					
								Total Depth = 21.5' Groundwater not encountered. Backfilled on 7/11/01.					
25													
30													
35													
40													
45													
50													
55													
60													
65													
70													
75													
80													
85													
90													
95													
100													

**Ninyo & Moore**

BORING LOG		
East Maricopa Floodway Chandler Heights Detention Basin		
PROJECT NO. 600198002	DATE 10/02	FIGURE A-6

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							7/11/01	CH-4	
							GROUND ELEVATION	SHEET	OF
							1308' MSL	1	2
							METHOD OF DRILLING CME 75, 8" Diameter Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Auto)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	LLG
							DESCRIPTION/INTERPRETATION		
0						CL	<u>ALLUVIUM:</u> Brown (7.5 Yr 5/4), damp, very stiff, silty CLAY. Stage I cementation, scattered calcium carbonate filaments.		
14							Thin layer of silty fine sand.		
13			6.0						
35			13.0	72.5			Hard, scattered calcium carbonate filaments.		
12			7.7				Very stiff.		
90/11"			6.3	93.8			Hard.		
15						ML	Very pale brown (10 YR 7/4), dry to damp, dense, clayey SILT; few fine gravel, trace coarse gravel. Stage II cementation below 15 feet moderate reaction with HCL.		
21			3.1						
82/11"			2.3	117.0		SP-SM	Light bluish gray (10B 8/1), dry to damp, very dense, silty SAND. Stage II cementation, grains coated by calcium carbonate, matrix loose, moderate reaction with HCL on coatings.		
20									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-7

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
	Bulk	Driven						7/11/01	CH-4	
								GROUND ELEVATION	SHEET	OF
								METHOD OF DRILLING		
								DRIVE WEIGHT	DROP	
								SAMPLED BY	LOGGED BY	REVIEWED BY
								DESCRIPTION/INTERPRETATION		
20			30				SM	<u>ALLUVIUM: (continued)</u> Light bluish gray (10B 8/1), dry, dense, silty SAND.		
								Total Depth = 21.5' Groundwater not encountered. Backfilled on 7/11/01.		
25										
30										
35										
40										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-8

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							7/11/01	CH-5	
							GROUND ELEVATION	SHEET	OF
							1307' MSL	1	2
							METHOD OF DRILLING CME 75, 8" Diameter Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Auto)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	LLG
							DESCRIPTION/INTERPRETATION		
0						CL	<b>ALLUVIUM:</b> Brown (7.5 YR 5/4), damp, very stiff, silty CLAY. Stage I cementation, scattered calcium carbonate filaments.		
15		15	7.0	90.3					
5		14	12.8						
83		83	7.4			ML	Pale brown (10 YR 6/3), dry, dense to very dense, clayey SILT. Stage I cementation, scattered calcium carbonate filaments.		
10		85/11"							
33		33	5.3						
15		43							
37		37	3.9			CL	Reddish brown (5 YR 5/4) to pale brown (10 YR 6/3), damp, hard, silty CLAY; some medium to fine sand.		
20									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-9

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/11/01</u> BORING NO. <u>CH-5</u>		
	Bulk	Driven						GROUND ELEVATION <u>1307' MSL</u>	SHEET <u>2</u> OF <u>2</u>	METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Auto)</u>	DROP <u>30"</u>	SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>
20			54	4.6	96.1		CL	<b>DESCRIPTION/INTERPRETATION</b> <b>ALLUVIUM: (continued)</b> Pale brown (10 YR 6/3), damp to dry, hard, silty CLAY. Stage I cementation, scattered calcium carbonate filaments.		
25								Total Depth = 21.5' Groundwater not encountered. Backfilled on 7/11/01.		
30										
35										
40										
45										
50										
55										
60										
65										
70										
75										
80										
85										
90										
95										
100										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO. 600198002	DATE 10/02	FIGURE A-10
--------------------------	---------------	----------------

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/17/01</u>	BORING NO. <u>CH-6</u>
							GROUND ELEVATION <u>1308' MSL</u>	SHEET <u>1</u> OF <u>2</u>
							METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>	
							DRIVE WEIGHT <u>140 lbs. (Auto)</u>	DROP <u>30"</u>
							SAMPLED BY <u>MDE</u>	LOGGED BY <u>MDE</u>

DEPTH (feet)	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
0					CL	<b>ALLUVIUM:</b> Brown (7.5 YR 5/4), dry, very stiff, silty CLAY. Stage I cementation, sparse calcium carbonate filaments, non -to weakly cemented.
22						
5	13	6.6			ML	Brown (7.5 YR 5/4), dry to damp, medium dense to very dense, clayey SILT; scattered caliche stringers. Stage I cementation, sparse calcium carbonate filaments, non -to weakly cemented.
29		4.9	96.1			
10	41	4.2				
17.5					SM	Brown (7.5 YR 5/4) to reddish brown (5 YR 5/4), dry to damp, medium dense, silty SAND; few fine gravel. Stage I cementation, trace calcium carbonate filaments, non -to weakly cemented, weak to no reaction with HCL.
24						
15	11	0.6				
34		1.8	121.5			Stage II cementation below 17.5 feet; continuous coatings of calcium carbonate on fine gravel grains, matrix loose.
20						



BORING LOG		
East Maricopa Floodway Chandler Heights Detention Basin		
PROJECT NO. 600198002	DATE 10/02	FIGURE A-11

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
	Bulk	Driven						7/17/01	CH-6	
								GROUND ELEVATION	SHEET	OF
								METHOD OF DRILLING		
								DRIVE WEIGHT	DROP	
								SAMPLED BY	LOGGED BY	REVIEWED BY
								DESCRIPTION/INTERPRETATION		
20			63	1.6	127.1		SM	<p>ALLUVIUM: (continued)            Pale brown (10 YR 6/3), dry to damp, dense, silty SAND; few fine gravel.            Stage II cementation.            Total Depth = 21.5'            Groundwater not encountered.            Piezometer installed on 7/17/01.</p>		
25										
30										
35										
40										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-12

DATE DRILLED 7/11/01 BORING NO. CH-7  
GROUND ELEVATION 1306' MSL SHEET 1 OF 2  
METHOD OF DRILLING CME 75, 8" Diameter Hollow-Stem Auger  
DRIVE WEIGHT 140 lbs. (Auto) DROP 30"  
SAMPLED BY MDE LOGGED BY MDE REVIEWED BY LLG

DEPTH (feet)	BULK SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
0						ML	<b>ALLUVIUM:</b> Brown (7.5 YR 5/4), damp, medium dense, clayey SILT. Stage I cementation, weakly cemented by scattered calcium carbonate filaments.
21		21	6.9	92.7			
5						CL	Brown (7.5 YR 5/4), damp, very stiff, silty CLAY; some fine sand. Stage I cementation, weakly cemented by scattered calcium carbonate filaments.
24		24	5.9	96.8			
51		51	5.6				Hard.
10							
62		62	5.3	99.8			
15						SM	Pale brown (5 YR 6/2), dry to damp, medium dense, silty SAND; scattered fine gravel.
15		15	1.8				
15						SP	Pale brown, dry to damp, very dense, SAND with fine to coarse gravel. Stage II cementation below 15 feet; weak to moderate reaction with HCL.
74		74	1.0	129.6			
51		51	1.2				



BORING LOG		
East Maricopa Floodway Chandler Heights Detention Basin		
PROJECT NO. 600198002	DATE 10/02	FIGURE A-13

Depth (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/11/01</u> BORING NO. <u>CH-7</u>	
	Bulk	Driven						GROUND ELEVATION <u>1306' MSL</u>	SHEET <u>2</u> OF <u>2</u>
								METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>	
								<b>DESCRIPTION/INTERPRETATION</b>	
20			66				GM	<p><u>ALLUVIUM: (continued)</u>            Pale brown (10 YR 6/3), dry, dense, silty GRAVEL.            Stage II cementation, thin calcium carbonate coating, matrix loose,            weak to no reaction with HCL.            Total Depth = 21.5'            Groundwater not encountered.            Backfilled on 7/11/01.</p>	
25									
30									
35									
40									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-14

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/11/01</u> BORING NO. <u>CH-8</u>	
	Bulk	Driven						GROUND ELEVATION <u>1306' MSL</u>	SHEET <u>1</u> OF <u>2</u>
								METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>	
								<b>DESCRIPTION/INTERPRETATION</b>	
0							CL	<b>ALLUVIUM:</b> Brown (7.5 YR 5/4), damp, very stiff, silty CLAY. Stage I cementation, sparse calcium carbonate filaments, weakly cemented, moderate reaction with HCL.	
22			22	6.0	91.8				
5			6					Stiff.	
9			9	2.8			SM	Pale brown (10 YR 6/3), dry to damp, medium dense, silty SAND; trace fine gravel. Stage I cementation, no calcium carbonate coatings on gravel grains, weak reaction with HCL on sand particles.	
10			24	2.8	105.1				
12			12					Loose.	
15			20	3.6				Medium dense to dense.	
52			52	2.8	117.5		SM/GM	Light yellowish brown (10 YR 6/4), dry to damp, dense, silty SAND with fine gravel; increase in gravel content. Stage II cementation, moderately cemented by calcium carbonate.	
20									

# Ninyo & Moore

## BORING LOG

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-15

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.				
	Bulk	Driven						7/11/01	CH-8				
								GROUND ELEVATION	SHEET	OF			
								METHOD OF DRILLING	CME 75, 8" Diameter Hollow-Stem Auger				
								DRIVE WEIGHT	140 lbs. (Auto)	DROP	30"		
								SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY	LLG
								DESCRIPTION/INTERPRETATION					
20			27	3.9			SM/GM	<u>ALLUVIUM: (continued)</u> Light yellowish brown (10 YR 6/4), dry to damp, dense, silty SAND with gravel. Stage II cementation. Total Depth = 21.5' Groundwater not encountered. Backfilled on 7/11/01.					
25													
30													
35													
40													

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-16

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							7/17/01	CH-9	
							GROUND ELEVATION	SHEET	OF
							1306' MSL	1	2
							METHOD OF DRILLING CME 75, 8" Diameter Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Auto)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	LLG
							DESCRIPTION/INTERPRETATION		
0						SM	ALLUVIUM: Pale brown (10 YR 6/3), dry, loose, silty SAND; few fine gravel. Stage I cementation.		
5						ML	Pale brown (10 YR 6/3) to brown (7.5 YR 5/4), dry to damp, medium dense, clayey SILT.		
10						SM	Pale brown (10 YR 6/3) to brown (10 YR 5/3), dry to damp, medium dense, silty SAND; few fine gravel.		
11			9.3						
15									
17				107.4					
18							Dense.		
20							Few fine gravel; trace cobbles. Stage II cementation below 15 feet, continuous calcium carbonate coatings on gravel grains, matrix loose.		
21			0.7						

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-17

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
	Bulk	Driven								
								7/17/01	CH-9	
								1306' MSL	SHEET 2 OF 2	
								METHOD OF DRILLING CME 75, 8" Diameter Hollow-Stem Auger		
								140 lbs. (Auto)	DROP 30"	
								SAMPLED BY MDE	LOGGED BY MDE	REVIEWED BY LLG
								<b>DESCRIPTION/INTERPRETATION</b>		
20			46	12.0	108.2		SC	<p>ALLUVIUM: (continued)            Pale brown (10 YR 6/3), damp, dense, clayey SAND.            Stage II cementation.</p>		
								<p>Total Depth = 21.5'            Groundwater not encountered.            Piezometer installed on 7/17/01.</p>		
25										
30										
35										
0										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
 Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-18

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/11/01</u> BORING NO. <u>CH-10</u>
							GROUND ELEVATION <u>1306' MSL</u> SHEET <u>1</u> OF <u>2</u>
							METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
							DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>
							SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>

DEPTH (feet)	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
0					CL	<u>ALLUVIUM:</u> Brown (7.5 YR 5/4), dry to damp, hard, silty CLAY. Stage II cementation, scattered caliche filaments, weakly cemented.
72/11"						
40						
83/11"						
25	5.8					
50/4"	7.4	92.0				
15	72	13.2			SM	Pale brown (10 YR 6/3), dry to damp, very dense, silty SAND. Stage II cementation below 14.5 feet; moderately cemented.
71	11.3	105.9			SC	Pale brown (10 YR 6/3), dry to damp, very dense, clayey SAND.  Scattered fine gravel. Stage II cementation, continuous calcium carbonate coatings on gravel grains.



BORING LOG		
East Maricopa Floodway Chandler Heights Detention Basin		
PROJECT NO. 600198002	DATE 10/02	FIGURE A-19

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.				
	Bulk	Driven						7/11/01	CH-10				
								GROUND ELEVATION	SHEET	OF			
								1306' MSL	2	2			
								METHOD OF DRILLING	CME 75, 8" Diameter Hollow-Stem Auger				
								DRIVE WEIGHT	140 lbs. (Auto)	DROP	30"		
								SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY	LLG
								<b>DESCRIPTION/INTERPRETATION</b>					
20			24	3.3			SM	Pale brown (10 YR 6/3), dry to damp, medium dense, silty SAND; scattered fine gravel. Stage II cementation, moderately cemented.					
								Total Depth = 21.5' Groundwater not encountered. Backfilled on 7/11/01.					
25													
30													
35													
40													

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-20

DEPTH (feet)	BULK SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							7/13/01	CH-11	
							GROUND ELEVATION	SHEET	OF
							1307' MSL	1	1
							METHOD OF DRILLING CME 75, 8" Diameter Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Auto)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	LLG
							DESCRIPTION/INTERPRETATION		
0						CL	<b>ALLUVIUM:</b> Brown (7.5 YR 5/4), dry, very stiff to hard, silty CLAY. Stage I cementation, scattered caliche filaments, weakly cemented by calcium carbonate, moderate reaction with HCL.		
24		24	6.2	101.1					
5		57					Hard.		
23		23	11.1						
10		32	16.7	104.4			Few sand.		
15		15	0.3			SW-SM	Very pale brown (10 YR 7/4), dry, medium dense, SAND with silt; few fine gravel. Stage II cementation.		
15		32	4.4	110.7					
							Total Depth = 17.0' Groundwater not encountered. Backfilled on 7/13/01.		



**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.	DATE	FIGURE
600198002	10/02	A-21

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/13/01</u> BORING NO. <u>CH-12</u>	
	Bulk	Driven						GROUND ELEVATION <u>1309' MSL</u>	SHEET <u>1</u> OF <u>1</u>
								METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>	
								<b>DESCRIPTION/INTERPRETATION</b>	
0							CL	<u>ALLUVIUM:</u> Light brown (7.5 YR 6/4), dry, very stiff, silty CLAY. Stage I cementation, weakly cemented by calcium carbonate.	
5			16	2.2					
10			31	3.4	111.1		SM	Light brown (7.5 YR 6/4) to reddish brown (5 YR 5/4), dry, dense to medium dense, silty SAND; few fine gravel. Stage II cementation.	
15			19	0.8					
			50/5"						
			67/11"	3.8					
								Total Depth = 16.5' Groundwater not encountered. Backfilled on 7/13/01.	
20									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-22

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							7/13/01	CH-13	
							GROUND ELEVATION	SHEET	OF
							1310' MSL	1	1
							METHOD OF DRILLING CME 75, 8" Diameter Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Auto)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	LLG
							DESCRIPTION/INTERPRETATION		
0						CL	<b>ALLUVIUM:</b> Brown (7.5 YR 5/4) to light brown (7.5 YR 6/4), damp, very stiff, silty CLAY. Stage I cementation, non-cemented to weakly cemented, few calcium carbonate filaments.		
22		22	7.0	86.8					
5						ML	Brown (7.5 YR 5/4), damp, loose to medium dense, clayey SILT.		
14		14	5.0	71.0					
16						CL	Brown (7.5 YR 5/4) to light brown (7.5 YR 6/4), damp, very stiff, silty CLAY.		
10									
17		17	6.2	87.1					
43		43				ML	Light brown (7.5 YR 6/4), dry, dense, clayey SILT; few sand. Stage II cementation, scattered calcium carbonate filaments, continuous Stage II cementation, few sand.		
15						SM	Light brown (7.5 YR 6/4), damp, medium dense, silty SAND.		
40		40	5.0						
							Total Depth = 16.5' Groundwater not encountered. Backfilled on 7/13/01.		
20									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-23

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/13/01</u> BORING NO. <u>CH-14</u>
							GROUND ELEVATION <u>1310' MSL</u> SHEET <u>1</u> OF <u>2</u>
							METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
							DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>
							SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>

DEPTH (feet)	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
0					CL	<b>ALLUVIUM:</b> Light brown (7.5 YR 6/4), dry to damp, very stiff, silty CLAY. Stage I cementation, trace calcium carbonate filaments, weakly cemented by calcium carbonate, weak reaction with HCL.
15	9.0					
5	9	5.4				Stiff.
47						Hard; scattered caliche filaments.
10	47	3.9				
31	5.2					Few sand.
15	31	1.3	105.3		SW-SM	Light brown (7.5 YR 6/4) to light bluish gray (10 B 8/1), dry, medium dense, SAND with silt and sand; few gravel, trace cobbles. Stage II cementation below 15 feet; calcium carbonate coatings on gravel grains.
27						Shoe plugged by cobble.
20						Total Depth = 19.0' Groundwater not encountered.

**Ninyo & Moore**

<b>BORING LOG</b>		
East Maricopa Floodway Chandler Heights Detention Basin		
PROJECT NO. 600198002	DATE 10/02	FIGURE A-24

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/13/01</u> BORING NO. <u>CH-14</u>	
	Bulk	Driven						GROUND ELEVATION <u>1310' MSL</u>	SHEET <u>2</u> OF <u>2</u>
								METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Auto)</u>	DROP <u>30"</u>
								SAMPLED BY <u>MDE</u>	LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>
								<b>DESCRIPTION/INTERPRETATION</b>	
20								Backfilled on 7/13/01.	
25									
30									
35									
0									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-25

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							7/13/01	CH-15	
							GROUND ELEVATION	SHEET	OF
							1313' MSL	1	2
							METHOD OF DRILLING CME 75, 8" Diameter Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Auto)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	LLG
							<b>DESCRIPTION/INTERPRETATION</b>		
0						CL	<b>ALLUVIUM:</b> Brown (7.5 YR 5/4), dry to damp, stiff to very stiff, silty CLAY. Stage I cementation, scattered calcium carbonate nodules less than 1/4" in diameter, weakly cemented.		
22		22	5.5	82.4					
5		13	3.3						
35							Hard.		
10		76/9"	5.7						
63							Stage II cementation below 12.5 feet; color changes to pale brown (10 YR 6/3), moderate reaction to HCL, calcium carbonate nodules less than 1/4" in diameter.		
15		52	2.9						
86/9"			3.4	99.7		ML	Light brown to reddish brown, dry to damp, very dense, sandy SILT; sparse fine gravel, calcium carbonate nodules less than 1/4" in diameter, gravel fraction coated by calcium carbonate. Stage II cementation. Total Depth = 18.3'		
20									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-25

DEPTH (feet)	Bulk Driven	SAMPLES	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/13/01</u> BORING NO. <u>CH-15</u>
								GROUND ELEVATION <u>1313' MSL</u> SHEET <u>2</u> OF <u>2</u>
								METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>

DEPTH (feet)			BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
20								Groundwater not encountered. Backfilled on 7/13/01.
25								
30								
35								
40								

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-26

DEPTH (feet)	BULK SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/13/01</u> BORING NO. <u>CH-16</u>
							GROUND ELEVATION <u>1315' MSL</u> SHEET <u>1</u> OF <u>2</u>
							METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
							DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>
							SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>

DEPTH (feet)	BULK SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
0						CL	<b>ALLUVIUM:</b> Light brown (7.5 YR 6/4), dry to damp, very stiff, silty CLAY. Stage I cementation, weakly cemented by calcium carbonate, moderate reaction with HCL.
15							
24		24	5.6	81.1			
15							
34		34					Hard.
16			2.0			SM	Light brown (7.5 YR 6/4) to light bluish gray (10 B 8/1), dry, medium dense, silty SAND. Stage I cementation, weakly cemented by calcium carbonate, moderate reaction with HCL.
15			2.0				
40		40				CL	Light brown (7.5 YR 6/4), dry, hard, silty CLAY. Stage I cementation.
45						SM	Light bluish gray (10 B 8/1), dry, very dense, silty SAND; scattered fine gravel. Stage II cementation below 18 feet.



BORING LOG		
East Maricopa Floodway Chandler Heights Detention Basin		
PROJECT NO. 600198002	DATE 10/02	FIGURE A-27

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
	Bulk	Driven						
DATE DRILLED <u>7/13/01</u> BORING NO. <u>CH-16</u> GROUND ELEVATION <u>1315' MSL</u> SHEET <u>2</u> OF <u>2</u> METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u> DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u> SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>								
<b>DESCRIPTION/INTERPRETATION</b>								
20			54	3.8	112.8		SM	Light bluish gray (10 B 8/1) to reddish brown (5 YR 5/4), dry to damp, dense, silty SAND. Stage II cementation, trace to few cobbles, calcium carbonate coatings on cobbles.
			49	0.1				Very dense; poor recovery, cobble fragments only.
25							CL	Brown (7.5 YR 5/4) to pale brown (10 YR 6/3), dry to damp, hard, silty CLAY. Stage II cementation, scattered caliche nodules.
			50 1/4"					
30			64	1.9	116.7		SM	Reddish brown (5 YR 5/4), dry to damp, dense, silty SAND; sparse fine gravel. Stage II cementation, gravel fraction has thin calcium carbonate coatings on all sides.
			81 1/9"	3.0			CL	Pale brown (10 YR 6/3) to reddish brown (5 YR 5/4), damp, hard, silty CLAY. Stage II cementation, thin calcium carbonate layers less than 1/8" thick. Total Depth = 33.3' Groundwater not encountered. Backfilled on 7/13/01.
35								
40								

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-28

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/13/01</u> BORING NO. <u>CH-17</u>	
							GROUND ELEVATION <u>1316' MSL</u> SHEET <u>1</u> OF <u>2</u>	
								METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>

**DESCRIPTION/INTERPRETATION**

0						CL	<b>ALLUVIUM:</b> Brown (7.5 YR 5/4), dry to damp, very stiff, silty CLAY with fine sand. Stage I cementation, scattered caliche filaments.
15		2.8	103.1				
5							
12		3.7					
30		9.5	85.3				Hard.
10							
18		4.2					Very stiff.
38							Hard. Stage I cementation, scattered fine gravel, trace filaments of calcium carbonate.
15						SM	Light bluish gray (10 B 8/1), dry to damp, very dense, silty SAND. Stage II cementation, sparse fine gravel, gravel fraction has calcium carbonate coatings.
68							
64		3.3	107.4				Dense.
0							



BORING LOG		
East Maricopa Floodway Chandler Heights Detention Basin		
PROJECT NO. 600198002	DATE 10/02	FIGURE A-29

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/13/01</u> BORING NO. <u>CH-17</u>	
	Bulk	Driven						GROUND ELEVATION <u>1316' MSL</u>	SHEET <u>2</u> OF <u>2</u>
								METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>	
								<b>DESCRIPTION/INTERPRETATION</b>	
20			21	1.3			SM	<u>ALLUVIUM: (continued)</u> Brown (7.5 YR 5/4), dry to damp, dense, silty SAND; sparse fine gravel.	
			68	6.0			CL	Light brown (7.5 YR 6/3), damp, dense, sandy CLAY; sparse fine gravel. Stage II cementation, moderately cemented by calcium carbonate.	
25								Total Depth = 24.0' Groundwater not encountered. Backfilled on 7/13/01.	
30									
35									
40									
45									
50									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-30

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
	Bulk	Driven						
DATE DRILLED <u>7/13/01</u> BORING NO. <u>CH-18</u> GROUND ELEVATION <u>1318' MSL</u> SHEET <u>1</u> OF <u>2</u> METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u> DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u> SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>								
0							CL	<b>FILL:</b> Brown (7.5 YR 5/4), dry to damp, hard, silty CLAY; trace fine sand, no rootlets.
5			56	7.7	105.0			Very stiff.
			15					No recovery.
10			24	2.7	108.6		SM	Brown (7.5 YR 5/4), dry to damp, dense, silty SAND. Stage I cementation, weakly cemented, weak reaction with HCL.
								Few fine sand.
15			93/10"	3.1			CL	<b>ALLUVIUM:</b> Pale brown (10 YR 6/3), dry to damp, hard, silty CLAY with sand. Stage I cementation, scattered caliche filaments.
			36					
			88/8"	5.1				
20								

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-31

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
	Bulk	Driven						
20			61	11.5	90.4		CL	<p>DATE DRILLED <u>7/13/01</u> BORING NO. <u>CH-18</u></p> <p>GROUND ELEVATION <u>1318' MSL</u> SHEET <u>2</u> OF <u>2</u></p> <p>METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u></p> <p>DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u></p> <p>SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u></p> <p><b>ALLUVIUM: (continued)</b>            Pale brown (10 YR 6/3), dry to damp, hard, silty CLAY with sand and fine gravel. Stage II cementation, scattered caliche filaments, sand and gravel grains coated on all sides.            Total Depth = 21.5'            Groundwater not encountered.            Backfilled on 7/13/01.</p>

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-32

(feet) Bulk Driven SAMPLES BLOWS/FOOT MOISTURE (%) DRY DENSITY (PCF) SYMBOL CLASSIFICATION U.S.C.S.	DATE DRILLED	7/12/01	BORING NO.	CH-19	
	GROUND ELEVATION	1318' MSL	SHEET	1 OF 2	
	METHOD OF DRILLING	CME 75, 8" Diameter Hollow-Stem Auger			
	DRIVE WEIGHT	140 lbs. (Auto)	DROP	30"	
	SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY

DEPTH (feet)	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
0					SM	<u>FILL:</u> Brown (7.5 YR 5/4), damp, dense, silty SAND.
67	9.3	113.4				
5					CL	<u>ALLUVIUM:</u> Light brown (7.5 YR 6/4), damp, stiff, silty CLAY. Stage I cementation, scattered caliche filaments.
15						Very stiff.
10						Hard.
38						
78	6.2	98.8				
15						
54	9.1					
65						Few sand.
20						

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-33

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/12/01</u> BORING NO. <u>CH-19</u>		
	Bulk	Driven						GROUND ELEVATION <u>1318' MSL</u>	SHEET <u>2</u> OF <u>2</u>	METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
20			38	4.1			SM	ALLUVIUM: (continued) Pale brown (10 YR 6/3), dry to damp, very dense, silty SAND. Stage II cementation, moderately cemented by calcium carbonate, continuously cemented matrix.		
25			77	3.1	106.6					
30								Total Depth = 24.0' Groundwater not encountered. Backfilled on 7/12/01.		
35										
40										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-34

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/11/01</u> BORING NO. <u>CH-20</u>
							GROUND ELEVATION <u>1316' MSL</u> SHEET <u>1</u> OF <u>2</u>
							METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
							DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>
							SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>

DEPTH (feet)	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
0					CL	<b>FILL:</b> Pale brown (10 YR 5/4) to brown (7.5 YR 5/4), dry to damp, very stiff, silty and sandy CLAY. Stage I cementation.
20						
5	12	3.9	98.6			Stiff.
13	13	4.7				Very stiff.
10	31	3.9	109.6		ML	<b>ALLUVIUM:</b> Pale brown (10 YR 6/3), dry, medium dense, SILT; few gravel and sand. Stage I cementation, scattered caliche filaments.
	48	4.7			SM	Very pale brown (10 YR 7/4), dry to damp, medium dense, silty SAND; few gravel. Stage II cementation.
15	50/6"	7.8	88.5			
75					CL	Pale brown (10 YR 6/3), dry, hard, silty CLAY. Stage II cementation, few caliche nodules less than 1/2" in diameter.
20						

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-35

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/11/01</u> BORING NO. <u>CH-20</u>		
	Bulk	Driven						GROUND ELEVATION <u>1316' MSL</u>	SHEET <u>2</u> OF <u>2</u>	METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Auto)</u>	DROP <u>30"</u>	SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>
								<b>DESCRIPTION/INTERPRETATION</b>		
20			49				CL	<b>ALLUVIUM: (continued)</b> Pale brown (10 YR 6/3), dry, hard, silty CLAY. Stage II cementation, few caliche layers with continuous cementation		
			14	1.5			SP	Pale brown (10 YR 6/3), dry, medium dense, SAND; few fine gravel. Stage II cementation, continuous coatings on gravel grains, moderate to weak reaction with HCL.		
25			36	1.3						
								Total Depth = 26.5' Groundwater not encountered. Backfilled on 7/11/01.		
30										
35										
40										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-36

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/12/01</u> BORING NO. <u>CH-21</u>	
	Bulk	Driven						GROUND ELEVATION <u>1315' MSL</u>	SHEET <u>1</u> OF <u>2</u>
								METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>	
								<b>DESCRIPTION/INTERPRETATION</b>	
0							CL	<b>FILL:</b> Brown (7.5 YR 5/4), dry to damp, very stiff, silty CLAY. Stage I cementation.	
			21	6.0	91.4				
5			12						
			35	5.1	85.9		ML	<b>ALLUVIUM:</b> Brown (7.5 YR 5/4), dry to damp, medium dense, SILT. Hard. Stage I cementation.	
			55	4.7			CL	Brown (7.5 YR 5/4), dry to damp, very stiff, silty CLAY. Stage I cementation.	
10			34						
			32	2.8			SM	Pale brown (10 YR 6/3), dry, dense, silty SAND. Stage II cementation.	
15			49					Trace fine gravel.	
20									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-37

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/12/01</u> BORING NO. <u>CH-21</u>	
	Bulk	Driven						GROUND ELEVATION <u>1315' MSL</u>	SHEET <u>2</u> OF <u>2</u>
								METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>	
								<b>DESCRIPTION/INTERPRETATION</b>	
20			34	1.9			SM	<u>ALLUVIUM: (continued)</u> Pale brown (10 YR 6/3), dry, medium dense, silty SAND. Stage II cementation.	
			45	1.4	108.5			Dense; scattered fine gravel.	
25			38					Medium dense.	
								Total Depth = 25.5' Groundwater not encountered. Backfilled on 7/12/01.	
30									
35									
40									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-38

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/12/01</u> BORING NO. <u>CH-22</u>		
	Bulk	Driven						GROUND ELEVATION <u>1319' MSL</u>	SHEET <u>1</u> OF <u>2</u>	METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Auto)</u>	DROP <u>30"</u>	SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>
								<b>DESCRIPTION/INTERPRETATION</b>		
0							CL	<b>FILL:</b> Brown (7.5 YR 5/4), dry to damp, hard, silty CLAY. Stage I cementation, weak cementation by trace of caliche filaments.		
			81/11"							
5										Very stiff.
			18							
			13							
10							CL	<b>ALLUVIUM:</b> Light brown (7.5 YR 6/4), dry to damp, very stiff to hard, silty CLAY. Stage I cementation, few to some caliche filaments.		
			26	5.8	91.6					
			27	6.9						Hard.
			79	10.9	106.6					
			100	6.6						
20										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO. 600198002	DATE 10/02	FIGURE A-39
--------------------------	---------------	----------------

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
	Bulk	Driven						
20			89				CL	DATE DRILLED <u>7/12/01</u> BORING NO. <u>CH-22</u> GROUND ELEVATION <u>1319' MSL</u> SHEET <u>2</u> OF <u>2</u> METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u> DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u> SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>
			44	7.9				
25			44	6.3	108.6		SM	ALLUVIUM: (continued) Light brown (7.5 YR 6/4), dry to damp, hard, silty CLAY.  Brown (7.5 YR 5/4), dry to damp, dense, silty SAND. Stage II cementation, carbonate grain coatings.
								Total Depth = 26.5' Groundwater not encountered. Backfilled on 7/12/01.
30								
35								
40								

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-40

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/12/01</u> BORING NO. <u>CH-23</u>					
							GROUND ELEVATION <u>1318' MSL</u> SHEET <u>1</u> OF <u>2</u>		METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>			
							DRIVE WEIGHT <u>140 lbs. (Auto)</u>		DROP <u>30"</u>			
							SAMPLED BY <u>MDE</u>		LOGGED BY <u>MDE</u>		REVIEWED BY <u>LLG</u>	
							DESCRIPTION/INTERPRETATION					
0						CL	<u>FILL:</u> Brown (7.5 YR 5/4), dry to damp, hard, silty CLAY.					
		87	3.4	109.6								
5		30	6.1									
						CL-ML	Brown (7.5 YR 5/4), damp, hard, silty CLAY. Stage I cementation, trace caliche.					
		50	3.7	100.9								
10		13	6.2			CL	<u>ALLUVIUM:</u> Pale brown (10 YR 6/3), dry to damp, very stiff, silty CLAY. Stage II cementation, few caliche nodules less than 1/2" in diameter.					
		65					Hard.					
15		91	5.2									
						ML	Pale brown (10 YR 6/3), dry to damp, very dense, sandy SILT. Stage II cementation, scattered caliche nodules less than 1/2" in diameter.					
		73	4.3	107.2								
20							Total Depth = 19.0' Groundwater not encountered.					

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-41

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							7/12/01	CH-24	
							GROUND ELEVATION	SHEET	OF
							1316' MSL	1	2
							METHOD OF DRILLING CME 75, 8" Diameter Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Auto)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	LLG
							<b>DESCRIPTION/INTERPRETATION</b>		
0						CL	<u>ALLUVIUM:</u> Brown (7.5 YR 5/4), dry to damp, very stiff, silty CLAY. Stage I cementation.		
22		22	3.4	94.7					
5		10							
17		17	6.4						
10		27					Hard.		
65/11"		65/11"	5.8	91.0					
15		32	5.2				Weak cementation by caliche.		
90		90	6.6	109.4		SM	Pale brown (10 YR 6/3), dry to damp, very dense, silty SAND; scattered fine subrounded to rounded gravel. Stage II cementation, carbonate coatings on grains.		
20									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-42

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/12/01</u> BORING NO. <u>CH-24</u>	
	Bulk	Driven						GROUND ELEVATION <u>1316' MSL</u>	SHEET <u>2</u> OF <u>2</u>
								METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Auto)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>	
								<b>DESCRIPTION/INTERPRETATION</b>	
20			37	5.8			CL	<u>ALLUVIUM: (continued)</u> Pale brown (10 YR 6/3), dry to damp, hard, sandy CLAY.	
							SM	Pale brown (10 YR 6/3), dry, very dense, silty SAND. Stage II cementation, carbonate coatings on grains.	
25								Total Depth = 24.0' Groundwater not encountered. Backfilled on 7/12/01.	
30									
35									
40									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-43

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							7/12/01	CH-25	
							GROUND ELEVATION	SHEET	OF
							1312' MSL	1	2
							METHOD OF DRILLING CME 75, 8" Diameter Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Auto)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	LLG
							DESCRIPTION/INTERPRETATION		
0						CL	ALLUVIUM: Pale brown (10 YR 6/3), dry, silty CLAY.		
15		15	1.1	96.1		SM	Pale brown (10 YR 6/3) to light bluish gray (10 B 8/1), dry, medium dense, silty SAND. Stage I cementation.		
5		16	1.3				Trace fine gravel.		
49						CL	Pale brown (10 YR 6/3) to brown (7.5 YR 5/4), damp, hard, silty CLAY. Stage I cementation.		
10		71/10"							
36		36	5.5	105.7					
15		32							
92						GM	Pale brown (10 YR 6/3) to light bluish gray (10 B 8/1), dry to damp, very dense, silty GRAVEL with sand. Stage II cementation.		

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-44

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/12/01</u> BORING NO. <u>CH-25</u>		
	Bulk	Driven						GROUND ELEVATION <u>1312' MSL</u>	SHEET <u>2</u> OF <u>2</u>	METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Auto)</u>	DROP <u>30"</u>	SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>
20			76/11"	4.0	116.0		SM	<b>DESCRIPTION/INTERPRETATION</b> <u>ALLUVIUM: (continued)</u> Pale brown (10 YR 6/3) to light bluish gray (10 B 8/1), dry to damp, very dense, silty SAND with gravel. Stage II cementation. Total Depth = 21.4' Groundwater not encountered. Backfilled on 7/12/01.		
25										
30										
35										
40										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-45

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>7/12/01</u> BORING NO. <u>CH-26</u>		
	Bulk	Driven						GROUND ELEVATION <u>1313' MSL</u>	SHEET <u>1</u> OF <u>2</u>	METHOD OF DRILLING <u>CME 75, 8" Diameter Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Auto)</u>	DROP <u>30"</u>	SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>LLG</u>
								<b>DESCRIPTION/INTERPRETATION</b>		
0							CL	<b>ALLUVIUM:</b> Light brown (7.5 YR 6/4) to brown (7.5 YR 5/4), dry to damp, very stiff, silty CLAY. Stage I cementation.		
19			19	3.7	94.6					
5										
18			18							
29			29	6.0				Hard.		
10										
60			60	4.8	104.9					
							SM	Pale brown (10 YR 6/3), dry, medium dense, silty SAND with fine gravel.		
17			17	1.5						
15							GM	Pale brown (10 YR 6/3) to light bluish gray (10 B 8/1), dry; very dense, silty GRAVEL with fine sand; trace cobbles. Stage II cementation.		
84			84							
68			68	1.7						
20										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-46

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
	Bulk	Driven						
20			50/4"	5.3	105.0		SM	<p><u>ALLUVIUM: (continued)</u>            Pale brown (10 YR 6/3) to light bluish gray (10 B 8/1), dry, very dense, silty SAND with fine gravel; trace cobbles.  <u>Stage II cementation, carbonate coatings on grains.</u>            Brown, dry to damp, hard, silty CLAY with sand.</p>
							CL	
								<p>Total Depth = 21.5'            Groundwater not encountered.            Backfilled on 7/12/01.</p>

DATE DRILLED 7/12/01 BORING NO. CH-26  
 GROUND ELEVATION 1313' MSL SHEET 2 OF 2  
 METHOD OF DRILLING CME 75, 8" Diameter Hollow-Stem Auger  
 DRIVE WEIGHT 140 lbs. (Auto) DROP 30"  
 SAMPLED BY MDE LOGGED BY MDE REVIEWED BY LLG

20  
25  
30  
35  
0



BORING LOG		
East Maricopa Floodway Chandler Heights Detention Basin		
PROJECT NO. 600198002	DATE 10/02	FIGURE A-47

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/6/02</u> BORING NO. <u>CH-27</u>	
	Bulk	Driven						GROUND ELEVATION <u>1320' MSL</u>	SHEET <u>1</u> OF <u>2</u>
								METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Cathead)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u>	
								<b>DESCRIPTION/INTERPRETATION</b>	
0							CL	<b>ALLUVIUM:</b> Light brown (7.5YR 6/4), dry to damp, stiff, silty CLAY.	
10								Stage I cementation.	
12								Few fine sand.	
17							SM	Light brown (7.5YR 6/4), dry to damp, loose to very dense, silty SAND.	
10								Stage I cementation.	
24								No recovery.	
50/6"								Trace caliche nodules less than 1/4" in diameter.	
15								74/10"	
20									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-48

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/6/02</u> BORING NO. <u>CH-27</u>	
	Bulk	Driven						GROUND ELEVATION <u>1320' MSL</u>	SHEET <u>2</u> OF <u>2</u>
								METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Cathead)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u>	
								<b>DESCRIPTION/INTERPRETATION</b>	
20			51				SM	<u>ALLUVIUM:</u> Pale brown (10YR 6/3) to light bluish gray (GLE Y2 8/1), dry to damp, medium dense, silty SAND with fine gravel.  Stage II cementation; grains coated with calcium carbonate.	
							CL	Brown (7.5YR 6/4), damp, hard, sandy CLAY. Stage II cementation.	
25			51					Total Depth = 26.5 feet. Groundwater not encountered. Backfilled on 6/6/02.	
30									
35									
40									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-49

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION																					
	Bulk	Driven						DATE DRILLED	BORING NO.	GROUND ELEVATION	SHEET	OF																	
0							CL	DATE DRILLED	6/5/02 & 6/6/02	BORING NO.	CH-28	GROUND ELEVATION	1315'MSL	SHEET	1	OF	2	METHOD OF DRILLING	CME-55, 8" Hollow-Stem Auger	DRIVE WEIGHT	140 lbs. (Cathead)	DROP	30"	SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY	SDN
0							CL	ALLUVIUM: Light brown (7.5YR 6/4), dry to damp, firm, silty CLAY; few sand.																					
8								Stage I cementation.																					
5			20	3.3	101.0		SC	Light brown (7.5YR 6/4), dry to damp, loose, clayey SAND; stage I cementation.																					
33							CL	Light brown (7.5YR 6/4), dry to damp, very stiff, silty CLAY; few sand; stage I cementation.																					
10			79/11"	5.8	108.0		ML	Light brown (7.5YR 6/4), dry to damp, dense, sandy SILT; trace caliche nodules less than 1/4" in diameter.																					
50/4"								Very dense.																					
15			58					Medium dense; trace caliche stringers up to 1/2" long. Stage I cementation.																					
20							SM	Light brown to light bluish gray (GLE Y2 8/1), dry to damp, very dense, silty SAND with fine gravel.																					

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-50

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/5/02 &amp; 6/6/02</u> BORING NO. <u>CH-28</u>		
	Bulk	Driven						GROUND ELEVATION <u>1315'MSL</u>	SHEET <u>2</u> OF <u>2</u>	METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Cathead)</u>	DROP <u>30"</u>	SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u>
	<b>DESCRIPTION/INTERPRETATION</b>									
20			80/11"	9.2	103.0		SM	<p><u>ALLUVIUM</u>: (continued) Light brown to light bluish gray (GLEYS 8/1), dry to damp, very dense, silty SAND with fine gravel.</p> <p>Stage II cementation.</p>		
25			43					<p>Total Depth = 26.5 feet. Groundwater not encountered. Backfilled on 6/5/02.</p>		
30										
35										
40										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-51

DATE DRILLED 6/6/02 BORING NO. CH-29  
 GROUND ELEVATION 1316' MSL SHEET 1 OF 2  
 METHOD OF DRILLING CME-55, 8" Hollow-Stem Auger  
 DRIVE WEIGHT 140 lbs. (Cathead) DROP 30"  
 SAMPLED BY MDE LOGGED BY MDE REVIEWED BY SDN

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.
	Bulk	Driven					
0							CL
10							
17							
27				5.7	88.5		ML
37							
31				4.3	108.5		SC
30							
20							SM

**DESCRIPTION/INTERPRETATION**

**CL** **ALLUVIUM:**  
 Light brown (7.5YR 6/4), dry to damp, stiff, silty CLAY.  
  
 Stage I cementation; weakly cemented by calcium carbonate.

**ML** Light brown (7.5YR 6/4), dry to damp, very stiff, clayey SILT; stage I cementation.

**SC** Light brown (7.5YR 6/4), dry to damp, dense, silty fine SAND; stage I cementation.

**SM** Light brown (7.5YR 6/4), dry to damp, medium dense, silty SAND.  
  
 Stage I cementation.



**BORING LOG**

East Maricopa Floodway  
 Chandler Heights Detention Basin

PROJECT NO. 600198002	DATE 10/02	FIGURE A-52
--------------------------	---------------	----------------

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/6/02</u> BORING NO. <u>CH-29</u>	
	Bulk	Driven						GROUND ELEVATION <u>1316' MSL</u>	SHEET <u>2</u> OF <u>2</u>
								METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Cathead)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u>	
								<b>DESCRIPTION/INTERPRETATION</b>	
20			36				SM	<p><b>ALLUVIUM:</b> (continued)            Light bluish gray (GLE2 8/1), dry to damp, medium dense, silty SAND; scattered fine gravel.</p> <p>Stage II cementation below 20 feet.</p>	
25			43	1.7	112.7				
								<p>Total Depth = 26.5 feet.            Groundwater not encountered.            Backfilled on 6/6/02.</p>	
30									
35									
40									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
 Chandler Heights Detention Basin

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 A-53

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/5/02</u> BORING NO. <u>CH-30</u>		
	Bulk	Driven						GROUND ELEVATION <u>--</u>	SHEET <u>1</u> OF <u>2</u>	METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Cathead)</u>	DROP <u>30"</u>	SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u>
								<b>DESCRIPTION/INTERPRETATION</b>		
0							CL	<b>ALLUVIUM:</b> Brown (7.5YR 5/4), dry to damp, stiff, silty CLAY; trace fine gravel.  Stage I cementation.		
5			10	6.3	87.6		CL-ML	Brown (7.5 YR 5/4), dry to damp, firm to stiff, silty CLAY to clayey SILT; stage I cementation.		
							CL	Brown (7.5YR 5/4), dry to damp, hard, silty CLAY; stage I cementation.		
10			69	5.3	99.1		SM	Light brown (7.5YR 6/4), dry, dense, silty SAND; trace caliche stringers; trace fine sand; stage I cementation.  Medium dense; few fine gravel.		
15			22	2.8	95.8			Stage I cementation.		
20										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-54

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	GENERAL INFORMATION					
	Bulk	Driven						DATE DRILLED	BORING NO.	GROUND ELEVATION	SHEET	OF	
								6/5/02	CH-30	--	2	OF	2
								METHOD OF DRILLING CME-55, 8" Hollow-Stem Auger					
								140 lbs. (Cathead)		30"			
								SAMPLED BY MDE	LOGGED BY MDE	REVIEWED BY SDN			
								<b>DESCRIPTION/INTERPRETATION</b>					
20			45				SM	<p><u>ALLUVIUM</u>: (continued)            Light bluish gray (GLEY2 8/1), dry to damp, medium dense, silty SAND; few fine gravel.</p>					
25			34					<p>Stage II cementation; calcium carbonate coatings on gravel.</p>					
30								<p>Total Depth = 26.5 feet.            Groundwater not encountered.            Backfilled on 6/5/02.</p>					
35													
40													

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
 Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-55

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DESCRIPTION/INTERPRETATION
	Bulk	Driven						
DATE DRILLED <u>6/5/02</u> BORING NO. <u>CH-31</u> GROUND ELEVATION <u>1309' MSL</u> SHEET <u>1</u> OF <u>2</u> METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u> DRIVE WEIGHT <u>140 lbs. (Cathead)</u> DROP <u>30"</u> SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u>								
0							CL	<u>ALLUVIUM:</u> Brown (7.5YR 5/4) to light brown (7.5YR 6/4), dry to damp, stiff, silty CLAY.
10								Stage I cementation.
25				5.4	94.2			Very stiff; little fine sand.
39								
81								Hard.
69				5.8	88.4			Trace caliche stringers.
15				4.0	83.1		ML	Brown damp (7.5YR 5/4) to light brown (7.5YR 6/4), dry to damp, very stiff, sandy SILT; few caliche stringers; weakly cemented.
								Stage I cementation.
20							SM	<u>ALLUVIUM:</u> Light brown (7.5YR 6/4) to light bluish gray (GLE Y2 8/1), dry to damp, medium dense, silty SAND with gravel. Stage I cementation.

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-56

DEPTH (feet)	SAMPLES	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							6/5/02	CH-31	
							GROUND ELEVATION	SHEET	OF
							1309' MSL	2	2
							METHOD OF DRILLING		
							CME-55, 8" Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Cathead)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	SDN
							DESCRIPTION/INTERPRETATION		
20		23					<p><b>ALLUVIUM:</b> (continued)            Light brown (7.5 YR 6/4) to light bluish gray (GLY2 8/1), dry to damp, medium dense, silty SAND with gravel.            Stage II cementation below 20' bgs; calcium carbonate coatings on gravel grains.</p> <p>Total Depth = 21.5 feet.            Groundwater not encountered.            Backfilled on 6/5/02.</p>		
25									
30									
35									
40									
45									
50									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
 Chandler Heights Detention Basin

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 A-57

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/5/02</u> BORING NO. <u>CH-32</u>		
							GROUND ELEVATION <u>1309' MSL</u> SHEET <u>1</u> OF <u>2</u>		METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>
							DRIVE WEIGHT <u>140 lbs. (Cathead)</u> DROP <u>30"</u>		
							SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u>		
							DESCRIPTION/INTERPRETATION		
0						CL	<b>ALLUVIUM:</b> Light brown (7.5YR 6/4), dry to damp, stiff, silty CLAY.  Stage I cementation.		
10									
20			4.4	94.4					
22									
10									
21			4.6	93.6					
29			1.7	106.0		SM	Light brown to light bluish gray (GLEYS 8/1), dry to damp, medium dense, silty GRAVEL; some fine to coarse sand.  Stage II cementation; calcium carbonate coatings on gravel grains.		
15									
39									
0									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-58

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/5/02</u> BORING NO. <u>CH-32</u>		
	Bulk	Driven						GROUND ELEVATION <u>1309' MSL</u>	SHEET <u>2</u> OF <u>2</u>	METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>
20			26				SM	DRIVE WEIGHT <u>140 lbs. (Cathead)</u> DROP <u>30"</u> SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u> <b>DESCRIPTION/INTERPRETATION</b> <b>ALLUVIUM: (continued)</b> Light brown (7.5YR 6/4) to light bluish gray (GLE Y2 8/1), dry to damp, medium dense, silty SAND with fine gravel. Stage II cementation. Total Depth = 21.5 feet. Groundwater not encountered. Backfilled on 6/5/02.		
25										
30										
35										
40										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-59

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							6/5/02	CH-33	
							GROUND ELEVATION	SHEET	OF
							1309' MSL	1	2
							METHOD OF DRILLING CME-55, 8" Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Cathead)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	SDN
							<b>DESCRIPTION/INTERPRETATION</b>		
0						CL	<b>ALLUVIUM:</b> Light brown (7.5YR 6/4), dry to damp, firm to stiff, silty CLAY.		
8							Stage I cementation; weakly cemented by trace of caliche stringers.		
22		25	2.6	105.1			Trace sand.		
10						SP	Light bluish gray (GLE Y2 8/1), dry to damp, medium dense, silty SAND; few fine gravel; trace cobbles.		
25		61	1.2	120.8			Stage II cementation; coated grains.		
15						SM	Light bluish gray (GLE Y2 8/1), dry to damp, medium dense, silty SAND; trace cobbles; stage II cementation.		
30			1.3	110.6					

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-60

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/5/02</u> BORING NO. <u>CH-33</u>		
	Bulk	Driven						GROUND ELEVATION <u>1309' MSL</u>	SHEET <u>2</u> OF <u>2</u>	METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>
20			46				SM	DRIVE WEIGHT <u>140 lbs. (Cathead)</u> DROP <u>30"</u> SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u> <b>DESCRIPTION/INTERPRETATION</b> <u>ALLUVIUM:</u> Light bluish gray (GLEY2 8/1), dry to damp, medium dense, silty SAND; few fine gravel; trace cobbles.		
25								Total Depth = 21.5 feet. Groundwater not encountered. Backfilled on 6/5/02.		
30										
35										
40										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-61

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							6/5/02	CH-34	
							GROUND ELEVATION	SHEET	OF
							1309' MSL	1	2
							METHOD OF DRILLING CME-55, 8" Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Cathead)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	SDN
							DESCRIPTION/INTERPRETATION		
0						CL	<b>ALLUVIUM:</b> Brown (7.5YR 6/4), dry to damp, firm to very stiff, silty CLAY.		
7							Stage I cementation.		
5						ML	Brown (7.5YR 6/4), dry to damp, stiff, clayey SILT; some fine sand; stage I cementation.		
16		16	3.8	96.8					
25		25	3.0	107.3		SM	Light brown (7.5YR 6/4), dry, medium dense, silty SAND; trace sand; stage I cementation.		
10		38							
18									
15		15					Stage II cementation below 15.5' bgs.		

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-62

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.				
	Bulk	Driven						6/5/02	CH-34				
								GROUND ELEVATION	SHEET	OF			
								1309' MSL	2	2			
								METHOD OF DRILLING	CME-55, 8" Hollow-Stem Auger				
								DRIVE WEIGHT	140 lbs. (Cathead)	DROP	30"		
								SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY	SDN
								<b>DESCRIPTION/INTERPRETATION</b>					
20			39					<u>ALLUVIUM: (continued)</u> Light brown (7.5YR 6/4), dry, medium dense, silty SAND.					
25								Total Depth = 21.5 feet. Groundwater not encountered. Backfilled on 6/5/02.					
30													
35													
40													

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-63

DEPTH (feet)	BULK SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							6/6/02	CH-35	
							GROUND ELEVATION	SHEET	OF
							1311' MSL	1	2
							METHOD OF DRILLING CME-55, 8" Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Cathead)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	SDN
							<b>DESCRIPTION/INTERPRETATION</b>		
0						CL	<b>ALLUVIUM:</b> Light brown (7.5YR 6/4), dry to damp, fine to very stiff, silty CLAY.		
7							Stage I cementation; trace caliche stringers.		
15			5.2	90.6			Stiff.		
10						SC	Light brown (7.5YR 6/4), dry to damp, loose, clayey fine SAND; stage I cementation.		
19			3.7	104.2					
15							Medium dense.		
17						SM	Light brown to reddish brown (5YR 5/4), dry to damp, medium dense, silty SAND; few fine gravel; stage I cementation.		
20									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-64

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED _____ 6/6/02 _____ BORING NO. _____ CH-35
	Bulk	Driven						
								METHOD OF DRILLING _____ CME-55, 8" Hollow-Stem Auger _____
								DRIVE WEIGHT _____ 140 lbs. (Cathead) _____ DROP _____ 30" _____
								SAMPLED BY _____ MDE _____ LOGGED BY _____ MDE _____ REVIEWED BY _____ SDN _____
								<b>DESCRIPTION/INTERPRETATION</b>
20			50	2.0	115.7		SM	<u>ALLUVIUM</u> : (continued) Light brown to reddish brown (5YR 5/4), dry to damp, medium dense, silty SAND; few fine gravel.
25								Total Depth = 21.5 feet. Groundwater not encountered. Backfilled on 6/6/02.
30								
35								
40								

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-65

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							6/6/02	CH-36	
							GROUND ELEVATION	SHEET	OF
							1306' MSL	1	2
							METHOD OF DRILLING CME-55, 8" Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Cathead)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	SDN
							<b>DESCRIPTION/INTERPRETATION</b>		
0						CL	<b>ALLUVIUM:</b> Light brown (7.5YR 6/4), dry to damp, silty CLAY; trace fine gravel.		
33							Stage I cementation; weakly cemented.		
5		83/11"	6.8	105.6					
13									
10						SM	Light brown (7.5YR 6/4) to reddish brown (5YR 5/4), dry to damp, medium dense, silty SAND; few fine gravel.		
21			4.5	108.6					
15							Stage II cementation below 15.5' bgs. Grains coated.		
25									
						SW-SM	Light brown (7.5YR 6/4) to reddish brown (5YR 5/4), dry to damp, medium dense, well-graded SAND to silty SAND; stage II cementation.		
0									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-66

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.				
	Bulk	Driven						6/6/02	CH-36				
								GROUND ELEVATION	SHEET	OF			
								METHOD OF DRILLING	2	2			
								DRIVE WEIGHT	140 lbs. (Cathead)	DROP	30"		
								SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY	SDN
								<b>DESCRIPTION/INTERPRETATION</b>					
20			55	3.9	114.5		SM	<u>ALLUVIUM: (continued)</u> Light brown (7.5YR 6/4) to reddish brown (5YR 5/4), dry to damp, medium dense, silty SAND; few fine gravel.					
25								Total Depth = 21.5 feet. Groundwater not encountered. Backfilled on 6/6/02.					
30													
35													
40													

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-67

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/6/02</u> BORING NO. <u>CH-37</u>	
							GROUND ELEVATION <u>1309' MSL</u> SHEET <u>1</u> OF <u>2</u>	
								METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>
								DRIVE WEIGHT <u>140 lbs. (Cathead)</u> DROP <u>30"</u>
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u>

							DESCRIPTION/INTERPRETATION	
0						CL	<b>ALLUVIUM:</b> Brown (7.5YR 5/4) to reddish brown (5YR 5/4), dry to damp, very stiff to hard, silty CLAY; trace fine gravel.	
	26						Stage I cementation.	
5	73/11"	6.0	106.3			SC	Brown (7.5YR 5/4) to reddish brown (5YR 5/4), dry to damp, dense, clayey SAND; trace fine gravel; stage I cementation.	
	50/6"							
10	110/10"	7.8	114.2			CL	Brown (7.5YR 5/4) to reddish brown (5YR 5/4), dry to damp, hard, silty CLAY; trace caliche nodules less than 1/4" in diameter; stage I cementation.	
	71	8.4	105.3			SM	Light brown (7.5YR 6/4), dry to damp, very dense, silty SAND; few fine gravel.	
15	67/11"						Stage II cementation below 15.6' bgs based on observation of coatings on gravel grains in drill cuttings returned to surface.	
20								

# Ningo & Moore

## BORING LOG

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-68

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
	Bulk	Driven						6/6/02	CH-37	
								GROUND ELEVATION	SHEET	OF
								METHOD OF DRILLING		
								DRIVE WEIGHT	DROP	
								SAMPLED BY	LOGGED BY	REVIEWED BY
								DESCRIPTION/INTERPRETATION		
20			34				SM	<u>ALLUVIUM</u> : (continued) Light brown (7.5YR 6/4), dry to damp, very dense, silty SAND; few fine gravel; stage II cementation.		
25								Total Depth = 21.5 feet. Groundwater not encountered. Backfilled on 6/6/02.		
30										
35										
40										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-69

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/6/02</u> BORING NO. <u>CH-38</u>
							GROUND ELEVATION <u>1309' MSL</u> SHEET <u>1</u> OF <u>2</u>
							METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>
							DRIVE WEIGHT <u>140 lbs. (Cathead)</u> DROP <u>30"</u>
							SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u>
<b>DESCRIPTION/INTERPRETATION</b>							

0					CL	<p><b>ALLUVIUM:</b> Brown (7.5YR 5/4), dry to damp, hard, silty CLAY; trace sand; stage II cementation.</p>
38						Few sand.
5	74/7"					
50/6"		7.3	102.8		SC	Brown (7.5YR 5/4), dry to damp, dense, clayey SAND; stage I cementation.
10	80	11.7	110.6			
83/9"		7.9	116.6			
15	38				SM	Light brown (7.5YR 6/4), dry to damp, medium dense, silty SAND; stage I cementation.
20						



<b>BORING LOG</b>		
East Maricopa Floodway Chandler Heights Detention Basin		
PROJECT NO. 600198002	DATE 10/02	FIGURE A-70

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.				
	Bulk	Driven						6/6/02	CH-38				
								GROUND ELEVATION	SHEET	OF			
								METHOD OF DRILLING	2	2			
								DRIVE WEIGHT	140 lbs. (Cathead)	DROP	30"		
								SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY	SDN
								<b>DESCRIPTION/INTERPRETATION</b>					
20			19				SM	<u>ALLUVIUM: (continued)</u> Light brown (7.5YR 6/4), dry to damp, medium dense, silty SAND; stage I cementation .					
25								Total Depth = 21.5 feet. Groundwater not encountered. Backfilled on 6/6/02.					
30													
35													
40													

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-71

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/4/02</u> BORING NO. <u>CH-39</u>	
	Bulk	Driven						GROUND ELEVATION <u>1305' MSL</u>	SHEET <u>1</u> OF <u>1</u>
								METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Cathead)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u>	
									<b>DESCRIPTION/INTERPRETATION</b>
0							SM	<b>ALLUVIUM:</b> Pale brown (10YR 6/3), dry to damp, medium dense, silty SAND; few fine gravel.	
15								Stage I cementation.	
5			17	4.1	112.1			Loose.	
22									
10			39	7.7	105.8				
15									
23								Stage II cementation below 15' bgs. Increase in calcium carbonate; fine gravel partially coated with caliche.	
								Total Depth = 16.5 feet. Groundwater not encountered. Backfilled on 6/4/02.	
20									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-72

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
	Bulk	Driven						6/4/02	CH-40	
								GROUND ELEVATION	SHEET	OF
								1306' MSL	1	2
								METHOD OF DRILLING CME-55, 8" Hollow-Stem Auger		
								DRIVE WEIGHT	DROP	
								140 lbs. (Cathead)	30"	
								SAMPLED BY	LOGGED BY	REVIEWED BY
								MDE	MDE	SDN
								DESCRIPTION/INTERPRETATION		
0							CL	<u>ALLUVIUM:</u> Brown (7.5YR 5/4), dry to damp, very stiff to stiff, silty CLAY.		
			26					Stage I cementation by sparse calcium carbonate filaments less than 1/4" long.		
5				6.6	90.4		ML	Brown (7.5YR 5/4), dry to damp, loose, fine sandy SILT; stage I cementation.		
			19							
							SM	Pale brown (10YR 6/3), dry to damp, loose, silty SAND; trace fine gravel.		
			8					Stage I cementation; weak reaction with HCL.		
10				5.4	100.7		ML	Pale brown (10YR 6/3), dry to damp, stiff clayey SILT; caliche stringers less than 1/4" long; stage I cementation.		
			17							
							SM	Pale brown (10YR 6/3) to brown (10YR 5/3), dry to damp, medium dense, silty SAND; few fine gravel.		
15								Stage II cementation; calcium carbonate coatings on gravel.		
			17							
0										

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-73

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.				
	Bulk	Driven						6/4/02	CH-40				
								GROUND ELEVATION	SHEET	OF			
								METHOD OF DRILLING	2	2			
								DRIVE WEIGHT	140 lbs. (Cathead)	DROP	30"		
								SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY	SDN
								<b>DESCRIPTION/INTERPRETATION</b>					
20			79				SM	<u>ALLUVIUM:</u> Brown (10YR 5/3) to light yellowish brown (10YR 6/4), dry to damp, dense, silty SAND; trace fine gravel. Stage II cementation. Total Depth = 21.5 feet. Groundwater not encountered. Backfilled on 6/4/02.					
25													
30													
35													
40													

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-74

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							6/4/02	CH-41	
							GROUND ELEVATION	SHEET	OF
							1307' MSL	1	2
							METHOD OF DRILLING CME-55, 8" Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Cathead)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	SDN
							DESCRIPTION/INTERPRETATION		
0						ML	<u>ALLUVIUM:</u> Brown (7.5YR 5/4), dry to damp, dense, clayey SILT. Stage I cementation.		
35									
5									
28			7.9	98.7					
23									
10									
35			6.1	103.8					
15									
14						SM	Pale brown (5YR 6/2), dry to damp, medium dense, silty SAND; scattered fine gravel. Stage I cementation.		
0									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-75

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.				
	Bulk	Driven						6/4/02	CH-41				
								GROUND ELEVATION	SHEET	OF			
								METHOD OF DRILLING	CME-55, 8" Hollow-Stem Auger				
								DRIVE WEIGHT	140 lbs. (Cathead)	DROP	30"		
								SAMPLED BY	MDE	LOGGED BY	MDE	REVIEWED BY	SDN
								<b>DESCRIPTION/INTERPRETATION</b>					
20			83/8"	4.7	108.8		SM	<p><b>ALLUVIUM:</b> (continued)            Pale brown (10YR 6/3), dry to damp, very dense, silty SAND.            Stage II cementation; thin carbonate coating; matrix loose.</p> <p>Total Depth = 21.1 feet.            Groundwater not encountered.            Backfilled on 6/4/02.</p>					
25													
30													
35													
40													

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
 Chandler Heights Detention Basin

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 A-76

DEPTH (feet)	BULK SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							6/4/02	CH-42	
							GROUND ELEVATION	SHEET	OF
							1307' MSL	1	2
							METHOD OF DRILLING		
							CME-55, 8" Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Cathead)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	SDN
							DESCRIPTION/INTERPRETATION		
0						ML	<b>ALLUVIUM:</b> Brown (7.5YR 5/4), dry to damp, loose to medium dense, non-plastic SILT; few caliche stringers.  Stage I cementation.		
10									
5			9.6	90.2					
20									
11									
10			5.2	101.0					
61									
						SM	Pale brown (10YR 6/3), dry to damp, medium dense, silty SAND; trace fine gravel.  Stage I cementation.		
15									
12									
						SM/GM	Light yellowish brown (10YR 6/4), dry to damp, medium dense, silty SAND with fine gravel. Stage II cementation; gravel partially coated with calcium carbonate.		
20									

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-77

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
	Bulk	Driven						6/4/02	CH-42	
								GROUND ELEVATION	SHEET	OF
								METHOD OF DRILLING		
								DRIVE WEIGHT	DROP	
								SAMPLED BY	LOGGED BY	REVIEWED BY
								<b>DESCRIPTION/INTERPRETATION</b>		
20			26	11.9	114.2		SM/GM	<u>ALLUVIUM</u> : (continued) Light yellowish brown (10YR 6/4), dry to damp, medium dense, silty SAND with fine gravel; stage II cementation.		
25								Total Depth = 21.5 feet. Groundwater not encountered. Backfilled on 6/4/02.		
30										
35										
40										



<b>BORING LOG</b>		
East Maricopa Floodway Chandler Heights Detention Basin		
PROJECT NO. 600198002	DATE 10/02	FIGURE A-78

DEPTH (feet)	BULK SAMPLES Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							6/4/02	CH-43	
							GROUND ELEVATION	SHEET	OF
							1308' MSL	1	1
							METHOD OF DRILLING CME-55, 8" Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Cathead)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	SDN
							DESCRIPTION/INTERPRETATION		
0						CL	<b>ALLUVIUM:</b> Brown (7.5YR 5/4), firm, silty CLAY.  Stage I cementation; scattered filaments.		
5		16	11.6	91.1		ML	Pale brown (10YR 6/3), dry to damp, loose, SILT.  Dense.  Stage I cementation; scattered filaments.		
10		67	7.8	92.7					
15		36					Color change to very pale brown (10YR 7/4); continuous carbonate coatings on grains; stage II cementation.		
16.5							Total Depth = 16.5 feet. Groundwater not encountered. Backfilled on 6/4/02.		



**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-79

DEPTH (feet)	SAMPLES		BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED <u>6/4/02</u> BORING NO. <u>CH-44</u>	
	Bulk	Driven						GROUND ELEVATION <u>1309' MSL</u>	SHEET <u>1</u> OF <u>1</u>
								METHOD OF DRILLING <u>CME-55, 8" Hollow-Stem Auger</u>	
								DRIVE WEIGHT <u>140 lbs. (Cathead)</u> DROP <u>30"</u>	
								SAMPLED BY <u>MDE</u> LOGGED BY <u>MDE</u> REVIEWED BY <u>SDN</u>	
								<b>DESCRIPTION/INTERPRETATION</b>	
0							CL	<b>ALLUVIUM:</b> Brown (7.5YR 5/4), dry to damp, soft to firm, silty CLAY.  Stage I cementation.	
4			4						
5			13	5.8	101.5			Stiff.	
14			14						
10			21	5.6	92.6		ML	Brown (7.5YR 5/4), dry to damp, loose to medium dense, fine sandy SILT; stage I cementation.	
15			10						
16.5							SM	Light bluish gray (GLE Y2 8/1), dry to damp, loose to medium dense, silty SAND. Stage II cementation; grains partially coated by calcium carbonate; matrix loose. Total Depth = 16.5 feet. Groundwater not encountered. Backfilled on 6/4/02.	
20									

# Ninyo & Moore

## BORING LOG

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-80

DEPTH (feet)	SAMPLES Bulk Driven	BLOWS/FOOT	MOISTURE (%)	DRY DENSITY (PCF)	SYMBOL	CLASSIFICATION U.S.C.S.	DATE DRILLED	BORING NO.	
							6/4/02	CH-45	
							GROUND ELEVATION	SHEET	OF
							1309' MSL	1	1
							METHOD OF DRILLING CME-55, 8" Hollow-Stem Auger		
							DRIVE WEIGHT	DROP	
							140 lbs. (Cathead)	30"	
							SAMPLED BY	LOGGED BY	REVIEWED BY
							MDE	MDE	SDN
							DESCRIPTION/INTERPRETATION		
0						SM	<u>ALLUVIUM:</u> Very pale brown (10YR 7/4), dry to damp, medium dense, silty SAND; few fine gravel.		
11							Stage I cementation.		
5						SP-SM	Very pale brown (10YR 7/4), dry to damp, loose, fine to medium SAND with silt; stage I cementation.		
18		11	3.3	101.9					
18						CL	Brown (7.5YR 5/4), dry to damp, stiff to very stiff, silty CLAY.		
10						ML	Stage I cementation. Very pale brown (10YR 7/4), dry to damp, stiff to very stiff, clayey SILT; few fine gravel; trace fine sand; stage I cementation.		
20		20	6.1	115.9					
15						SM	Light yellowish brown (10YR 6/4), dry to damp, very dense, silty SAND. Stage II cementation; grains coated by calcium carbonate.		
69							Total Depth = 16.0 feet. Groundwater not encountered. Backfilled on 6/4/02.		

**Ninyo & Moore**

**BORING LOG**

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
A-81




# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.	DATE
600198002	10/02

DATE EXCAVATED 8/19/02 TEST PI. TP-1  
 GROUND ELEVATION 1310' MSL LOGGED BY MDE/TLC  
 METHOD OF EXCAVATION Ford 555E Backhoe  
 LOCATION See Location Map



DEPTH (FEET)	SAMPLES			MOISTURE (%)	DRY DENSITY (PCF)	CLASSIFICATION U.S.C.S.
	Bulk	Driven	Sand Cone			
0						ML
5						
10						
15						
20						
25						
30						

**DESCRIPTION**

ALLUVIUM:  
 Light brown (7.5YR 6/4), firm to stiff, dry to damp, clayey SILT; scattered rootlets from 0 - 10.0'; scattered caliche filaments less than 1/4" long; weak to moderate reaction with HCl; very weak to weakly cemented by caliche. (Stage I cementation)

Reddish brown (5YR 4/4); trace fine sand; some to few caliche filaments; strong reaction with HCl.  
 Stage II cementation with few caliche nodules less than 1/2" in diameter; scattered to some pinhole voids; soil breaks into cobble to gravel size fragments on excavation of well to moderately cemented clayey SILT.

Total Depth = 12.0 feet.  
 Groundwater not encountered.  
 Backfilled on 8/19/02.

FIGURE A-82

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.  
600198002

DATE  
10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES

MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/19/02 TEST PI. NO. TP-2  
GROUND ELEVATION 1308' MSL LOGGED BY MDE/TLC  
METHOD OF EXCAVATION Ford 555E Backhoe  
LOCATION See Location Map

## DESCRIPTION



ML ALLUVIUM:  
Brown (7.5YR 5/4), dry to damp, loose to medium dense; sandy SILT; non to weakly cemented; trace caliche filaments; trace fine gravel; weak reaction with HCl. (Stage I cementation)

SM Brown (7.5YR 5/4), dry to damp, loose, silty SAND; few fine gravel; weak to no reaction with HCl; weakly to non-cemented by caliche.

ML Reddish brown (5YR 4/4), damp, soft to firm, clayey SILT; scattered caliche filaments and caliche coated rootlets; scattered to some pinhole voids; weakly to non-cemented.

Total Depth = 14.0 feet.  
Groundwater not encountered.  
Backfilled on 8/19/02.

FIGURE A-83

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.  
600198002

DATE  
10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/19/02 TEST PI NO. TP-3  
GROUND ELEVATION 1308' MSL LOGGED BY MDE/TLC  
METHOD OF EXCAVATION Ford 555E Backhoe  
LOCATION See Location Map

## DESCRIPTION



CL ALLUVIUM:  
Brown (7.5YR 5/4), dry to damp, soft to firm, silty CLAY; scattered rootlets from 0-3'; non to weakly cemented.  
  
Firm; scattered caliche filaments less than 1/2" long from 3-4'.

Trace fine sand and caliche filaments less than 1/2" long.  
Total Depth = 11.0 feet.  
Groundwater not encountered.  
Backfilled on 8/19/02.

FIGURE A-84

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.

DATE

600198002

10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone  
SAMPLES

MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 11/26/01 TEST PIT NO. TP-4  
GROUND ELEVATION -- LOGGED BY MDE  
METHOD OF EXCAVATION Backhoe, Ford 555 E  
LOCATION See Location Map

## DESCRIPTION

ML

**ALLUVIUM:**  
Light reddish brown (5 YR 6/4), loose to dense, dry to damp, clayey SILT. Few rootlets from 0-6 feet bgs.  
Stage I cementation, scattered caliche stringers less than 1/4" long, moderate reaction with HCL, very weakly cemented by calcium carbonate.

@ 10 feet bgs, Stage II cementation with scattered caliche filaments, forming discontinuous, hard, cobble to fine gravel size lenses of cemented clayey silt up to 1/2" thick and 5" diameter, strong reaction with HCL within silt and lenses.

Total Depth = 12 feet.

Groundwater not encountered during drilling.

Backfilled on 11/26/01.

Excavation Bearing: 200°




FIGURE A-85

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.

DATE

600198002

10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 11/27/01 TEST PIT NO. TP-5  
GROUND ELEVATION -- LOGGED BY MDE  
METHOD OF EXCAVATION Backhoe, Ford 555 E  
LOCATION See Location Map

## DESCRIPTION



CL ALLUVIUM:  
Dark yellowish brown (10 YR 4/4), dry to damp, stiff to very stiff, silty CLAY.  
Stage I cementation, weakly cemented, scattered calcium carbonate filaments less than 1/4" long, moderate reaction with HCL.

ML  
Strong brown (7.5 YR 4/6), dry to damp, medium dense to dense, clayey SILT; scattered rootlets, scattered pinhole porosity.  
Stage I cementation, moderate reaction to HCL, weakly to non-cemented, scattered calcium carbonate filaments.

@ 10-12 feet, cementation increases slightly to weakly cemented by calcium carbonate.

Total Depth = 12 feet.  
Groundwater not encountered during drilling.  
Backfilled on 11/27/01.

Excavation Bearing: 185°

FIGURE A-86

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Detention Basin

PROJECT NO.

DATE

600198002

10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone  
SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 11/26/01 TEST PIT NO. TP-6  
GROUND ELEVATION -- LOGGED BY MDE  
METHOD OF EXCAVATION Backhoe, Ford 555 E  
LOCATION See Location Map

## DESCRIPTION



CL

ML

SM

**ALLUVIUM:**  
Reddish brown (5YR 4/4), stiff to very stiff, dry to damp, silty CLAY; scattered calcium carbonate filaments less than 1/4" long, scattered pinhole voids, trace sand.  
Stage I cementation, weakly cemented.  
Yellowish-red (5 YR 5/6), soft to dense, damp, clayey SILT; scattered calcium carbonate filaments up to 1/4" long, trace to few pinhole voids, trace fine sand, weakly cemented.  
@ 3 feet bgs, increase in amount of cementation by calcium carbonate, few weakly cemented caliche nodules less than 0.5" in diameter, color change to reddish-yellow (7.5 YR 7/6), loose to medium dense, dry to damp, clayey SILT; moderate reaction with HCL, few to no calcium carbonate filaments.  
@ 4 feet bgs, color changes to light brown (7.5 YR 6/4), fine sand increases from trace to sparse, damp, loose, sandy SILT; trace fine gravel.  
Stage I cementation, little to no calcium carbonate cementation.  
Reddish-brown (5 YR 5/3), damp, loose to medium dense, silty fine SAND with sparse fo few fine gravel; trace coarse gravel.  
Stage I cementation, strong reaction with HCL, cementation weak to non-cemented.  
@ 12 feet bgs, Stage I cementation, increase in amount of weak calcium carbonate cementation, sand breaks into hard fragments up to 4" across, no filaments or nodules observed.  
Total Depth = 12.5 feet.  
Groundwater not encountered during drilling.  
Backfilled on 11/26/01.

Excavation Bearing: 197°

FIGURE A-87

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin


PROJECT NO.  
600198002

DATE  
10/02

DATE EXCAVATED 8/19/02 TEST PIT NO. TP-7  
GROUND ELEVATION 1309' MSL LOGGED BY MDE/TLC  
METHOD OF EXCAVATION Ford 555E Backhoe  
LOCATION See Location Map

DEPTH (FEET)  
Bulk  
Driven  
Sand Cone  
SAMPLES  
MOISTURE (%)  
DRY DENSITY (PCF)  
CLASSIFICATION  
U.S.C.S.

## DESCRIPTION



ML ALLUVIUM:  
Brown (7.5YR 5/4), dry to damp, stiff, clayey SILT; weakly cemented;  
scattered caliche filaments less than 1/4" long; moderate reaction with HCl;  
scattered pinhole voids; scattered rootlets. (Stage I cementation)

Clay content decreases; more silty.

GM Pale brown (10YR 6/3), dry to damp, silty GRAVEL; thin calcium carbonate  
coating; matrix loose; weak to no reaction with HCl. (Stage II cementation)  
Total Depth = 14.0 feet.  
Groundwater not encountered.  
Backfilled on 8/19/02.

FIGURE A-88

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.  
600198002

DATE  
10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/23/02 TEST PI. NO. TP-8  
GROUND ELEVATION 1312' MSL LOGGED BY MDE/TLC  
METHOD OF EXCAVATION Ford 555E Backhoe  
LOCATION See Location Map

## DESCRIPTION



SM ALLUVIUM:  
Light brown (7.5YR 6/2-6/3), dry to damp, loose to medium dense, silty SAND; weak reaction with HCl; non-cemented.

CL Light brown (7.5YR 6/4), dry to damp, soft to stiff, silty CLAY; weak to non-cemented; strong reaction with HCl.

Trace to few caliche filaments; increase in cementation; weakly cemented; trace caliche nodules less than 1/4" in diameter.

Few to some cobbles and fine to coarse gravel; thin caliche coating on some of the cobbles; few coarse sand. (Stage I material)

Total Depth = 14.0 feet.  
Groundwater not encountered.  
Backfilled on 8/23/02.

FIGURE A-89

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

600198002

DATE

10/02

DEPTH (FEET)

Bulk

Driven

Sand Cone

SAMPLES

MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED

8/20/02

TEST PIT NO.

TP-9

GROUND ELEVATION

1318' MSL

LOGGED BY

MDE/TLC


METHOD OF EXCAVATION

Ford 555E Backhoe

LOCATION

See Location Map

## DESCRIPTION



SM

ALLUVIUM:  
Brown (7.5YR 5/4), dry to damp, loose to medium dense, silty fine SAND;  
trace clay; scattered rootlets from 0-3'.  
Trace fine gravel.  
Increase in sand content.

Trace caliche filaments; slight increase in clay content.  
Total Depth = 6.0 feet. (Refusal due to caving sands)  
Groundwater not encountered.  
Backfilled on 8/20/02.

FIGURE A-90

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

DATE

600198002

10/02

DEPTH (FEET)

Bulk

Driven

Sand Cone

SAMPLES

MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.


DATE EXCAVATED 8/20/02 TEST PIT NO. TP-10

GROUND ELEVATION 1318' MSL LOGGED BY MDE/TLC

METHOD OF EXCAVATION Ford 555E Backhoe

LOCATION See Location Map

## DESCRIPTION



ML

ALLUVIUM:  
Light brown (7.5YR 6/4), dry to damp, soft to firm; clayey SILT; scattered rootlets; non-cemented.

Slight increase in clay content; scattered to few pinhole voids; weakly cemented; few caliche filaments. (Stage I cementation)  
Trace coarse sand.

Total Depth = 15.0 feet.  
Groundwater not encountered.  
Backfilled on 8/20/02.

FIGURE A-91

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.  
600198002

DATE  
10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone  
SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/22/02 TEST PI. TP-11  
GROUND ELEVATION 1315' MSL LOGGED BY MDE/TLC  
METHOD OF EXCAVATION Backhoe  
LOCATION See Location Map

## DESCRIPTION



CL ALLUVIUM:  
Light brown (7.5YR 6/4), dry to damp, soft to stiff, silty CLAY; weak to non-cemented; trace caliche filaments; trace pinhole voids and rootlets; strong reaction with HCl.

ML Stiff to hard; increase in caliche filaments; increased cementation to weakly cemented; few fine gravel. (Stage I cementation)  
Brown (7.5YR 5/4), dry to damp, dense, silty SAND; some clay.  
Mottled color (light brown and brown); increased cementation by caliche; few caliche nodules; scattered to some caliche filaments. (Stage I cementation)  
Few to some fine and coarse gravel; few cobbles; caliche coating on gravel and cobbles; intergranular cementation by caliche; increase in gravel with depth. (Stage II soil)  
Total Depth = 14.0 feet.  
Groundwater not encountered.  
Backfilled on 8/22/02.

FIGURE A-92

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

600198002

DATE

10/02

DEPTH (FEET)

Bulk

Driven

Sand Cone

SAMPLES

MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/22/02

TEST PIT NO. TP-12


GROUND ELEVATION 1313' MSL

LOGGED BY MDE/TLC

METHOD OF EXCAVATION Backhoe

LOCATION See Location Map

## DESCRIPTION



CL

**ALLUVIUM:**  
Light brown (7.5YR 6/4), dry to damp, soft to stiff, silty CLAY; few to scattered caliche filaments; few pinhole voids; trace roots; weakly cemented; moderate to strong reaction with HCl.

Stiff.

Color becomes mottled (light brown and brown); few sand; increased cementation; increase in caliche filaments; trace caliche nodules less than 1/4".

Trace gravel and cobbles.

Total Depth = 14.0 feet.

Groundwater not encountered.

Backfilled on 8/22/02.

FIGURE A-93

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

DATE

600198002

10/02

DEPTH (FEET)

Bulk

Driven

Sand Cone

SAMPLES

MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.


DATE EXCAVATED 8/22/02 TEST PI. TP-13

GROUND ELEVATION 1308' MSL LOGGED BY TLC

METHOD OF EXCAVATION Ford 555E Backhoe

LOCATION Chandler near CH 14+7

## DESCRIPTION



CL

ALLUVIUM:  
Light brown (7.5YR 6/4), dry to damp, soft to stiff, silty CLAY; scattered caliche filaments; trace caliche nodules less than 1/4" in diameter; few pinhole voids; few rootlets; weak to non-cemented; strong reaction with HCl.

More silty.

Increase in degree of cementation to weakly cemented, thicker caliche filaments; soil breaking into blocks; cementation by caliche; trace fine gravel. (Stage I cementation)

SM

Light brown (7.5YR 6/3), dry to damp, loose silty SAND; trace fine gravel.

Total depth = 14 feet.  
Groundwater not encountered.  
Backfilled on 8/22/02.

FIGURE A-94

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.  
600198002

DATE  
10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/22/02 TEST PIT NO. TP-14  
GROUND ELEVATION 1309' MSL LOGGED BY TLC  
METHOD OF EXCAVATION Ford 555E Backhoe  
LOCATION Chandler Heights near CH 14+13

## DESCRIPTION



CL ALLUVIUM:  
Light brown (7.5YR 6/4), dry to damp, soft to stiff silty CLAY; trace caliche filaments; trace caliche nodules less than 1/4" in diameter; trace pinhole voids and rootlets; weak to non-cemented; strong reaction with HCl.

Increase in silt, increase in cementation. (Stage I cementation)

Increase in cementation by caliche; moderately cemented; numerous caliche filaments and layers; few caliche nodules; few fine gravel cemented together by caliche. (Stage II cementation)

Total depth = 13 feet.  
Groundwater not encountered.  
Backfilled on 8/22/02.

FIGURE A-95

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

DATE

600198002

10/02

DEPTH (FEET)

Bulk

Driven

Sand Cone

SAMPLES

MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/22/02 TEST PI' TP-15  
GROUND ELEVATION 1309' MSL LOGGED BY TLC  
METHOD OF EXCAVATION Ford 555E Backhoe  
LOCATION Chandler Heights

## DESCRIPTION




FIGURE A-96

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

DATE

600198002

10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES

MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.


DATE EXCAVATED 8/22/02 TEST PI. TP-16

GROUND ELEVATION 1309' MSL LOGGED BY TLC

METHOD OF EXCAVATION Ford 555E Backhoe

LOCATION Chandler Heights near CH-13

## DESCRIPTION



CL

**ALLUVIUM:**  
Brown (7.5YR 5/4), dry to damp, soft to stiff, silty CLAY; few rootlets; trace caliche filaments; few pinhole voids; trace fine gravel.

Increase in caliche filaments; moderate to strong reaction with HCl; weakly to non-cemented.

Increase in silts.

SM

Brown (7.5YR 5/4), dry to damp, loose to medium dense, silty SAND; few fine to coarse gravel; trace cobbles. (Stage I material)

Total depth = 14 feet.

Groundwater not encountered.

Backfilled on 8/22/02

SCALE = 1 in./5 ft.

FIGURE A-97



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

DATE

600198002

10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/23/02 TEST PIT NO. TP-17  
 GROUND ELEVATION 1309' MSL LOGGED BY TLC  
 METHOD OF EXCAVATION Ford 555E Backhoe  
 LOCATION Chandler Heights near CH-12

## DESCRIPTION



CL	<p><b>ALLUVIUM:</b> Brown (7.5YR 5/4), dry to damp, soft to stiff, silty CLAY; few rootlets; weakly to non-cemented; weak to moderate reaction with HCl. Stiff; few fine gravel and sand from 2-3.5'. Few caliche filaments; increase in cementation.</p>
ML	<p>Brown (7.5YR 5/4), dry to damp, soft to stiff, clayey SILT; trace sand; weakly to non-cemented.</p>
SM	<p>Light brown (7.5YR 6/4), dry to damp, loose, silty SAND. Few to some fine and coarse gravel and cobbles. (Stage I material)</p>
	<p>Total depth = 14 feet. Groundwater not encountered. Backfilled on 8/23/02.</p>

FIGURE A-98

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

600198002

DATE

10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES

MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/23/02

TEST PIT NO. TP-18


GROUND ELEVATION 1306' MSL

LOGGED BY TLC

METHOD OF EXCAVATION Ford 555E Backhoe

LOCATION Chandler Heights near CH-12

## DESCRIPTION



CL

ALLUVIUM:  
Light brown (7.5YR 6/4), dry to damp, soft to stiff, silty CLAY; trace caliche filaments; scattered pinhole voids; few rootlets; weakly cemented; moderate to strong reaction with HCl. (Stage I cementation)

ML

Reddish brown (5YR 5/4), dry to damp, medium dense to dense, SILT; trace clay.

SM

Color changes to mottled (light and dark brown); soil breaks into blocks; increase in cementation; few caliche filaments; strong reaction with HCl; few caliche nodules less than 1/2"; weak to moderately cemented.  
Reduced cementation at 8'; trace caliche filaments. (Stage I cementation)  
Light brown (7.5YR 6/4); dry to damp, loose, silty SAND. (Stage I material)

Total depth = 13 feet.  
Groundwater not encountered.  
Backfilled on 8/23/02.

FIGURE A-99

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

600198002

DATE

10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/20/02 TEST PIT NO. TP-19  
 GROUND ELEVATION 1306' MSL LOGGED BY MDE/TLC  
 METHOD OF EXCAVATION Backhoe  
 LOCATION Chandler Heights - Southern End of Basin

## DESCRIPTION



SM

ALLUVIUM:  
Brown (7.5YR 6/4), dry to damp, medium dense to dense, silty fine SAND;  
trace fine subrounded to subangular gravel; trace rootlets; few pinhole voids;  
non to weakly cemented; weak response to HCl.

Trace clay.

Increase in silt content; slight increase in caliche cementation. (Stage I  
cementation)

Total depth = 12 feet.  
Groundwater not encountered.  
Backfilled on 8/20/02.

FIGURE A-100

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin


PROJECT NO.  
600198002

DATE  
10/02

DEPTH (FEET)	SAMPLES			MOISTURE (%)	DRY DENSITY (PCF)	CLASSIFICATION U.S.C.S.
	Bulk	Driven	Sand Cone			

DATE EXCAVATED 8/20/02 TEST PI. TP-20  
 GROUND ELEVATION 1307' MSL LOGGED BY MDE/TLC  
 METHOD OF EXCAVATION Ford 555E Backhoe  
 LOCATION Chandler Heights - Adjacent to EMF

## DESCRIPTION



0	CL	<b>ALLUVIUM:</b> Brown (7.5YR 4/4), dry to damp, soft to stiff, silty CLAY; trace to scattered caliche filaments; trace fine gravel; weakly cemented. (Stage I cementation)
2.5	SM	Brown (2.5YR 5/4), dry to damp, medium dense to loose, silty SAND, non-cemented. (Stage I cementation)
5	CL	Brown (7.5YR 5/4), dry to damp, stiff, silty CLAY, non to weakly cemented. (Stage I cementation) Scattered fine sand; scattered caliche filaments and nodules less than 1/2"; pinhole voids.
10	SM	Brown (7.5YR 4/4), damp, medium dense, silty SAND; trace fine gravel, weakly to moderately cemented; strong reaction with HCl. (Stage II cementation)

Total depth = 12 feet.  
Groundwater not encountered.  
Backfilled on 8/20/02.

FIGURE A-101

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

600198002

DATE

10/02

DEPTH (FEET)

Bulk

Driven

Sand Cone

SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/20/02 TEST PI. NO. TP-21  
 GROUND ELEVATION 1307' MSL LOGGED BY MDE/TLC  
 METHOD OF EXCAVATION Ford 555E Backhoe  
 LOCATION Chandler Heights - Adjacent to EMF

## DESCRIPTION



CL ALLUVIUM  
Brown (7.5YR 5/4), dry to damp, stiff, sandy CLAY; trace fine sand; scattered caliche nodules less than 1/2" in diameter from 0 to 1.5'; decrease in amount of nodules to trace below 1.5', few pinhole voids from 0 to 1.5', scattered below 1.5'.

SM Brown (7.5YR 5/4), damp, loose to medium dense, silty fine SAND; trace fine gravel; non-cemented; moderate reaction with HCl (Stage I cementation); trace fragments of Stage II cementation at 12 feet.

Total depth = 12 feet.  
Groundwater not encountered.  
Backfilled on 8/20/02.

FIGURE A-102

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

600198002

DATE

10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/23/02 TEST PIT NO. TP-22  
GROUND ELEVATION 1307' MSL LOGGED BY TLC  
METHOD OF EXCAVATION Ford 555E Backhoe  
LOCATION Chandler Heights near CH-8

## DESCRIPTION



CL

ALLUVIUM:  
Light brown (7.5YR 6/4), dry to damp, soft to stiff, silty CLAY; trace caliche nodules; weakly cemented; strong reaction with HCl.

SM

Light brown (7.5 6/4), dry to damp, medium dense to loose, silty SAND; trace fine gravel; weak to moderate reaction with HCl; trace clay.

Increase in clay; slight increase in cementation; few caliche filaments.

Increase in sand; few fine to coarse gravel; trace to few blocks of cemented fine gravel and coarse sand; trace cobbles; no caliche coating. (Stage I material)

Total depth = 14 feet.  
Groundwater not encountered.  
Backfilled on 8/23/02.

FIGURE A-103

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.  
600198002

DATE  
10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/20/02 TEST PIT NO. TP-23  
GROUND ELEVATION 1307' MSL LOGGED BY MDE/TLC  
METHOD OF EXCAVATION Ford 555E Backhoe  
LOCATION Chandler Heights - Adjacent to EMF

## DESCRIPTION



CL

ALLUVIUM:  
Strong brown (7.5YR 4/6), damp, soft to stiff, silty CLAY; trace caliche filaments; becomes soft at 3' bgs, weak to moderate reaction with HCl. (Stage I cementation)

SM

Brown (7.5YR 4/4), dry to damp, loose to dense, silty SAND; few fine, rounded to sub-rounded gravel; scattered sub-rounded cobbles. (Stage I cementation)

Total depth = 13 feet. (Refusal due to sand caving)  
Groundwater not encountered.  
Backfilled on 8/20/02.

FIGURE A-104

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.  
600198002

DATE  
10/02

DEPTH (FEET)

Bulk  
Driven  
Sand Cone

SAMPLES


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/23/02 TEST PI. NO. TP-24  
GROUND ELEVATION 1307' MSL LOGGED BY TLC  
METHOD OF EXCAVATION Ford 555E Backhoe  
LOCATION Chandler Heights

## DESCRIPTION



CL	ALLUVIUM: Brown (7.5YR 5/4), dry to damp, stiff, silty CLAY; scattered caliche nodules; trace pinhole voids; moderate to strong reaction with HCl; weakly to non-cemented. Soft to stiff; few sand.
SM	Brown (7.5YR 5/4), dry to damp, dense to medium dense, silty SAND; weakly to non-cemented; very silty.  Light brown; increasingly sandy. (Stage I material)
	Total depth = 14 feet. Groundwater not encountered. Backfilled on 8/23/02.

SCALE = 1 in./5 ft.



# TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

DATE

600198002

10/02

DEPTH (FEET)

Bulk

Driven

Sand Cone

SAMPLES

MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.


DATE EXCAVATED 8/19/02 TEST PI. TP-25

GROUND ELEVATION 1307' MSL LOGGED BY MDE/TLC

METHOD OF EXCAVATION Ford 555E Backhoe

LOCATION Chandler Heights - Adjacent to EMF

## DESCRIPTION



CL

ALLUVIUM:  
Brown (7.5YR 5/4), dry to damp, stiff, silty CLAY; scattered caliche filaments; few pinhole voids.

Trace fine sand at 13' bgs.

GM

Pale brown (10YR 6/3), dry, loose, silty, coarse to fine gravel, caliche grain coatings; trace fine sand. (Stage II cementation)  
Total depth = 13.5 feet.  
Grounwater not encountered.  
Backfilled on 8/19/02.

FIGURE A-106

SCALE = 1 in./5 ft.

## TEST PIT LOG

East Maricopa Floodway  
Chandler Heights Basin

PROJECT NO.

600198002

DATE

10/02

DEPTH (FEET)

SAMPLES  
Bulk  
Driven  
Sand Cone


MOISTURE (%)

DRY DENSITY (PCF)

CLASSIFICATION  
U.S.C.S.

DATE EXCAVATED 8/20/02 TEST PIT NO. TP-26  
GROUND ELEVATION 1308'MSL LOGGED BY MDE/TLC  
METHOD OF EXCAVATION Ford 555E Backhoe  
LOCATION Chandler Heights - Adjacent to QC, East Side of Creek

### DESCRIPTION



SM

FILL:  
Yellowish brown (10YR 5/4), dry to damp, medium dense to dense, silty SAND; trace fine subrounded gravel; scattered rootlets; non-cemented.

SM

ALLUVIUM:  
Yellowish brown (10YR 5/4), dry to damp, medium dense to dense, silty SAND; few subangular to rounded gravel; weakly cemented.

Brown (7.5YR 5/3); fine to coarse gravel; few cobbles; moderately well cemented by caliche; coarse grains have caliche coating. (Stage II cementation)  
Total depth = 13.5 feet.  
Groundwater not encountered.  
Backfilled on 8/20/02.

FIGURE A-107

SCALE = 1 in./5 ft.



## APPENDIX B

### LABORATORY TESTING

#### Classification

Soils were visually and texturally classified in accordance with the Unified Soil Classification System (USCS) in general accordance with ASTM D 2488-00. Soil classifications are indicated on the logs of the exploratory excavations in Appendix A.

#### Moisture Content

The moisture content of samples obtained from the exploratory excavations was evaluated in accordance with ASTM D 2216-98. The test results are presented on the logs of the exploratory excavations in Appendix A.

#### In-Place Moisture and Density Tests

The moisture content and dry density of relatively undisturbed samples obtained from the exploratory excavations were evaluated in general accordance with ASTM D 2937-00. The test results are presented on the logs of the exploratory excavations in Appendix A.

#### Gradation Analysis

Gradation analysis tests were performed on selected representative soil samples in general accordance with ASTM D 422-63. The grain-size distribution curves are shown on Figures B-1 through B-74. These test results were utilized in evaluating the soil classifications in accordance with the Unified Soil Classification System.

#### Atterberg Limits

Tests were performed on selected representative fine-grained soil samples to evaluate the liquid limit, plastic limit, and plasticity index in general accordance with ASTM D 4318-00. These test results were utilized to evaluate the soil classification in accordance with the Unified Soil Classification System. The test results and classifications are shown on Figures b-75 through B-84.

#### Consolidation Tests

Consolidation tests were performed on selected relatively undisturbed soil samples in general accordance with ASTM D 2435-96. The samples were inundated during testing to represent adverse field conditions. The percent of consolidation for each load cycle was recorded as a ratio of the amount of vertical compression to the original height of the sample. The results of the tests are summarized on Figures B-85 through B-99.

### **Expansion Index Tests**

The expansion index of selected materials was evaluated in general accordance ASTM D 4829-95. Specimens were molded under a specified compactive energy at approximately 50 percent saturation (plus or minus 1 percent). The prepared 1-inch thick by 4-inch diameter specimens were loaded with a surcharge of 144 pounds per square foot and were inundated with tap water. Readings of volumetric swell were made for a period of 24 hours. The results of these tests are presented on Figure B-100.

### **Maximum Dry Density and Optimum Moisture Content Tests**

The maximum dry density and optimum moisture content of selected representative soil samples were evaluated in general accordance with ASTM D 698-00. The results of these tests are summarized on Figures B-101 through B-104.

### **Soil Corrosivity Tests**

Soil pH, and minimum resistivity tests were performed on representative samples in general accordance with Arizona Test 236b. The chloride content of selected samples was evaluated in general accordance with Arizona Test 736. The sulfate content of selected samples was evaluated in general accordance with Arizona Test 733. The test results are presented on Figure B-105.


### **Permeability Tests**

Constant head permeability tests were performed on selected undisturbed (and remolded) soil samples in general accordance with ASTM D 2434-68. The samples were placed in the apparatus and saturated. Water flow through the soil was sustained using a pneumatically induced head at specified pressures. The quantity of flow, the elapsed time, and the hydraulic gradient were recorded. The permeability was then calculated using Darcy's equation. The results of the tests are presented on Figure B-106.

### **Unconsolidated Undrained Triaxial Compression Tests**

Triaxial compression tests were performed on selected remolded and undisturbed samples in general accordance with ASTM D 2850-95. The test results are shown on Figure B-107.

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-1	7.5-9	*	*	*	--	--	--	--	--	52	ML

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-1

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-1	20-21.5	*	*	*	0.004	0.04	0.14	37.0	3.3	48.38847	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-2

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-2	5-6.5	21	16	5	--	--	--	--	--	73	CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63


**Ninyo & Moore**

**GRADATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.	DATE
600198002	10/02

FIGURE
B-3

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-2	15-16.5	28	16	12	--	--	--	--	--	43	SM

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**


**GRADATION TEST RESULTS**  
**EAST MARICOPA FLOODWAY**  
**CHANDLER HEIGHTS DETENTION BASIN**  
**MARICOPA COUNTY, ARIZONA**

PROJECT NO.	DATE
600198002	10/02

FIGURE
B-4



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-4	7.5-9	42	22	20	--	--	--	--	--	93	CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**


**GRADATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002


DATE  
10/02

FIGURE  
B-6

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-5	5-6.5	29	19	10	--	--	--	--	--	74	CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63




**GRADATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.	DATE
600198002	10/02

FIGURE  
B-8

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-5	15-16.5	*	*	*	--	--	--	--	--	64	CL

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-9

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-6	7.5-9	*	*	*	--	--	--	--	--	75	ML

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-10

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-6	17.5-19	*	*	*	--	--	--	--	--	4	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-11

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-7	5-6.5	*	*	*	-	-	-	-	-	69	CL

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE

10/02


FIGURE

B-12





GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-8	17.5-19	*	*	*	0.019	0.33	1.80	95.0	3.2	17	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-15

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-9	5-6.5	*	*	*	--	--	--	--	--	60	CL

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-16

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-9	20-21.5	34	17	17	--	--	--	--	--	37	SC

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63


**Ninyo & Moore**

**GRADATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA


PROJECT NO.	DATE
600198002	10/02

FIGURE
B-17

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-11	2.5-4	24	14	10	--	--	--	--	--	72	CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

**EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA**

**PROJECT NO.**

600198002

**DATE**


10/02

**FIGURE**

B-19



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-12	7.5-9.0	*	*	*	0.016	0.13	0.36	22.1	2.8	21	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**


**GRADATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-21

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-12	15-16.5	*	*	*	--	--	--	--	--	21	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

**EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA**

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-22

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-13	5-6.5	30	28	2	--	--	--	--	--	79	ML

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-23

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-13	15-16.5	25	22	3	--	--	--	--	--	40	SM

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-24

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-14	2.5-4	36	19	17	--	--	--	--	--	80	CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002


DATE  
10/02

FIGURE  
B-25

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-15	17.5-19	28	23	5	--	--	--	--	--	59	ML

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02


FIGURE

B-27

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-16	20-21.5	*	*	*	0.048	0.35	5.19	108.1	0.5	15	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE


10/02

FIGURE

B-29



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-17	7.5-9	40	23	17	--	--	--	--	--	84	CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-31

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-17	22.5-24	29	19	10	--	--	--	--	--	76	CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**


**GRADATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.	DATE
600198002	10/02

FIGURE
B-32



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-19	2.5-4	*	*	*	-	-	-	-	-	49	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE


10/02

FIGURE

B-34



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-20	10-11.5	*	*	*	--	--	--	--	--	68	ML

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-36

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-20	25-26.5	*	*	*	--	--	--	--	--	3	SP

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-37

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-21	7.5-9	*	*	*	--	--	--	--	--	85	ML

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA


PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-38



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-22	15-16.5	44	18	26	--	--	--	--	--	55	CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-40

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-22	25-26.5	*	*	*	--	--	--	--	--	31	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02


FIGURE  
 B-41

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay





GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-24	22.5-24	*	*	*	--	--	--	--	--	35	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-44

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-25	12.5-14	21	16	5	--	--	--	--	--	55	CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-45

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-25	20-21.5	*	*	*	--	--	--	--	--	11	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-46

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-26	2.5-4	26	21	5	--	--	--	--	--	55	CL-ML

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-47

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-26	20-21.5	*	*	*	--	--	--	--	--	27	SM+CL

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-48

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-28	5-6.5	*	*	*	--	--	--	--	--	45	SC

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA


PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-49



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-29	7.5-9	24	21	3	--	--	--	--	--	76	ML

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**


**GRADATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-51

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-29	12.5-14	19	18	1	--	--	--	--	--	46	SC

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002


DATE  
10/02

FIGURE  
B-52





GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-30	15-16.5	*	*	*	--	--	--	--	--	31	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-55

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-31	5-6.5	29	20	9	--	--	--	--	--	80	CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-56

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-31	15-16.5	*	*	*	--	--	--	--	--	73	ML

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63




**GRADATION TEST RESULTS**  
**EAST MARICOPA FLOODWAY**  
**CHANDLER HEIGHTS DETENTION BASIN**  
**MARICOPA COUNTY, ARIZONA**

PROJECT NO.	DATE
600198002	10/02

FIGURE  
B-57

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-32	12.5-14	*	*	*	-	-	-	-	-	19	GM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-58

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-33	10-11.5	*	*	*	-	-	-	-	-	1	SP

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-59

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-34	5-6.5	*	*	*	--	--	--	--	--	52	ML

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-60

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-34	7.5-9	*	*	*	--	--	--	--	--	48	SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**  
EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA


PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-61



GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-36	20-21.5	*	*	*	0.15	0.24	0.30	2.0	1.3	5	SW-SM

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


**EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA**

**PROJECT NO.**  
 600198002

**DATE**  
 10/02

**FIGURE**  
 B-63

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-37	5-6.5	32	19	13	--	--	--	--	--	39	SC

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-64

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-37	12.5-14	30	18	12	--	--	--	--	--	51	CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-65

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-38	7.5-9	42	18	24	--	--	--	--	--	44	SC

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002


DATE  
10/02

FIGURE  
B-66





GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-40	5-6.5	*	*	*	--	--	--	--	--	74	ML

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-69

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-41	5-6.5	*	*	*	--	--	--	--	--	62	ML

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-70

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-42	10-11.5	*	*	*	--	--	--	--	--	57	ML

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-71

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-43	5-6.5	*	*	*	--	--	--	--	--	77	ML

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-72

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



Symbol	Hole No.	Depth (ft)	Liquid Limit	Plastic Limit	Plasticity Index	D <sub>10</sub>	D <sub>30</sub>	D <sub>60</sub>	C <sub>u</sub>	C <sub>c</sub>	Passing No. 200 (%)	U.S.C.S
●	CH-44	10-11.5	*	*	*	--	--	--	--	--	68	ML

\* ATTERBERG LIMITS TEST INDICATES NON-PLASTIC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 422-63

**Ninyo & Moore**

**GRADATION TEST RESULTS**


EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02


FIGURE  
 B-73

GRAVEL		SAND			FINES	
Coarse	Fine	Coarse	Medium	Fine	Silt	Clay



SYMBOL	LOCATION	DEPTH (FT)	LL (%)	PL (%)	PI (%)	U.S.C.S. CLASSIFICATION (Minus No. 40 Sieve Fraction)	U.S.C.S. (Entire Sample)
●	CH-1	7.5-9	-	-	-	NP	ML
■	CH-1	20-21.5	-	-	-	NP	SM
◆	CH-2	5-6.5	21	16	5	CL-ML	CL
○	CH-2	15-16.5	28	16	12	CL	SM
□	CH-3	15-16.5	-	-	-	NP	SM
△	CH-4	7.5-9	42	22	20	CL	CL
X	CH-4	17.5-19	-	-	-	NP	SP-SM
+	CH-5	5-6.5	29	19	10	CL	CL

NP - Indicates non-plastic



PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 4318-00

**Ninyo & Moore**

**ATTERBERG LIMITS TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE


10/02

FIGURE

B-75

SYMBOL	LOCATION	DEPTH (FT)	LL (%)	PL (%)	PI (%)	U.S.C.S. CLASSIFICATION (Minus No. 40 Sieve Fraction)	U.S.C.S. (Entire Sample)
●	CH-5	15-16.5	-	-	-	NP	ML
■	CH-6	7.5-9	-	-	-	NP	ML
◆	CH-6	17.5-19	-	-	-	NP	SM
○	CH-7	5-6.5	-	-	-	NP	ML
□	CH-7	15-16.5	-	-	-	NP	SP
△	CH-8	10-11.5	-	-	-	NP	SM
X	CH-8	17.5-19	-	-	-	NP	SM
+	CH-9	5-6.5	-	-	-	NP	ML

NP - Indicates non-plastic



PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 4318-00

**Ninyo & Moore**

**ATTERBERG LIMITS TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE


10/02

FIGURE

B-76

SYMBOL	LOCATION	DEPTH (FT)	LL (%)	PL (%)	PI (%)	U.S.C.S. CLASSIFICATION (Minus No. 40 Sieve Fraction)	U.S.C.S. (Entire Sample)
●	CH-9	20-21.5	34	17	17	CL	SC
■	CH-10	17.5-19	30	21	9	CL	SC
◆	CH-11	2.5-4	24	14	10	CL	CL
○	CH-11	15.5-17	-	-	-	NP	SW-SM
□	CH-12	15-16.5	-	-	-	NP	SM
△	CH-13	5-6.5	30	28	2	ML	ML
X	CH-13	15-16.5	25	22	3	ML	SM
+	CH-14	2.5-4	36	19	17	CL	CL

NP - Indicates non-plastic



PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 4318-00

**Ninyo & Moore**

**ATTERBERG LIMITS TEST RESULTS**

EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA


PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-77

SYMBOL	LOCATION	DEPTH (FT)	LL (%)	PL (%)	PI (%)	U.S.C.S. CLASSIFICATION (Minus No. 40 Sieve Fraction)	U.S.C.S. (Entire Sample)
●	CH-14	15-16.5	-	-	-	NP	SW-SM
■	CH-15	7.5-9	25	21	4	CL-ML	CL-ML
◆	CH-15	17.5-19	28	23	5	ML	ML
○	CH-16	15-16.5	-	-	-	NP	SM+CL
□	CH-16	32.5-34	-	-	-	NP	SM+CL
△	CH-17	7.5-9	40	23	17	CL	CL
X	CH-17	22.5-24	29	19	10	CL	CL
+	CH-18	10-11.5	-	-	-	NP	SM+CL

NP - Indicates non-plastic



PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 4318-00

**Ninyo & Moore**

**ATTERBERG LIMITS TEST RESULTS**

EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE


10/02

FIGURE

B-78

SYMBOL	LOCATION	DEPTH (FT)	LL (%)	PL (%)	PI (%)	U.S.C.S. CLASSIFICATION (Minus No. 40 Sieve Fraction)	U.S.C.S. (Entire Sample)
●	CH-19	2.5-4	-	-	-	NP	SM
■	CH-19	22.5-24	-	-	-	NP	SM
◆	CH-20	10-11.5	-	-	-	NP	ML
○	CH-20	25-26.5	-	-	-	NP	SP
□	CH-21	7.5-9	-	-	-	NP	ML
△	CH-21	22.5-24	-	-	-	NP	SM
X	CH-22	15-16.5	44	18	26	CL	CL
+	CH-22	25-26.5	-	-	-	NP	SM

NP - Indicates non-plastic



PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 4318-00

**Ninyo & Moore**

**ATTERBERG LIMITS TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE


10/02

FIGURE

B-79

SYMBOL	LOCATION	DEPTH (FT)	LL (%)	PL (%)	PI (%)	U.S.C.S. CLASSIFICATION (Minus No. 40 Sieve Fraction)	U.S.C.S. (Entire Sample)
●	CH-23	7.5-9	21	16	5	CL-ML	CL-ML
■	CH-24	17.5-19	-	-	-	NP	SM
◆	CH-24	22.5-24	-	-	-	NP	SM
○	CH-25	12.5-14	21	16	5	CL-ML	CL
□	CH-25	20-21.5	-	-	-	NP	SM
△	CH-26	2.5-4	26	21	5	CL-ML	CL
X	CH-26	20-21.5	27	18	9	CL	SM+CL

NP - Indicates non-plastic



PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 4318-98

**Ninyo & Moore**

**ATTERBERG LIMITS TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE


10/02

FIGURE

B-80

SYMBOL	LOCATION	DEPTH (FT)	LL (%)	PL (%)	PI (%)	U.S.C.S. CLASSIFICATION (Minus No. 40 Sieve Fraction)	U.S.C.S. (Entire Sample)
●	CH-28	5-6.5				NP	SC
■	CH-28	10-11.5				NP	ML
◆	CH-29	7.5-9	24	21	3	ML	ML
○	CH-29	12.5-14	19	18	1	ML	SC
□	CH-30	5-6.5	29	22	7	CL-ML	CL-ML
△	CH-30	10-11.5				NP	SM
X	CH-30	15-16.5				NP	SM
+	CH-31	5-6.5	29	20	9	CL	CL

NP - Indicates non-plastic



PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 4318-00

**Ninyo & Moore**

**ATTERBERG LIMITS TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE


10/02

FIGURE

B-81

SYMBOL	LOCATION	DEPTH (FT)	LL (%)	PL (%)	PI (%)	U.S.C.S. CLASSIFICATION (Minus No. 40 Sieve Fraction)	U.S.C.S. (Entire Sample)
●	CH-31	15-16.5				NP	ML
■	CH-32	12.5-14				NP	GM
◆	CH-33	10-11.5				NP	SP
○	CH-34	5-6.5				NP	ML
□	CH-34	7.5-9				NP	SM
△	CH-35	10-11.5				NP	SM
X	CH-36	20-21.5				NP	SW-SM
+	CH-37	5-6.5	32	19	13	CL	SC

NP - Indicates non-plastic



PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 4318-00

**Ninyo & Moore**

ATTERBERG CH2

**ATTERBERG LIMITS TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE


10/02

FIGURE

B-82

SYMBOL	LOCATION	DEPTH (FT)	LL (%)	PL (%)	PI (%)	U.S.C.S. CLASSIFICATION (Minus No. 40 Sieve Fraction)	U.S.C.S. (Entire Sample)
●	CH-37	12.5-14	30	18	12	CL	CL
■	CH-38	7.5-9	42	18	24	CL	SC
◆	CH-38	12.5-14	31	18	13	CL	SC
○	CH-39	10-11.5				NP	SM
□	CH-40	5-6.5				NP	ML
△	CH-41	5-6.5				NP	ML
X	CH-42	10-11.5				NP	ML
+	CH-43	5-6.5				NP	ML

NP - Indicates non-plastic



PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 4318-00

**Ninyo & Moore**

ATTERBERG CH3

**ATTERBERG LIMITS TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE


10/02

FIGURE

B-83

SYMBOL	LOCATION	DEPTH (FT)	LL (%)	PL (%)	PI (%)	U.S.C.S. CLASSIFICATION (Minus No. 40 Sieve Fraction)	U.S.C.S. (Entire Sample)
●	CH-44	10-11.5				NP	ML
■	CH-45	5-6.5				NP	SP-SM

NP - Indicates non-plastic



PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 4318-00

**Ninyo & Moore**

ATTERBERG CH4

**ATTERBERG LIMITS TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE

10/02

FIGURE

B-84

STRESS IN KIPS PER SQUARE FOOT

0.1

1.0


10.0

100.0

EXPANSION (%)

-4.0  
-3.0  
-2.0  
-1.0  
0.0  
1.0  
2.0  
3.0  
4.0  
5.0  
6.0  
7.0  
8.0  
9.0  
10.0

CONSOLIDATION-PERCENT OF SAMPLE THICKNESS



- Seating Cycle
- Loading Prior to Inundation
- ▲— Loading After Inundation
- ▲--- Rebound Cycle

Boring No. CH-1  
Depth (ft.) 7.5-9  
Soil Type ML

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96

**Ninyo & Moore**

CONSOLIDATION #248 CH-17.5-9.xls

**CONSOLIDATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-85

STRESS IN KIPS PER SQUARE FOOT



- Seating Cycle
- Loading Prior to Inundation
- ▲--- Loading After Inundation
- ▲--- Rebound Cycle

Boring No. CH-2  
 Depth (ft.) 2.5-4  
 Soil Type CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96

**Ninyo & Moore**


**CONSOLIDATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
 600198002

DATE  
 10/02

FIGURE  
 B-86



- Seating Cycle
- Loading Prior to Inundation
- ▲— Loading After Inundation
- ▲--- Rebound Cycle

Boring No. CH-6  
 Depth (ft.) 7.5-9  
 Soil Type ML

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96

**Ninyo & Moore**

**CONSOLIDATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-87

STRESS IN KIPS PER SQUARE FOOT



- Seating Cycle
- Loading Prior to Inundation
- ▲— Loading After Inundation
- ▲--- Rebound Cycle

Boring No. CH-13  
 Depth (ft.) 5-6.5  
 Soil Type CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96

**Ninyo & Moore**


**CONSOLIDATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-88



- Seating Cycle
- Loading Prior to Inundation
- ▲— Loading After Inundation
- ▲--- Rebound Cycle


Boring No. CH-16  
 Depth (ft.) 2.5-4  
 Soil Type CL  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96



**CONSOLIDATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO. 600198002	DATE 10/02
--------------------------	---------------

FIGURE  
B-89



- Seating Cycle
- Loading Prior to Inundation
- ▲— Loading After Inundation
- ▲--- Rebound Cycle

Boring No. CH-31  
 Depth (ft.) 5-6.5  
 Soil Type CL  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96



**CONSOLIDATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 RITTENHOUSE DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.	DATE
600198002	10/02

FIGURE  
 B-90

STRESS IN KIPS PER SQUARE FOOT

0.1

1.0

10.0

100.0

EXPANSION (%)

-4.0

-3.0

-2.0

-1.0

0.0

1.0

2.0

3.0

4.0

5.0

6.0


7.0

8.0

9.0

10.0

CONSOLIDATION-PERCENT OF SAMPLE THICKNESS



- Seating Cycle
- Loading Prior to Inundation
- ▲— Loading After Inundation
- ▲--- Rebound Cycle

Boring No. CH-31  
 Depth (ft.) 12.5-14  
 Soil Type CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96

**Ninyo & Moore**

**CONSOLIDATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002


DATE

10/02

FIGURE

B-91





- Seating Cycle
- Loading Prior to Inundation
- ▲— Loading After Inundation
- ▲--- Rebound Cycle

Boring No. CH-32  
 Depth (ft.) 7.5-9  
 Soil Type CL

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96

**Ninyo & Moore**


**CONSOLIDATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-93



- Seating Cycle
- Loading Prior to Inundation
- ▲--- Loading After Inundation
- ▲--- Rebound Cycle

Boring No. CH-34  
 Depth (ft.) 5-6.5  
 Soil Type ML  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96




**CONSOLIDATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.	DATE
600198002	10/02

FIGURE  
B-94



STRESS IN KIPS PER SQUARE FOOT



- Seating Cycle
- Loading Prior to Inundation
- ▲— Loading After Inundation
- ▲--- Rebound Cycle

Boring No. CH-37  
 Depth (ft.) 5-6.5  
 Soil Type SC

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96




**CONSOLIDATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.	DATE
600198002	10/02

FIGURE  
 B-96

STRESS IN KIPS PER SQUARE FOOT



- Seating Cycle
- Loading Prior to Inundation
- ▲— Loading After Inundation
- ▲--- Rebound Cycle

Boring No. CH-37  
 Depth (ft.) 12.5-14  
 Soil Type SM

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96

**Ninyo & Moore**


**CONSOLIDATION TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.  
600198002

DATE  
10/02

FIGURE  
B-97



- Seating Cycle
- Loading Prior to Inundation
- ▲— Loading After Inundation
- ▲--- Rebound Cycle


Boring No. CH-38  
 Depth (ft.) 7.5-9  
 Soil Type SC  
 PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96



**CONSOLIDATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.	DATE
600198002	10/02

FIGURE  
 B-98



- Seating Cycle
- Loading Prior to Inundation
- ▲— Loading After Inundation
- ▲--- Rebound Cycle

Boring No. CH-38  
 Depth (ft.) 12.5-14  
 Soil Type SC

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2435-96



**CONSOLIDATION TEST RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.	DATE
600198002	10/02

FIGURE  
B-99

## EXPANSION INDEX TEST RESULTS

SAMPLE LOCATION	SAMPLE DEPTH (FT)	INITIAL MOISTURE (%)	COMPACTED DRY DENSITY (PCF)	FINAL MOISTURE (%)	VOLUMETRIC SWELL (IN)	EXPANSION INDEX	EXPANSION POTENTIAL
CH-11	0-2	11.1	111.1	17.5	0.0158	21	Very Low
CH-21	12-15	11.0	108.8	18.7	0.0058	8	Very Low
CH-23	0-2	10.2	106.9	18.9	0.0171	17	Very Low
CH-25	12-15	7.8	113.0	14.4	0.0000	0	Very Low

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 4829-95

***Ninyo & Moore***

### EXPANSION INDEX TEST RESULTS

EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA

PROJECT NO.


600198002

DATE

10/02

FIGURE

B-100



SAMPLE LOCATION	DEPTH (FT)	SOIL DESCRIPTION	MAXIMUM DENSITY (PCF)	OPTIMUM MOISTURE CONTENT (%)
CH-11	0-2	Sandy Clay	116.7	14.4

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 698

**Ninyo & Moore**

MAXDENSITY CH-11@0 - 2 update.xls

**MAXIMUM DENSITY TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.


600198002

DATE

10/02

FIGURE

B-101



SAMPLE LOCATION	DEPTH (FT)	SOIL DESCRIPTION	MAXIMUM DENSITY (PCF)	OPTIMUM MOISTURE CONTENT (%)
CH-21	12-15	Sandy Clay - Silty Sand	115.7	12.2

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 698

**Ninyo & Moore**

**MAXIMUM DENSITY TEST RESULTS**

EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA

PROJECT NO.


600198002

DATE

10/02

FIGURE

B-102



SAMPLE LOCATION	DEPTH (FT)	SOIL DESCRIPTION	MAXIMUM DENSITY (PCF)	OPTIMUM MOISTURE CONTENT (%)
CH-23	0-2	Silty Clay	115.3	12.8

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 698

**Ninyo & Moore**

**MAXIMUM DENSITY TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.


600198002

DATE

10/02

FIGURE

B-103



SAMPLE LOCATION	DEPTH (FT)	SOIL DESCRIPTION	MAXIMUM DENSITY (PCF)	OPTIMUM MOISTURE CONTENT (%)
CH-25	12-15	Silty Clay	119.7	11.0

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 698

**Ninyo & Moore**

**MAXIMUM DENSITY TEST RESULTS**

EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE

10/02

FIGURE

B-104

## CORROSIVITY TEST RESULTS

SAMPLE LOCATION	SAMPLE DEPTH (FT)	pH *	RESISTIVITY * (ohm-cm)	WATER-SOLUBLE SULFATE CONTENT IN SOIL ** (%)	CHLORIDE CONTENT *** (ppm)
CH-11	0-2	7.6	508	0.0025	160
CH-21	12-15	8.4	1,320	0.0004	10

\* PERFORMED IN GENERAL ACCORDANCE WITH ARIZONA TEST METHOD 236b

\*\* PERFORMED IN GENERAL ACCORDANCE WITH ARIZONA TEST METHOD 733

\*\*\* PERFORMED IN GENERAL ACCORDANCE WITH ARIZONA TEST METHOD 736



### CORROSIVITY TEST RESULTS

EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002

DATE

10/02

FIGURE

B-105

## PERMEABILITY TEST RESULTS

SAMPLE LOCATION	SAMPLE DEPTH (FT)	INITIAL MOISTURE (%)	FINAL MOISTURE (%)	DRY DENSITY (PCF)	RANGE IN HEAD (cm)	AVERAGE PERMEABILITY (cm/sec)
CH-1	20.0-21.5	9.7	20.6	101.1	30.0-40.0	$8.5 \times 10^{-5}$
CH-4	17.5-19.0	2.3	12.5	109.7	2.0-12.0	$1.4 \times 10^{-3}$
CH-7	15.0-16.5	0.1	10.4	111.2	2.6 - 12.4	$1.3 \times 10^{-2}$
CH-8	10.0-11.5	2.8	18.2	103.3	2.0 - 12.4	$9.8 \times 10^{-4}$
CH-8	17.5-19.0	2.8	10.9	104.4	2.0 - 2.7	$2.8 \times 10^{-4}$
CH-11	15.5-17.0	4.4	17.8	102.6	2.5 - 11.4	$2.8 \times 10^{-3}$
CH-12	7.5-9.0	3.4	16.5	96.7	2.0 - 12.3	$7.8 \times 10^{-4}$
CH-14	15.0 -16.5	1.3	16.1	107.7	2.4 - 12.3	$1.4 \times 10^{-2}$
CH-16	20.0-21.5	3.8	N.M.	107.3	2.4 - 11.9	$2.9 \times 10^{-4}$

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2434-68

***Ninyo & Moore***

### PERMEABILITY TEST RESULTS

EAST MARICOPA FLOODWAY  
CHANDLER HEIGHTS DETENTION BASIN  
MARICOPA COUNTY, ARIZONA

PROJECT NO.

600198002




DATE

10/02

FIGURE


B-106

— deviator stress,  $\sigma_1 - \sigma_3$   
 - - - induced pore pressure,  $\Delta u$



Sym.	Description	Soil Type	Sample Location	Sample Depth (ft.)	Initial Moisture (%)	Initial Dry Density (pcf)	Final Degree Saturation	Confining Stress (ksf)	Rate of Strain (%/min)
◆	Silty Sand	SM	CH-1	20.0-21.5	9.7%	101.1	83%	1.15	0.9%
●	Silty Sand	SM	CH-1	20.0-21.5	9.7%	101.1	83%	5.04	1.0%
▲									

PERFORMED IN GENERAL ACCORDANCE WITH ASTM D 2850



**UU TRIAXIAL COMPRESSION RESULTS**  
 EAST MARICOPA FLOODWAY  
 CHANDLER HEIGHTS DETENTION BASIN  
 MARICOPA COUNTY, ARIZONA

PROJECT NO.	DATE	FIGURE
600198002	10/02	B-107



**APPENDIX C**  
**PERCOLATION TEST RESULTS**


PROJECT: Chandler Heights Detention Basin

PROJECT NO.: 600198002

TECHNICIAN: MDE

DATE: 07/19/01

LOCATION: PT-5 (Near CH-21)



START TIME (Hr:Min)	ENDING TIME (Hr:Min)	ELAPSED TIME (Hr:Min)	INITIAL READING (Feet)	FINAL READING (Feet)	CHANGE IN WATER LEVEL (Feet)	PERCOLATION RATE*
14:22	14:54	0:32	0.32	0.88	0.56	1.05
14:54	15:15	0:21	0.88	1.22	0.34	0.97
15:15	16:21	1:06	1.22	2.26	1.04	0.95
16:21	16:44	0:23	2.26	2.58	0.32	0.84
16:44	17:03	0:19	2.58	2.88	0.30	0.95

\* Note: Percolation Rate is reported in Cubic Feet per Hour per Square Foot of percolation area.

AVERAGE PERCOLATION RATE FOR LAST THREE READINGS

**0.91**

**FT<sup>3</sup>/HOUR/FT<sup>2</sup>**


PROJECT: Chandler Heights Detention Basin

PROJECT NO.: 600198002

TECHNICIAN: MDE

DATE: 07/19/01

LOCATION: PT-6 (Near CH-22)



START TIME (Hr:Min)	ENDING TIME (Hr:Min)	ELAPSED TIME (Hr:Min)	INITIAL READING (Feet)	FINAL READING (Feet)	CHANGE IN WATER LEVEL (Feet)	PERCOLATION RATE*
16:37	16:54	0:17	4.54	4.61	0.07	0.25
16:54	17:12	0:18	4.61	4.72	0.11	0.37
17:12	17:30	0:18	4.72	4.82	0.10	0.33
17:30	17:49	0:19	4.82	4.93	0.11	0.35
17:49	18:09	0:20	4.93	5.03	0.10	0.30

\* Note: Percolation Rate is reported in Cubic Feet per Hour per Square Foot of percolation area.


AVERAGE PERCOLATION RATE FOR LAST THREE READINGS

0.33

FT<sup>3</sup>/HOUR/FT<sup>2</sup>

SUBJECT: Chandler Heights Detention Basin PROJECT NO.: 600198002

TECHNICIAN: MDE DATE: 07/19/01 LOCATION: PT-7 (Near CH-23)



START TIME (Hr:Min)	ENDING TIME (Hr:Min)	ELAPSED TIME (Hr:Min)	INITIAL READING (Feet)	FINAL READING (Feet)	CHANGE IN WATER LEVEL (Feet)	PERCOLATION RATE*
17:26	17:44	0:18	4.09	4.12	0.03	0.10
17:44	18:02	0:18	4.12	4.15	0.03	0.10
18:02	18:18	0:16	4.15	4.17	0.02	0.08
18:18	18:35	0:17	4.17	4.21	0.04	0.14
18:35	18:49	0:14	4.21	4.23	0.02	0.09

\* Note: Percolation Rate is reported in Cubic Feet per Hour per Square Foot of percolation area.

AVERAGE PERCOLATION RATE FOR LAST THREE READINGS **0.10** FT<sup>3</sup>/HOUR/FT<sup>2</sup>

## SUMMARY OF PERCOLATION TEST RESULTS


PROJECT: Chandler Heights Detention Basin

PROJECT NO.: 600198002

TECHNICIAN: MDE

DATE: 07/19/01

LOCATION: PT-8 (Near CH-24)



START TIME (Hr:Min)	ENDING TIME (Hr:Min)	ELAPSED TIME (Hr:Min)	INITIAL READING (Feet)	FINAL READING (Feet)	CHANGE IN WATER LEVEL (Feet)	PERCOLATION RATE*
14:39	16:28	1:49	0.34	0.89	0.55	0.30
16:28	16:48	0:20	0.89	0.98	0.09	0.27
16:48	17:07	0:19	0.98	1.09	0.11	0.35
17:07	17:20	0:13	1.09	1.15	0.06	0.28
17:20	17:37	0:17	1.15	1.23	0.08	0.28

\* Note: Percolation Rate is reported in Cubic Feet per Hour per Square Foot of percolation area.

AVERAGE PERCOLATION RATE FOR LAST THREE READINGS


**0.30**

**FT<sup>3</sup>/HOUR/FT<sup>2</sup>**

## SUMMARY OF PERCOLATION TEST RESULTS

PROJECT: Chandler Heights Detention Basin PROJECT NO.: 600198002

TECHNICIAN: MDE DATE: 07/19/01 LOCATION: PT-9 (Near CH-25)



START TIME (Hr:Min)	ENDING TIME (Hr:Min)	ELAPSED TIME (Hr:Min)	INITIAL READING (Feet)	FINAL READING (Feet)	CHANGE IN WATER LEVEL (Feet)	PERCOLATION RATE*
19:04	19:17	0:13	9.67	9.70	0.03	0.14
19:17	19:30	0:13	9.70	9.73	0.03	0.14
19:30	19:40	0:10	9.73	9.76	0.03	0.18
19:40	19:53	0:13	9.76	9.78	0.02	0.09
19:53	20:07	0:14	9.78	9.81	0.03	0.13


\* Note: Percolation Rate is reported in Cubic Feet per Hour per Square Foot of percolation area.

AVERAGE PERCOLATION RATE FOR LAST THREE READINGS **0.13** FT<sup>3</sup>/HOUR/FT<sup>2</sup>

## SUMMARY OF PERCOLATION TEST RESULTS

PROJECT: Chandler Heights Detention Basin PROJECT NO.: 600198002

TECHNICIAN: MDE DATE: 07/19/01 LOCATION: PT-10 (Near CH-26)



START TIME (Hr:Min)	ENDING TIME (Hr:Min)	ELAPSED TIME (Hr:Min)	INITIAL READING (Feet)	FINAL READING (Feet)	CHANGE IN WATER LEVEL (Feet)	PERCOLATION RATE*
19:10	19:27	0:17	4.13	4.14	0.01	0.04
19:27	19:36	0:09	4.14	4.16	0.02	0.13
19:36	19:47	0:11	4.16	4.18	0.02	0.11
19:47	20:00	0:13	4.18	4.20	0.02	0.09

\* Note: Percolation Rate is reported in Cubic Feet per Hour per Square Foot of percolation area.

AVERAGE PERCOLATION RATE FOR LAST THREE READINGS **0.07** FT<sup>3</sup>/HOUR/FT<sup>2</sup>



**APPENDIX D**

**AGRONOMIC TESTS RESULTS**



## ANALYTICAL CHEMISTS

August 21, 2001

Lab #: SP 107342-03

Ninyo & Moore  
5035 South 33rd St.  
Phoenix, AZ 85040

### Recommendations for Chandler Heights Basin

The following report presents the results of analyses conducted on your soil. See page 4 for sample information and analyses results. The following recommendations are based upon the current conditions of the soil. All application recommendations are for each 1,000 square feet of growing area. Please be sure to read the standard application notes presented on page 3.

#### I. Plant Selection

The analyses of this soil indicates the following plant selection requirements:

- A. Select only non-acidic loving plants for this soil.
- B. Select only those plants that have a slight or greater tolerance to free limestone for planting at this site.
- C. Select only those plants that have a slight or greater tolerance to Salinity for planting at this site. A review of the plants growing in the immediate area of the site to be landscaped will provide some additional guidelines as to the proper plant selection.

#### II. Preplant Soil Amendments and Fertilizers

##### A. Turf and Groundcover

1. Soil amendments	Apply per 1000 sq. ft.
a. Organic (well-composted)	2.00 cu. yds.
b. Limestone	0.00 lbs.
c. Soil Sulfur	25.0 lbs.
2. Fertilizers	Apply per 1000 sq. ft.
a. Nitrogen (N)	0.00 lbs.
b. Phosphorus (P <sub>2</sub> O <sub>5</sub> )	4.50 lbs.
c. Potassium (K <sub>2</sub> O)	2.80 lbs.
d. Magnesium (Mg)	0.00 lbs.
e. Zinc (Zn)	1.30 lbs.
f. Manganese (Mn)	0.00 lbs.
g. Iron (Fe)	0.80 lbs.
h. Copper (Cu)	.025 lbs.
i. Boron (B)	.000 lbs.

**B. Tree and Shrub Backfill Mix**

- |    |                                      |               |
|----|--------------------------------------|---------------|
| 1. | Native (site) soil                   | 66%           |
| 2. | Nitrogen Fertilized Organic Material | 33%           |
| 3. | Commercial Fertilizer (8-8-4)        | 1 lb./cu. yd. |
| 4. | Iron                                 | 2 oz./cu. yd. |
| 5. | Zinc                                 | 1 oz./cu. yd. |
| 6. | Manganese                            | 1 oz./cu. yd. |

When planting specifications do not call for a separate backfill mix then backfill the holes that are excavated to install containerized plants using the native (site) soil amended according to the preplant recommendations given on page 1.

**III. Leaching Requirement**

It is recommended that this soil be thoroughly leached to lower the Chloride, and the total Soil Salinity prior to preplant planting. This leaching operation should be made after the application of any recommended soil amendments, but prior to applying any of the recommended preplant fertilizers. The leaching operation should consist of three applications of irrigation water with enough water being applied at each irrigation to thoroughly wet this soil to a depth of twenty-four inches with the water being applied at a rate slow enough to prevent any runoff. A two to three day waiting period between applications of water should occur to allow for internal soil drainage.

Chloride, and the total Soil Salinity(Ec) levels should be rechecked after the above leaching operation is completed to determine the degree of improvement. These new levels will allow for the selection of plants having the appropriate salt tolerances.

**IV. Post-Plant Fertilization - lbs./1000 sq. ft.**

- |            |         |
|------------|---------|
| Nitrogen   | 3/4 lb. |
| Phosphorus | 1/3 lb. |
| Potassium  | 1/3 lb. |

The actual post-plant requirements for fertilizers and soil amendments will vary depending upon the specific site conditions. Periodic post-plant analyses can be used to assure proper soil conditions and balanced levels of plant nutrition.

**V. Irrigation**

Make certain that the irrigation water being applied is penetrating to a depth slightly greater than the root zone of the plants being grown. Water with a frequency needed to maintain moist soil at all times - never wet for long periods and never let the soil dry out.

## Application Notes

The application instructions listed below apply only if the material(s) is recommended in this report on page 1. Materials not included in the recommendations are excluded either because the analyses data did not indicate a need or the analysis to determine if a need existed was not requested.

### **Organic Materials**

Nitrolized redwood compost is preferred but other organic mixes may be substituted depending upon the site requirements. Organic materials should be spread uniformly over the surface soils and when possible should be incorporated to a depth of two to three inches.

### **Limestone, Dolomite & Sulfur**

These materials should be broadcast uniformly over the surface soils and then incorporated to a depth of two to three inches.

### **Gypsum**

This material should be broadcast uniformly over surface soils for water penetration. For best results do not incorporate.

### **Preplant Phosphorous, Zinc, Manganese, Iron & Copper**

These materials should be broadcast uniformly over the surface soils and then incorporated to a depth of two to three inches. Post-plant applications can be surface applied for water penetration.

### **Nitrogen, Potassium & Magnesium**

These materials are highly water soluble and can be applied uniformly over the surface soils for water penetration or they can be incorporated with the other materials. Magnesium sources for plant nutrition include Epsom salts (Magnesium Sulfate), and the double salt of Potassium-Magnesium Sulfate (Sulfate of Potash-magnesia).



## ANALYTICAL CHEMISTS

August 21, 2001

**Ninyo & Moore**  
 5035 South 33rd St.  
 Phoenix, AZ 85040

Description : CH-13  
 Project : Chandler Heights Basin

Lab ID : SP 107342-03  
 Customer ID: 2-18569

Sampled On : July 13, 2001  
 Sampled By : Ninyo & Moore  
 Received On: August 15, 2001  
 Depth : 12-15'  
 Meth. Irrg. : S.S. Sprinklers

## LANDSCAPE SOIL ANALYSIS

Test Description	Result		Optimum Range	Graphical Results Presentation				
				Very Low	Moderately Low	Optimum	Moderately High	Very High
<b>Primary Nutrients</b>								
Nitrate-Nitrogen	68.7	PPM	10 - 70					
Phosphorus	ND	PPM	12 - 60					
Potassium (Exch)	130	PPM	81 - 500					
Potassium (Sol)	0.31	meq/L	0.25 - 1.0					
<b>Secondary Nutrients</b>								
Calcium (Exch)	3900	PPM	---					
Calcium (Sol)	18.2	meq/L	2.0 - 50					
Magnesium (Exch)	240	PPM	---					
Magnesium (Sol)	4.2	meq/L	1.5 - 60					
Sodium (Exch)	130	PPM	---					
Sodium (Sol)	10.9	meq/L	See SAR					
Sulfate	5.5	meq/L	0.6 - 20					
<b>Micro Nutrients</b>								
Zinc	0.2	PPM	0.7 - 50					
Manganese	3.2	PPM	1.4 - 50					
Iron	4.4	PPM	8.0 - 100					
Copper	0.6	PPM	0.2 - 15					
Boron	0.77	PPM	0.3 - 2.1					
Chloride	7.91	meq/L	0.1 - 4.0					
CEC	22.3	meq/100g	Variable					
<b>% Base Saturation</b>								
CEC - Calcium	87.0	%	60 - 80					
CEC - Magnesium	9.0	%	10 - 20					
CEC - Potassium	1.5	%	2 - 5					
CEC - Sodium	2.5	%	0 - 5					
CEC - Hydrogen	0.0	%	0 - 3					
				Strongly Acidic	Moderately Acidic	Near Neutral	Moderately Alkaline	Strongly Alkaline
pH	7.7	---	5.8 - 8.2					

Good Problem

Table continued next page...

August 21, 2001

Ninyo & Moore

Lab ID : SP 107342-03

Customer ID: 2-18569

Description : CH-13

**LANDSCAPE SOIL ANALYSIS**

Test Description	Result	Optimum Range	Graphical Results Presentation						
			Satisfactory	Possible Problem	Moderate Problem	Increasing Problem			
<b>Others</b>									
Soil Salinity	2.94 mmhos/cm	0.5 - 2.0							
SAR	3.3	0.1 - 6							
Limestone	1.1 %	0 - 0.1							
			0	1	2	3	4	5	6
Lime Requirement	0.0 Tons/AF	---							
			Very Low	Moderately Low	Optimum	Moderately High	Very High		
Moisture	3.1 %	1/2 Satn. %							
			Loamy Sand	Sandy Loam	Loam	Silt Loam	Clay Loam	Clay	Organic
Saturation	29.2 %	20 - 60							

Good Problem

Soil pH & Limestone levels are important to consider when making plant selections. Soil pH levels above 7.0 are not suitable for acid loving plants. Soils containing limestone are not suitable for plants sensitive to Limestone.

FRUIT GROWERS LABORATORY, INC.

Darrell H. Nelson, President

DHN:md



ANALYTICAL CHEMISTS

August 21, 2001

Lab #: SP 107342-04

Ninyo & Moore
5035 South 33rd St.
Phoenix, AZ 85040

Recommendations for Chandler Heights Basin

The following report presents the results of analyses conducted on your soil. See page 4 for sample information and analyses results. The following recommendations are based upon the current conditions of the soil. All application recommendations are for each 1,000 square feet of growing area. Please be sure to read the standard application notes presented on page 3.

I. Plant Selection

The analyses of this soil indicates the following plant selection requirements:

- A. Select only non-acidic loving plants for this soil.
B. Select only those plants that have a high or greater tolerance to free limestone for planting at this site.

II. Preplant Soil Amendments and Fertilizers

A. Turf and Groundcover

- 1. Soil amendments Apply per 1000 sq. ft.
a. Organic (well-composted) 2.00 cu. yds.
b. Limestone 0.00 lbs.
c. Soil Sulfur 25.0 lbs.

- 2. Fertilizers Apply per 1000 sq. ft.
a. Nitrogen (N) 0.00 lbs.
b. Phosphorus (P2O5) 4.50 lbs.
c. Potassium (K2O) 3.40 lbs.
d. Magnesium (Mg) 0.00 lbs.
e. Zinc (Zn) 1.40 lbs.
f. Manganese (Mn) 0.75 lbs.
g. Iron (Fe) 0.80 lbs.
h. Copper (Cu) .050 lbs.
i. Boron (B) .000 lbs.

**B. Tree and Shrub Backfill Mix**

- |    |                                      |               |
|----|--------------------------------------|---------------|
| 1. | Native (site) soil                   | 66%           |
| 2. | Nitrogen Fertilized Organic Material | 33%           |
| 3. | Commercial Fertilizer (8-8-4)        | 1 lb./cu. yd. |
| 4. | Iron                                 | 2 oz./cu. yd. |
| 5. | Zinc                                 | 1 oz./cu. yd. |
| 6. | Manganese                            | 1 oz./cu. yd. |

When planting specifications do not call for a separate backfill mix then backfill the holes that are excavated to install containerized plants using the native (site) soil amended according to the preplant recommendations given on page 1.

**III. Leaching Requirement**

It is recommended that you periodically add N-PHURIC to the irrigation water to obtain a water pH of 5.0 to facilitate the leaching of Sodium.

**IV. Post-Plant Fertilization - lbs./1000 sq. ft.**

Nitrogen	3/4 lb.
Phosphorus	1/3 lb.
Potassium	1/3 lb.

The actual post-plant requirements for fertilizers and soil amendments will vary depending upon the specific site conditions. Periodic post-plant analyses can be used to assure proper soil conditions and balanced levels of plant nutrition.

**V. Irrigation**

Make certain that the irrigation water being applied is penetrating to a depth slightly greater than the root zone of the plants being grown. Water with a frequency needed to maintain moist soil at all times - never wet for long periods and never let the soil dry out.

## Application Notes

The application instructions listed below apply only if the material(s) is recommended in this report on page 1. Materials not included in the recommendations are excluded either because the analyses data did not indicate a need or the analysis to determine if a need existed was not requested.

### **Organic Materials**

Nitrolized redwood compost is preferred but other organic mixes may be substituted depending upon the site requirements. Organic materials should be spread uniformly over the surface soils and when possible should be incorporated to a depth of two to three inches.

### **Limestone, Dolomite & Sulfur**

These materials should be broadcast uniformly over the surface soils and then incorporated to a depth of two to three inches.

### **Gypsum**

This material should be broadcast uniformly over surface soils for water penetration. For best results do not incorporate.

### **Preplant Phosphorous, Zinc, Manganese, Iron & Copper**

These materials should be broadcast uniformly over the surface soils and then incorporated to a depth of two to three inches. Post-plant applications can be surface applied for water penetration.

### **Nitrogen, Potassium & Magnesium**

These materials are highly water soluble and can be applied uniformly over the surface soils for water penetration or they can be incorporated with the other materials. Magnesium sources for plant nutrition include Epsom salts (Magnesium Sulfate), and the double salt of Potassium-Magnesium Sulfate (Sulfate of Potash-magnesia).



## ANALYTICAL CHEMISTS

August 21, 2001

Lab ID : SP 107342-04  
Customer ID: 2-18569

**Ninyo & Moore**  
5035 South 33rd St.  
Phoenix, AZ 85040

Sampled On : July 12, 2001  
Sampled By : Ninyo & Moore  
Received On: August 15, 2001  
Depth : 12-15'  
Meth. Irrg. : S.S. Sprinklers

Description : CH-21  
Project : Chandler Heights Basin

### LANDSCAPE SOIL ANALYSIS

Test Description	Result	Optimum Range	Graphical Results Presentation					
			Very Low	Moderately Low	Optimum	Moderately High	Very High	
<b>Primary Nutrients</b>								
Nitrate-Nitrogen	23.4 PPM	10 - 70	████████████████████					
Phosphorus	ND PPM	12 - 60	██					
Potassium (Exch)	210 PPM	81 - 500	████████████████████					
Potassium (Sol)	0.16 meq/L	0.25 - 1.0	██████████					
<b>Secondary Nutrients</b>								
Calcium (Exch)	3900 PPM	---						
Calcium (Sol)	2.6 meq/L	2.0 - 50	████████████████████					
Magnesium (Exch)	460 PPM	---						
Magnesium (Sol)	1.2 meq/L	1.5 - 60	██████████					
Sodium (Exch)	340 PPM	---						
Sodium (Sol)	11.3 meq/L	See SAR						
Sulfate	1.9 meq/L	0.6 - 20	████████████████████					
<b>Micro Nutrients</b>								
Zinc	0.1 PPM	0.7 - 50	██████████					
Manganese	1.2 PPM	1.4 - 50	██████████					
Iron	4.1 PPM	8.0 - 100	██████████					
Copper	0.4 PPM	0.2 - 15	██████████					
Boron	0.52 PPM	0.3 - 2.1	██████████					
Chloride	4.62 meq/L	0.1 - 4.0	████████████████████					
CEC	25.3 meq/100g	Variable	████████████████████					
<b>% Base Saturation</b>								
CEC - Calcium	77.1 %	60 - 80	████████████████████					
CEC - Magnesium	15.0 %	10 - 20	████████████████████					
CEC - Potassium	2.1 %	2 - 5	██████████					
CEC - Sodium	5.8 %	0 - 5	██████████					
CEC - Hydrogen	0.0 %	0 - 3	██████████					
			Strongly Acidic	Moderately Acidic	Near Neutral	Moderately Alkaline	Strongly Alkaline	
pH	8.0	5.8 - 8.2	████████████████████					

Good ██████████ Problem

Table continued next page...

August 21, 2001

Ninyo & Moore

Lab ID : SP 107342-04

Customer ID: 2-18569

Description : CH-21


**LANDSCAPE SOIL ANALYSIS**

Test Description	Result	Optimum Range	Graphical Results Presentation								
			Satisfactory		Possible Problem		Moderate Problem		Increasing Problem		
<b>Others</b>											
Soil Salinity	1.62 mmhos/cm	0.5 - 2.0	[Bar chart showing salinity level]								
SAR	8.2	0.1 - 6	[Bar chart showing SAR level]								
Limestone	5.5 %	0 - 0.1	[Bar chart showing limestone level]								
			0	1	2	3	4	5	6		
Lime Requirement	0.0 Tons/AF	---	[Bar chart showing lime requirement]								
			Very Low		Moderately Low		Optimum		Moderately High		Very High
Moisture	5.8 %	1/2 Satn. %	[Bar chart showing moisture level]								
			Loamy Sand	Sandy Loam	Loam	Silt Loam	Clay Loam	Clay	Organic		
Saturation	27.3 %	20 - 60	[Bar chart showing saturation level]								

Good [Bar chart] Problem

Soil pH & Limestone levels are important to consider when making plant selections. Soil pH levels above 7.0 are not suitable for acid loving plants. Soils containing limestone are not suitable for plants sensitive to Limestone.

FRUIT GROWERS LABORATORY, INC.



Darrell H. Nelson, President

DHN:md



**APPENDIX E**

**EARTHWORK SPECIFICATIONS RECOMMENDATIONS**

---

**TABLE OF CONTENTS**

	<u>Page</u>
1. GENERAL.....	1
2. OBLIGATIONS OF PARTIES.....	2
3. SITE PREPARATION.....	3
4. REMOVALS AND EXCAVATIONS.....	4
5. COMPACTED FILL.....	4
6. OVERSIZED MATERIAL.....	6
7. SLOPES.....	7
8. CUT-OFF BARRIER.....	10
9. TRENCH BACKFILL.....	12
10. DRAINAGE.....	13
11. SITE PROTECTION.....	14
12. DEFINITIONS OF TERMS.....	16

## TYPICAL EARTHWORK GUIDELINES

### 1. GENERAL

These Guidelines are presented as general procedures for earthwork construction for sites having slopes less than 15 feet high. They are to be utilized in conjunction with the approved grading plans. These Guidelines are considered a part of the geotechnical report, but are superseded by recommendations in the geotechnical report in the case of conflict. Evaluations performed by the geotechnical consultant during the course of grading may result in new recommendations which could supersede these specifications and/or the recommendations of the geotechnical report. It is the responsibility of the contractor to read and understand these Guidelines as well as the geotechnical report and approved grading plans.

- 1.1. The contractor shall not vary from these Guidelines without prior recommendations by the geotechnical consultant and the approval of the client or the client's authorized representative. Recommendations by the geotechnical consultant and/or client shall not be considered to preclude requirements for approval by the jurisdictional agency prior to the execution of any changes.
- 1.2. The contractor shall perform the grading operations in accordance with these specifications, and shall be responsible for the quality of the finished product notwithstanding the fact that grading work will be observed and tested by the geotechnical consultant.
- 1.3. It is the responsibility of the grading contractor to notify the geotechnical consultant and the jurisdictional agencies, as required, prior to the start of work at the site and at any time that grading resumes after interruption. Each step of the grading operations shall be observed and documented by the geotechnical consultant and, where necessary, reviewed by the appropriate jurisdictional agency prior to proceeding with subsequent work.
- 1.4. If, during the grading operations, geotechnical conditions are encountered which were not anticipated or described in the geotechnical report, the geotechnical consultant shall be notified immediately and additional recommendations, if applicable, may be provided.
- 1.5. An as-graded report shall be prepared by the geotechnical consultant and signed by a registered engineer and certified engineering geologist. The report documents the geotechnical consultants' observations, and field and laboratory test results, and provides conclusions regarding whether or not earthwork construction was performed in

accordance with the geotechnical recommendations and the grading plans. Recommendations for foundation design, pavement design, subgrade treatment, etc., may also be included in the as-graded report.

- 1.6. For the purpose of evaluating quantities of materials excavated during grading and/or locating the limits of excavations, a licensed land surveyor or civil engineer shall be retained.
- 1.7. Definitions of terms utilized in the remainder of these specifications have been provided in Section 11 of these Guidelines.

## 2. OBLIGATIONS OF PARTIES

The parties involved in the projects earthwork activities shall be responsible as outlined in the following sections.

- 2.1. The client is ultimately responsible for all aspects of the project. The client or the client's authorized representative has a responsibility to review the findings and recommendations of the geotechnical consultant. The client shall authorize the contractor and/or other consultants to perform work and/or provide services. During grading the client or the client's authorized representative shall remain on site or remain reasonably accessible to the concerned parties to make the decisions necessary to maintain the flow of the project.
- 2.2. The contractor is responsible for the safety of the project and satisfactory completion of grading and other associated operations, including, but not limited to, earthwork in accordance with the project plans, specifications, and jurisdictional agency requirements. During grading, the contractor or the contractor's authorized representative shall remain on site. The contractor shall further remain accessible at all times, including at night and during days off.
- 2.3. The geotechnical consultant shall provide observation and testing services and shall make evaluations to advise the client on geotechnical matters. The geotechnical consultant shall report findings and recommendations to the client or the client's authorized representative.
- 2.4. Prior to proceeding with any grading operations, the geotechnical consultant shall be notified at least two working days in advance to schedule the needed observation and testing services.
  - 2.4.1. Prior to any significant expansion or reduction in the grading operation, the geotechnical consultant shall be provided with two working days notice to make appropriate adjustments in scheduling of on-site personnel.

- 2.4.2. Between phases of grading operations, the geotechnical consultant shall be provided with at least two working days notice in advance of commencement of additional grading operations.

### 3. SITE PREPARATION

Site preparation shall be performed in accordance with the recommendations presented in the following sections.

- 3.1. The client, prior to any site preparation or grading, shall arrange and attend a pre-grading meeting between the grading contractor, the design engineer, the geotechnical consultant, and representatives of appropriate governing authorities, as well as any other involved parties. All parties shall be given at least two working days notice.
- 3.2. Clearing and grubbing shall consist of the substantial removal of vegetation, brush, grass, wood, stumps, trees, tree roots greater than 1/2-inch in diameter, and other deleterious materials from the areas to be graded. Clearing and grubbing shall extend to the outside of the proposed excavation and fill areas.
- 3.3. Demolition in the areas to be graded shall include removal of building structures, foundations, reservoirs, utilities (including underground pipelines, septic tanks, leach fields, seepage pits, cisterns, etc.), and other manmade surface and subsurface improvements, and the backfilling of mining shafts, tunnels and surface depressions. Demolition of utilities shall include proper capping or rerouting of pipelines at the project perimeter, and abandonment of wells in accordance with the requirements of the governing authorities and the recommendations of the geotechnical consultant at the time of demolition.
- 3.4. The debris generated during clearing, grubbing and/or demolition operations shall be removed from areas to be graded and disposed of off site at a legal dump site. Clearing, grubbing, and demolition operations shall be performed under the observation of the geotechnical consultant.
- 3.5. The ground surface beneath proposed fill areas shall be stripped of loose or unsuitable soil. These soils may be used as compacted fill provided they are generally free of organic or other deleterious materials and approved for use by the geotechnical consultant. The resulting surface shall be evaluated by the geotechnical consultant prior to proceeding. The natural ground surface shall be overexcavated or scarified as per the geotechnical report, moisture conditioned, and compacted in accordance with the specifications presented in Section 5 of these Guidelines.

#### 4. REMOVALS AND EXCAVATIONS

Removals and excavations shall be performed as recommended in the following sections.

##### 4.1. Removals

- 4.1.1. Materials which are considered unsuitable shall be excavated under the observation of the geotechnical consultant in accordance with the recommendations contained herein. Unsuitable materials include, but may not be limited to, dry, loose, soft, wet, organic, compressible natural soils, fractured, weathered, soft bedrock, and undocumented or otherwise deleterious fill materials.
- 4.1.2. Materials deemed by the geotechnical consultant to be unsatisfactory due to moisture conditions shall be excavated in accordance with the recommendations of the geotechnical consultant, watered or dried as needed, and mixed to a generally uniform moisture content in accordance with the specifications presented in Section 5 of this document.

##### 4.2. Excavations

- 4.2.1. Temporary excavations no deeper than 5 feet in firm fill or natural materials may be made with vertical side slopes. To satisfy OSHA requirements, any excavation deeper than 5 feet shall be shored or laid back at a 1.5:1 inclination or /flatter, depending on material type, if construction workers are to enter the excavation.

#### 5. COMPACTED FILL

Fill shall be constructed as specified below or by other methods recommended by the geotechnical consultant. Unless otherwise specified, fill soils shall be compacted to 95 or more percent as evaluated in accordance with ASTM Test Method D698-00a.

- 5.1. Prior to placement of compacted fill, the contractor shall request an evaluation of the exposed ground surface by the geotechnical consultant. The evaluation by the geotechnical consultant shall not be considered to preclude any requirements for observation or approval by governing agencies. It is the contractor's responsibility to notify the geotechnical consultant and the appropriate governing agency when project areas are ready for observation, and to provide reasonable time for that review.
- 5.2. Excavated on-site materials which are in general compliance with the recommendations of the geotechnical consultant may be utilized as compacted fill provided they are generally free of organic or other deleterious materials and do not contain rock fragments greater than 6 inches in dimension. During grading, the contractor may

encounter soil types other than those analyzed during the preliminary geotechnical study. The geotechnical consultant shall be consulted to evaluate the suitability of any such soils for use as compacted fill.

- 5.3. Where imported materials are to be used on site, the geotechnical consultant shall be notified at least three working days in advance of importation in order that it may sample and test the materials from the proposed borrow sites. No imported materials shall be delivered for use on site without prior sampling, testing, and evaluation by the geotechnical consultant.
- 5.4. Soils imported for on-site use shall preferably have very low to low expansion potential (based on ASTM D 4829-95 test procedures). Expansive soils exposed at grade shall be undercut as per the geotechnical report and capped with very low to low expansion potential fill. In the event expansive soils are present near the ground surface, special design and construction considerations shall be utilized in general accordance with the recommendations of the geotechnical consultant.
- 5.5. Fill materials shall be moisture conditioned to near optimum moisture content prior to placement as outlined in the geotechnical report. The optimum moisture content will vary with material type and other factors. Moisture conditioning of fill soils shall be generally uniform throughout the soil mass.
- 5.6. Prior to placement of additional compacted fill material following a delay in the grading operations, the exposed surface of previously compacted fill shall be prepared to receive fill. Preparation may include scarification, moisture conditioning, and recompaction.
- 5.7. Compacted fill shall be placed in horizontal lifts of approximately 8 inches in loose thickness. Prior to compaction, each lift shall be watered or dried as needed to achieve near optimum moisture condition, mixed, and then compacted by mechanical methods, using sheepsfoot rollers, multiple-wheel pneumatic-tired rollers, or other appropriate compacting rollers, to the specified relative compaction. Successive lifts shall be treated in a like manner until the desired finished grades are achieved.
- 5.8. Fill shall be tested in the field by the geotechnical consultant for evaluation of general compliance with the recommended relative compaction and moisture conditions. Field density testing shall conform to ASTM D1556-90 (Sand Cone method), D2937-83 (Drive-Cylinder method), and/or D2922-91 and D3017-88 (Nuclear Gauge method). Generally, one test shall be provided for approximately every 2 vertical feet of fill placed, or for approximately every 1000 cubic yards of fill placed. In addition, on slope faces one or more tests shall be taken for approximately every 10,000 square feet of slope face and/or approximately every 10 vertical feet of slope height. Actual test intervals may vary as field conditions dictate. Fill found to be out of conformance with the grading recommendations shall be removed, moisture con-

ditioned, and compacted or otherwise handled to accomplish general compliance with the grading recommendations.

- 5.9. The contractor shall assist the geotechnical consultant by excavating suitable test pits for removal evaluation and/or for testing of compacted fill.
- 5.10. At the request of the geotechnical consultant, the contractor shall "shut down" or restrict grading equipment from operating in the area being tested to provide adequate testing time and safety for the field technician.
- 5.11. The geotechnical consultant shall maintain a map with the approximate locations of field density tests. Unless the client provides for surveying of the test locations, the locations shown by the geotechnical consultant will be estimated. The geotechnical consultant shall not be held responsible for the accuracy of the horizontal or vertical control points.
- 5.12. Grading operations shall be performed under the observation of the geotechnical consultant. Testing and evaluation by the geotechnical consultant does not preclude the need for approval by or other requirements of the jurisdictional agencies.
- 5.13. Fill materials shall not be placed, spread or compacted during unfavorable weather conditions. When work is interrupted by heavy rains, the filling operation shall not be resumed until tests indicate that moisture content and density of the fill meet the project specifications. Regrading of the near-surface soil may be needed to achieve proper moisture content and density.
- 5.14. Upon completion of grading and termination of observation by the geotechnical consultant, no further filling or excavating, including that necessary for footings, foundations, retaining walls or other features, shall be performed without the involvement of the geotechnical consultant.
- 5.15. Fill placed in areas not previously viewed and evaluated by the geotechnical consultant may have to be removed and recompacted at the contractor's expense. The depth and extent of removal of the unobserved and undocumented fill will be decided based upon review of the field conditions by the geotechnical consultant.
- 5.16. Off-site fill shall be treated in the same manner as recommended in these specifications for on-site fills. Off-site fill subdrains temporarily terminated (up gradient) shall be surveyed for future locating and connection.

## 6. OVERSIZED MATERIAL

Oversized material shall be placed in accordance with the following recommendations.

- 6.1. During the course of grading operations, rocks or similar irreducible materials greater than 6 inches in dimension (oversized material) may be generated. These materials shall not be placed within the compacted fill unless placed in general accordance with the recommendations of the geotechnical consultant.
- 6.2. Where oversized rock (greater than 6 inches in dimension) or similar irreducible material is generated during grading, it is recommended, where practical, to waste such material off site, or on site in areas designated as "nonstructural rock disposal areas." Rock designated for disposal areas shall be placed with sufficient sandy soil to generally fill voids. The disposal area shall be capped with a 5-foot thickness of fill which is generally free of oversized material.
- 6.3. Rocks 6 inches in dimension and smaller may be utilized within the compacted fill, provided they are placed in such a manner that nesting of rock is not permitted. Fill shall be placed and compacted over and around the rock. The amount of rock greater than 3/4-inch in dimension shall generally not exceed 40 percent of the total dry weight of the fill mass, unless the fill is specially designed and constructed as a "rock fill."
- 6.4. Rocks or similar irreducible materials greater than 6 inches but less than 4 feet in dimension generated during grading may be placed in windrows and capped with finer materials in accordance with the recommendations of the geotechnical consultant and the approval of the governing agencies. Selected native or imported granular soil (Sand Equivalent of 30 or higher) shall be placed and flooded over and around the windrowed rock such that voids are filled. Windrows of oversized materials shall be staggered so that successive windrows of oversized materials are not in the same vertical plane. Rocks greater than 4 feet in dimension shall be broken down to 4 feet or smaller before placement, or they shall be disposed of off site.

## 7. SLOPES

The following sections provide recommendations for cut and fill slopes.

### 7.1. Cut Slopes

- 7.1.1. The geotechnical consultant shall observe cut slopes during excavation. The geotechnical consultant shall be notified by the contractor prior to beginning slope excavations.
- 7.1.2. If, during the course of grading, adverse or potentially adverse geotechnical conditions are encountered in the slope which were not anticipated in the preliminary evaluation report, the geotechnical consultant shall evaluate the conditions and provide appropriate recommendations.

## 7.2. Fill Slopes

- 7.2.1. When placing fill on slopes steeper than 5:1 (horizontal:vertical), topsoil, slope wash, colluvium, and other materials deemed unsuitable shall be removed. Near-horizontal keys and near-vertical benches shall be excavated into sound bedrock or firm fill material, in accordance with the recommendation of the geotechnical consultant. Keying and benching shall be accomplished. Compacted fill shall not be placed in an area subsequent to keying and benching until the area has been observed by the geotechnical consultant. Where the natural gradient of a slope is less than 5:1, benching is generally not necessary. However, fill shall not be placed on compressible or otherwise unsuitable materials left on the slope face.
- 7.2.2. Within a single fill area where grading procedures dictate two or more separate fills, temporary slopes (false slopes) may be created. When placing fill adjacent to a temporary slope, benching shall be conducted in the manner described in Section 7.2.1. A 3-foot or higher near-vertical bench shall be excavated into the documented fill prior to placement of additional fill.
- 7.2.3. Unless otherwise recommended by the geotechnical consultant and approved by the regulating agencies, permanent fill slopes shall not be steeper than 2:1 (horizontal:vertical). The height of a fill slope shall be evaluated by the geotechnical consultant.
- 7.2.4. Unless specifically recommended otherwise, compacted fill slopes shall be overbuilt and cut back to grade, exposing firm compacted fill. The actual amount of overbuilding may vary as field conditions dictate. If the desired results are not achieved, the existing slopes shall be overexcavated and reconstructed in accordance with the recommendations of the geotechnical consultant. The degree of overbuilding may be increased until the desired compacted slope face condition is achieved. Care shall be taken by the contractor to provide mechanical compaction as close to the outer edge of the overbuilt slope surface as practical.
- 7.2.5. If access restrictions, property line location, or other constraints prevent overbuilding and cutting back of the slope face, an alternative method for compaction of the slope face may be attempted by conventional construction procedures including backrolling at intervals of 4 feet or less in vertical slope height, or as dictated by the capability of the available equipment, whichever is less. Fill slopes shall be backrolled utilizing a conventional sheeps foot-type roller. Care shall be taken to maintain the desired moisture conditions and/or reestablish the same, as needed, prior to backrolling. Upon achieving final grade, the slope shall again be moisture conditioned and backrolled.
- 7.2.6. The placement, moisture conditioning and compaction of fill slope materials shall be done in accordance with the recommendations presented in Section 5. of these Guidelines.

- 7.2.7. The contractor shall be ultimately responsible for placing and compacting the soil out to the slope face to obtain a relative compaction in accordance with Section 5. The geotechnical consultant shall perform field moisture and density tests at intervals of one test for approximately every 10,000 square feet of slope.
- 7.2.8. Backdrains shall be provided in fill as recommended by the geotechnical consultant.
- 7.2.9. Fill shall be compacted prior to placement of survey stakes. This is particularly important on fill slopes. Slope stakes shall not be placed until the slope is compacted and tested. If a slope face fill does not meet the recommendations presented in this specification, it shall be recognized that stakes placed prior to completion of the recompaction effort will be removed and/or demolished at such time as the compaction procedures resume.

### **7.3. Top-of-Slope Drainage**

- 7.3.1. For pad areas above slopes, positive drainage shall be established away from the top of slope. This may be accomplished utilizing a berm and pad gradient of 2 percent or steeper at the top-of-slope areas. Site runoff shall not be permitted to flow over the tops of slopes.
- 7.3.2. Gunite-lined brow ditches shall be placed at the top of cut slopes to redirect surface runoff away from the slope face where drainage devices are not otherwise provided.

### **7.4. Slope Maintenance**

- 7.4.1. In order to enhance surficial slope stability, slope planting shall be accomplished at the completion of grading. Slope plants shall consist of deep-rooting, variable root depth, drought-tolerant vegetation. Native vegetation is generally desirable. Plants native to semiarid and arid areas may also be appropriate. Large-leafed ice plant should not be used on slopes. A landscape architect shall be consulted regarding the actual types of plants and planting configuration to be used.
- 7.4.2. Irrigation pipes shall be anchored to slope faces and not placed in trenches excavated into slope faces. Slope irrigation shall be maintained at a level just sufficient to support plant growth. Property owners shall be made aware that over watering of slopes is detrimental to slope stability. Slopes shall be monitored regularly and broken sprinkler heads and/or pipes shall be repaired immediately.
- 7.4.3. Periodic observation of landscaped slope areas shall be planned and appropriate measures taken to enhance growth of landscape plants.
- 7.4.4. Graded swales at the top of slopes and terrace drains shall be installed and the property owners notified that the drains shall be periodically checked so that they may be kept clear. Damage to drainage improvements shall be repaired

immediately. To reduce siltation, terrace drains shall be constructed at a gradient of 3 percent or steeper, in accordance with the recommendations of the project civil engineer.

7.4.5. If slope failures occur, the geotechnical consultant shall be contacted immediately for field review of site conditions and development of recommendations for evaluation and repair.

### 8. CUT-OFF BARRIER

The following sections provide recommendations for construction of the cut-off barriers.

- 8.1. The cut-off barrier shall be 12 or more inches wide and shall extend to depths of 17 or more feet below the ground surface, as shown on the plans.
- 8.2. The trench used for the barrier shall not be left open overnight.
- 8.3. The geotextile used in the cut-off barrier shall consist of a Contech C-80NW, Mirafi, Inc. 180N, or equivalent. The manufacture's specifications for these produces are shown below.

Properties of CONTECH Nonwoven Geotextiles



PROPERTY	TEST METHOD	UNITS	ROLL VALUE	C-31NW	C-35NW	C-38NW (See note 3)	C-45NW	C-45NW	C-45NW (See note 3)	C-60NW	C-60NW	C-65NW	C-70NW	C-80NW	C-100NW	C-120NW	C-160NW
<b>MECHANICAL</b>																	
Grab Tensile Strength	ASTM D4632	lbs.	MARV	80	95	90	115	120	101	150	160	170	180	205	250	300	380
Grab Elongation	ASTM D4632	%	MARV	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Pinchup Strength	ASTM D4833	lbs.	MARV	50	55	60	65	65	85	85	110	100	105	105	150	175	240
Ballen Burst	ASTM D3786	psi	MARV	150	185	210	210	220	220	280	280	330	330	350	460	580	750
Trapezoidal Tear	ASTM D4533	lbs.	MARV	30	40	40	50	50	45	60	60	70	75	85	100	115	145
<b>HYDRAULIC</b>																	
Apparent Opening Size (AOS)	ASTM D4751	US Sieve (mm)	MARV	700.212	700.212	n/a	700.212	700.212	n/a	700.212	700.212	700.212	700.212	800.180	1000.150	1000.150	1000.150
Permeability, $\mu$	ASTM D4491	sec <sup>-1</sup>	MARV	2.00	2.00	n/a	2.00	1.50	n/a	1.40	1.30	1.30	1.30	1.50	1.20	1.00	0.70
Permeability, $k = \mu \times \gamma_w$	ASTM D4491	cm/sec	MARV	0.22	0.25	n/a	0.22	0.22	n/a	0.23	0.24	0.24	0.34	0.38	0.30	0.29	0.27
Water Flow Rate	ASTM D4491	gpm/ft <sup>2</sup>	MARV	110	110	n/a	140	120	n/a	115	110	110	110	110	85	75	50
<b>PHYSICAL</b>																	
Mass	ASTM D4533	oz/yd <sup>2</sup>	Nominal	3.0	3.5	3.5	4.0	4.5	4.0	5.0	6.0	6.5	7.0	8.0	10.0	12.0	16.0
Thickness, $t$	ASTM D5199	mil	MARV	30	40	30	50	45	35	55	60	65	70	70	100	105	145
<b>ENDURANCE</b>																	
UV Resistance	ASTM D4355 Xenon Arc	% Retained @ 500 hrs.	MARV	70	70	70	70	70	70	70	70	70	70	70	70	70	70
Melting Point	ASTM D276	degrees F.	MARV	n/a	n/a	>500	n/a	n/a	>300	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Asphalt Retention	Task Force 25 Method 6	gal./sq	MARV	n/a	n/a	0.20	n/a	n/a	0.20	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<b>STANDARD PACKAGING</b>																	
Roll Width	Measured	feet	Nominal	12.5/15.0	12.5/15.0	12.5	12.5/15.0	12.5/15.0	12.5	12.5/15.0	12.5/15.0	15.0	12.5/15.0	15.0	15.0	15.0	15.0
Roll Length	Measured	feet	Nominal	360	360	360	360	360	360	360	360	360	360	360	360	360	360
Roll Area	Calculated	sq	Nominal	500/500	500/600	500	500/500	500/500	500	500/500	417/500	500	417/500	500	500	500	500

Notes:  
 1. Values are reported for the weaker principle direction.  
 2. "MARV" INDICATES minimum average roll values, which is calculated as the mean minus two standard deviations, yielding a 97.5% confidence level.  
 3. C-38NW and C-45NW are for use in asphalt pavement overlay applications. Due to the relevancy of mass per unit area in paving applications, as acceptance/rejection criteria, the mass units are for C-38NW and C-45NW are reported as MARV.

This data sheet supersedes all previous data sheets for these styles of CONTECH Nonwoven Geotextiles and is subject to change without notice. Your CONTECH Regional office can advise if any values listed herein have changed since this data sheet was issued.

CP1900-NWP-1 (4/89) 5M AP

SPECIFICATIONS

Mirafi Construction Products: Typical Property Values  
 The product specifications are average values. For minimum certifiable values contact your local Mirafi Representative or the Mirafi Technical Department at 1-800-234-0484.

SR = SOIL REINFORCEMENT SC = SEDIMENTATION CONTROL EC = EROSION CONTROL  
 D = DRAINAGE L = LANDSCAPING PU = POND UNDERLINING

Property	Unit	Test Method	Mira- grid 6000 (D)	Mira- grid (SR)	Miremat 2400 (EC)	100X (SC)	140NBL (D,EC)	140NL (D,EC)	140NS (D,EC)	140N (D,EC)	580X (SR)	600X (SR,EC)	700X (D,EC)	1200HP (SR,EC)	2100HP (SR)	160HS (PU,EC)	180N (PU,EC)
Weight	oz/sy	ASTM D-3776-79	8	24	3.5	3.5	3.5	4.1	4.5	4.0	4.0	8.5	12.0	14.0	6.0	8.8	
Grab Strength	lbs	ASTM D-4632-95	2500 x 1720 <sup>1</sup>	18 x 6 <sup>4</sup>	120	140	100	145	120	200	300	425 x 250	600	1500 x 850	240	250	
Grab Elongation	%	ASTM D-4632-95	21 x 26 <sup>2</sup>	150 x 100	30 (max)	70	55	70	55	30 (max)	35 (max)	30	30 x 30	25 x 15	70	60	
Trapezoid Tear Strength	lbs	ASTM D-4532-95			65	90	50	75	45	115	120	110 x 65	350 x 250	400 x 275	90	80	
Million Berst Strength	psi	ASTM D-3796-87			200	150	230	160	270	450	600	825	1200+	1200+	270	455	
Puncture Strength	lbs	ASTM D-3787-80 <sup>3</sup>			40	65	60	80	65	85	100	150	350	75 x 150	75	120	
Wide Width Strip Tensile	lbs/in	ASTM D-4595-80	220 x 134							150 x 150	200 x 180	230 x 160	400 x 400	1000 x 500			
Wide Width Strip Elongation	%	ASTM D-4595-80	15 x 20 <sup>2</sup>							20 x 20	20 x 15	20 x 18	20 x 20	18 x 20			
Thickness	mils	ASTM D-1777-04			250	77		45		55	23	19	50	40			110
Permittivity	sec <sup>2</sup>	ASTM D-4491-85 <sup>5</sup>				.8	1.3	2.0	0.8	2.0	.2	.2	.2	1.0	.3	1.5	
Water Flow Rate	gal/min/ft	ASTM D-4491-85 <sup>5</sup>				33	85	190	60	180	25	25	50	40	20	25	100
Apparent																	
Opening Size (AOS)	U.S. Sieve	ASTM D-4751-87				35-50	50-100	70-100	70-100	100+	35-50	35-50	70-100	35-50	40-70	100+	100+
Efficiency	%	W. DOW VTM-01				75											
Slurry Flow Rate	gal/min/ft	W. DOW VTM-01				80											
Ultraviolet																	
Stability	%	ASTM D-4305-64 <sup>6</sup>				90					90	90	90	90	90		
Porosity	%	Calculated				65-90											
Flexibility	mg/cm	ASTM D-1368-04				2000											
Core Compressive	psi	ASTM D-1621															
Strength	(Mod/ft)					15000											
Water Flow Rate	gal/min/ft	ASTM D-4716-87 <sup>7</sup>				15											
Core Amplitude	in.	Measured				30											

1. Tension testing machine with ring clamp; steel ball replaced with a 5/16 inch diameter acid steel cylinder centered within the ring clamp.  
 2. ASTM D-4632-95 after 250 cycles in an Xenon-arc Weatherometer (Type B1 or C). One cycle consists of 102 minutes of light followed by 18 minutes of light with water spray.  
 3. Flow rate measured with the following parameters:  
 a. 10 / 2630 psi confining pressure / 250 hrs.  
 4. Two-inch strip machine. (SR-6)  
 5. 5mm Constant Head  
 6. Modified for spacing using sample size 1 strand by 4 junctions with two junctions between jaws.  
 Results reported in 100/ft.



- 8.4. The geotextile shall be secured with 12 inch; 6-gauge soil nails, with washers, spaces every 25 lineal feet or less, in accordance with the manufacture's specifications. The manufacture's representative shall provide design support and construction observations.
- 8.5. Native soils excavated from the cut-off barrier may be reused as engineered fill after the cut-off barrier is excavated and the geotextile is placed and secured. Mechanical processing shall be performed as needed to insure that no particle or soil clod, which is used to backfill the cut-off barrier, is greater than 1.5 inches in their greatest dimension.
- 8.6. The contractor shall place the backfill in a manner that will inhibit bridging or the creation of voids within the backfill matrix and avoid damage to the geotextile material.
- 8.7. The top segment of the cut-off barrier trench (extended from the ground surface to a depth of 12 or more inches) shall be capped with a low permeability soil, as shown on the plans.

## 9. TRENCH BACKFILL

The following sections provide recommendations for backfilling of trenches for utilities associated with the project. This section excludes the backfilling of the cut-off barrier trench.

- 9.1. Trench backfill shall consist of granular soils (bedding) extending from the trench bottom to 1 foot or more above the pipe. On-site or imported fill which has been evaluated by the geotechnical consultant may be used above the granular backfill. The cover soils directly in contact with the pipe shall be classified as having a very low expansion potential, in accordance with ASTM D 4829-95, and shall contain no rocks or chunks of hard soil larger than 1.5-inch in diameter.
- 9.2. Trench backfill shall, unless otherwise recommended, should be placed in loose lifts 8-inches thick or thinner, moisture conditioned, and compacted in accordance with the recommendations of Section 5. of these guidelines. The backfill shall be tested by the geotechnical consultant at vertical intervals of approximately 2 feet of backfill placed and at spacings along the trench of approximately 100 feet in the same lift.
- 9.3. Jetting of trench backfill materials is generally not a recommended method of densification, unless the on-site soils are sufficiently free-draining and provisions have been made for adequate dissipation of the water utilized in the jetting process. Jetting as a trench backfill method shall be approved by the owner and the geotechnical engineer prior to the start of work.
- 9.4. If it is decided that jetting may be utilized, granular material with a sand equivalent greater than 30 shall be used for backfilling in the areas to be jetted. Jetting shall generally be considered for trenches 2 feet or narrower in width and 4 feet or shallower in depth. Following jetting operations, trench backfill shall be mechanically compacted to the specified compaction to finish grade.
- 9.5. Trench backfill which underlies the zone of influence of foundations shall be mechanically compacted in accordance with the recommendations of Section 5. The zone of influence of the foundations is generally defined as the roughly triangular area within the limits of a 1:1 projection from the inner and outer edges of the foundation, projected down and out from both edges.
- 9.6. Trench backfill within slab areas shall be compacted in accordance with the recommendations of Section 5. For minor interior trenches, density testing may be omitted or spot testing may be performed, as deemed appropriate by the geotechnical consultant.
- 9.7. When compacting soil in close proximity to utilities, care shall be taken by the grading contractor so that mechanical methods used to compact the soils do not damage the utilities. If the utility contractors indicate that it is undesirable to use

compaction equipment in close proximity to a buried conduit, then the grading contractor may elect to use light mechanical compaction equipment or, with the approval of the geotechnical consultant, cover the conduit with clean granular material. These granular materials shall be jetted in place to the top of the conduit in accordance with the recommendations of Section 8.4 prior to initiating mechanical compaction procedures. Other methods of utility trench compaction may also be appropriate, upon review by the geotechnical consultant and the utility contractor, at the time of construction.

- 9.8. Clean granular backfill and/or bedding materials are not recommended for use in slope areas unless provisions are made for a drainage system to mitigate the potential for buildup of seepage forces or piping of backfill materials.
- 9.9. The contractor shall exercise the necessary and required safety precautions, in accordance with OSHA Trench Safety Regulations, while conducting trenching operations. Such precautions include shoring or laying back trench excavations at 1.5:1 or flatter, depending on material type, for trenches in excess of 5 feet in depth. The geotechnical consultant is not responsible for the safety of trench operations or stability of the trenches.

## 10. DRAINAGE

The following sections provide recommendations pertaining to site drainage.

- 10.1. Roof, pad, and slope drainage shall be directed away from slopes and structures to suitable discharge areas by nonerodible devices (e.g., gutters, downspouts, concrete swales, etc.).
- 10.2. Positive drainage adjacent to structures shall be established and maintained. Positive drainage may be accomplished by providing drainage away from the foundations of the structure at a gradient of 2 percent or steeper for a distance of 5 feet or more outside the building perimeter, further maintained by a graded swale leading to an appropriate outlet, in accordance with the recommendations of the project civil engineer and/or landscape architect.
- 10.3. Surface drainage on the site shall be provided so that water is not permitted to pond. A gradient of 2 percent or steeper shall be maintained over the pad area and drainage patterns shall be established to direct and remove water from the site to an appropriate outlet.
- 10.4. Care shall be taken by the contractor during final grading to preserve any berms, drainage terraces, interceptor swales or other drainage devices of a permanent nature on or adjacent to the property. Drainage patterns established at the time of final grading shall be maintained for the life of the project. Property owners shall be made

very clearly aware that altering drainage patterns may be detrimental to slope stability and foundation performance.

## 11. SITE PROTECTION

The site shall be protected as outlined in the following sections.

- 11.1. Protection of the site during the period of grading shall be the responsibility of the contractor unless other provisions are made in writing and agreed upon among the concerned parties. Completion of a portion of the project shall not be considered to preclude that portion or adjacent areas from the need for site protection, until such time as the project is complete as agreed upon by the geotechnical consultant, the client, and the regulatory agency.
- 11.2. The contractor is responsible for the stability of temporary excavations. Recommendations by the geotechnical consultant pertaining to temporary excavations are made in consideration of stability of the completed project and, therefore, shall not be considered to preclude the responsibilities of the contractor. Recommendations by the geotechnical consultant shall also not be considered to preclude more restrictive requirements by the applicable regulatory agencies.
- 11.3. Precautions shall be taken during the performance of site clearing, excavation, and grading to protect the site from flooding, ponding, or inundation by surface runoff. Temporary provisions shall be made during the rainy season to adequately direct surface runoff away from and off the working site. Where low areas cannot be avoided, pumps shall be provided to remove water as needed during periods of rainfall.
- 11.4. During periods of rainfall, plastic sheeting shall be used as needed to reduce the potential for unprotected slopes to become saturated. Where needed, the contractor shall install check dams, desilting basins, riprap, sandbags or other appropriate devices or methods to reduce erosion and provide safe conditions during inclement weather.
- 11.5. During periods of rainfall, the geotechnical consultant shall be kept informed by the contractor of the nature of remedial or precautionary work being performed on site (e.g., pumping, placement of sandbags or plastic sheeting, other labor, dozing, etc.).
- 11.6. Following periods of rainfall, the contractor shall contact the geotechnical consultant and arrange a walk-over of the site in order to visually assess rain-related damage. The geotechnical consultant may also recommend excavation and testing in order to aid in the evaluation. At the request of the geotechnical consultant, the contractor shall make excavations in order to aid in evaluation of the extent of rain-related damage.

- 11.7. Rain- or irrigation-related damage shall be considered to include, but may not be limited to, erosion, silting, saturation, swelling, structural distress, and other adverse conditions noted by the geotechnical consultant. Soil adversely affected shall be classified as "Unsuitable Material" and shall be subject to overexcavation and replacement with compacted fill or to other remedial grading as recommended by the geotechnical consultant.
- 11.8. Relatively level areas where saturated soils and/or erosion gullies exist to depths greater than 1 foot shall be overexcavated to competent materials as evaluated by the geotechnical consultant. Where adverse conditions extend to less than 1 foot in depth, saturated and/or eroded materials may be processed in-place. Overexcavated or in-place processed materials shall be moisture conditioned and compacted in accordance with the recommendations provided in Section 5. If the desired results are not achieved, the affected materials shall be overexcavated, moisture conditioned, and compacted until the specifications are met.
- 11.9. Slope areas where saturated soil and/or erosion gullies exist to depths greater than 1 foot shall be overexcavated and replaced as compacted fill in accordance with the applicable specifications. Where adversely affected materials exist to depths of 1 foot or less below proposed finished grade, remedial grading by moisture conditioning in-place and compaction in accordance with the appropriate specifications may be attempted. If the desired results are not achieved, the affected materials shall be overexcavated, moisture conditioned, and compacted until the specifications are met. As conditions dictate, other slope repair procedures may also be recommended by the geotechnical consultant.
- 11.10. During construction, the contractor shall grade the site to provide positive drainage away from structures and to keep water from ponding adjacent to structures. Water shall not be allowed to damage adjacent properties. Positive drainage shall be maintained by the contractor until permanent drainage and erosion reducing devices are installed in accordance with project plans.

## 12. DEFINITIONS OF TERMS

ALLUVIUM:	Unconsolidated detrital deposits deposited by flowing water; includes sediments deposited in river beds, canyons, flood plains, lakes, fans at the foot of slopes, and in estuaries.
AS-GRADED (AS-BUILT):	The site conditions upon completion of grading.
BACKCUT:	A temporary construction slope at the rear of earth-retaining structures such as buttresses, shear keys, stabilization fills, or retaining walls.
BACKDRAIN:	Generally a pipe-and-gravel or similar drainage system placed behind earth-retaining structures such as buttresses, stabilization fills, and retaining walls.
BEDROCK:	Relatively undisturbed in-place rock, either at the surface or beneath surficial deposits of soil.
BENCH:	A relatively level step and near-vertical riser excavated into sloping ground on which fill is to be placed.
BORROW (IMPORT):	Any fill material hauled to the project site from off-site areas.
BUTTRESS FILL:	A fill mass, the configuration of which is designed by engineering calculations, to retain slopes containing adverse geologic features. A buttress is generally specified by minimum key width and depth and by maximum backcut angle. A buttress normally contains a back drainage system.
CIVIL ENGINEER:	The Registered Civil Engineer or consulting firm responsible for preparation of the grading plans and surveying, and verifying as-graded topographic conditions.
CLIENT:	The developer or a project-responsible authorized representative. The client has the responsibility of reviewing the findings and recommendations made by the geotechnical consultant and authorizing the contractor and/or other consultants to perform work and/or provide services.
COLLUVIUM:	Generally loose deposits, usually found on the face or near the base of slopes and brought there chiefly by gravity through slow continuous downhill creep (see also Slope Wash).
COMPACTION:	The densification of a fill by mechanical means.

- CONTRACTOR:** A person or company under contract or otherwise retained by the client to perform demolition, grading, and other site improvements.
- DEBRIS:** The products of clearing, grubbing, and/or demolition, or contaminated soil material unsuitable for reuse as compacted fill, and/or any other material so designated by the geotechnical consultant.
- ENGINEERED FILL:** A fill which the geotechnical consultant or the consultant's representative has observed and/or tested during placement, enabling the consultant to conclude that the fill has been placed in substantial compliance with the recommendations of the geotechnical consultant and the governing agency requirements.
- ENGINEERING GEOLOGIST:** A geologist certified by the state licensing agency who applies geologic knowledge and principles to the exploration and evaluation of naturally occurring rock and soil, as related to the design of civil works.
- EROSION:** The wearing away of the ground surface as a result of the movement of wind, water, and/or ice.
- EXCAVATION:** The mechanical removal of earth materials.
- EXISTING GRADE:** The ground surface configuration prior to grading; original grade.
- FILL:** Any deposit of soil, rock, soil-rock blends, or other similar materials placed by man.
- FINISH GRADE:** The final as-graded ground surface elevation that conforms to the grading plan.
- GEOFABRIC:** An engineering textile utilized in geotechnical applications such as subgrade stabilization and filtering.
- GEOTECHNICAL CONSULTANT:** The geotechnical engineering and engineering geology consulting firm retained to provide technical services for the project. For the purpose of these specifications, observations by the geotechnical consultant include observations by the geotechnical engineer, engineering geologist and other persons employed by and responsible to the geotechnical consultant.

---

GEOTECHNICAL ENGINEER:	A licensed civil engineer and geotechnical engineer, approved by the state licensing agency, who applies scientific methods, engineering principles, and professional experience to the acquisition, interpretation, and use of knowledge of materials of the earth's crust to the resolution of engineering problems. Geotechnical engineering encompasses many of the engineering aspects of soil mechanics, rock mechanics, geology, geophysics, hydrology, and related sciences.
GRADING:	Any operation consisting of excavation, filling, or combinations thereof and associated operations.
LANDSLIDE DEPOSITS:	Material, often porous and of low density, produced from instability of natural or manmade slopes.
MAXIMUM DRY DENSITY:	Standard laboratory test for maximum dry unit weight. Unless otherwise specified, the maximum dry unit weight shall be evaluated in accordance with ASTM Test Method D698-00a.
OPTIMUM MOISTURE:	The moisture content at the maximum dry density.
RELATIVE COMPACTION:	The degree of compaction (expressed as a percentage) of a material as compared to the maximum dry density of the material.
ROUGH GRADE:	The ground surface configuration at which time the surface elevations approximately conform to the approved plan.
SHEAR KEY:	Similar to a subsurface buttress; however, it is generally constructed by excavating a slot within a natural slope in order to stabilize the upper portion of the slope without encroaching into the lower portion of the slope.
SITE:	The particular parcel of land where grading is being performed.
SLOPE:	An inclined ground surface, the steepness of which is generally specified as a ratio of horizontal units to vertical units.
SLOPE WASH:	Soil and/or rock material that has been transported down a slope by gravity assisted by the action of water not confined to channels (see also Colluvium).
SLOUGH:	Loose, uncompacted fill material generated during grading operations.

- SOIL:** Naturally occurring deposits of sand, silt, clay, etc., or combinations thereof.
- STABILIZATION FILL:** A fill mass, the configuration of which is typically related to slope height and is specified by the standards of practice for enhancing the stability of locally adverse conditions. A minimum stabilization fill is normally specified by minimum key width and depth and by maximum backcut angle. A stabilization fill may or may not have a back drainage system specified.
- SUBDRAIN:** Generally a pipe-and-gravel or similar drainage system placed beneath a fill along the alignment of buried canyons or former drainage channels.
- TAILINGS:** Non-engineered fill which accumulates on or adjacent to equipment haul roads.
- TERRACE:** A relatively level bench constructed on the face of a graded slope surface for drainage control and maintenance purposes.
- TOPSOIL:** The upper zone of soil or bedrock materials, which is usually dark in color, loose, and contains organic materials.
- WINDROW:** A row of large rocks buried within engineered fill in accordance with guidelines set forth by the geotechnical consultant.