Stormwater Quality Report

All data through September 30, 1996

December 31, 1996

Property of
Flood Control District of MC Library
Please Return to
2801 W. Durango
Phoenix, AZ 85009

Flood Control District of Maricopa County
2801 West Durango Street
Phoenix, Arizona 85009
602-506-1501

Site	Location Description	S-T-R	Maintained By	Land Use
SIXTH	Sixth Street and Horne - southeast corner near elementary school	S14 T1N R5E	FCD	Residential
LINDSAY	Broadway Road west of Lindsay Road - west end of strip mall	S30 T1N R6E	FCD	Residential
FALCON	Falcon Field Airport near Falcon Park	S03 T1N R6E	FCD	Industrial
GRANDVIEW	Grandview and Horne - southwest corner in park	S11 T1N R5E	FCD	Residential
DOBSON	Dobson Road south of Broadway Road - west side	S30 T1N R5E	FCD	Commercial
KIWANIS	Mill Avenue at Kiwanis Park	S03 T1S R4E	TEMPE	Residential
ASH	First Street east of Ash Avenue	S15 T1N R4E	TEMPE	Commercial
DORSEY	Dorsey and University Drive - southeast corner	S23 T1N R4E	TEMPE	Commercial
INDIANBEND	Indian Bend Wash at 40th Street - north bank of wash, east side of 40th Street	S18 T3N R4E	FCD	Residential
35THAVE	Salt River at 35th Avenue - north bank of river (near Elwood Street)	S22 T1N R2E	FCD	Industrial
SKYHARBOR	Salt River approximately 500' east of I-10 bridge over Salt - north bank	S14 T1N R3E	FCD	Industrial
S40THSTREET	Salt River at 40th Street - south bank of river	S18 T1N R4E	FCD	Industrial
48THSTREET	48th Street Drain at 48th Street - east side of Hohokam Expressway	S20 T1N R4E	USGS	Industrial
27THAVE	Salt River at 27th Avenue - south bank of river	S24 T1N R2E	USGS	Industrial
IBWCURRY	Indian Bend Wash at Curry Road, instream sampling	S11 T1N R4E	USGS	In-Stream
YOUNGTOWN	Peoria Avenue at 113th Avenue - Old USGS gage location	S30 T3N R1E	USGS	Residential
24THBRIDGE	Downstream side of 24th Street bridge over the Salt River	S22 T1N R3E	USGS	In-Stream
PRIEST	Downstream side of the Priest Drive bridge over the Salt River	S17 T1N R4E	USGS	In-Stream
ACDC51ST	Downstream side of 51st Avenue bridge over the ACDC	S20 T3N R2E	USGS	In-Stream
ALMABRIDGE	Downstream side of Alma School Road bridge over Salt River	S05 T1N R5E	USGS	In-Stream
GILA	Gila Drain on Maricopa Road east of I-10	S05 T2S R4E	FCD	In-Stream
51STBRIDGE	Downstream side of 51st Avenue bridge over Salt River	S20 T1N R2E	USGS	In-Stream
PEORIA	Strip Shopping Center, NW corner 43rd Ave/Peoria	S21 T3N R2E	USGS	In-Stream
OLIVE	Mobile Home Park NE Corner 67th Ave/Olive	S30 T3N R2E	USGS	In-Stream
SOUTHMTN	On South Mountain	S18 T1S R3E	USGS	Undeveloped

Statistical Summary

Glossary

--	Not Analyzed
ATL	Analytical Technologies
COUNT	Number of times a pollutant was detected
FCD	Flood Control District of Maricopa County
FE	Full Sample Event - grab samples and composite samples taken throughout duration of storm event (see FF and S
FF	First Flush Sample (Tempe only) - samples taken during the first hour of flow
K###	Non ideal count (bacterial samples)
LUC	Land Use - Commercial
LUI	Land Use - Industrial
LUN	Land Use - Undeveloped
LUR	Land Use - Residential
NC (NOT CALCULATED)	In statistical summaries, those values that are undefined; occurs in cases when 0 or 1 data point is available
NM	Not Measured
NS	No samples taken during a water year
NWQL	National Water Quality Laboratory
SF	Second Flush Sample (Tempe only) - sample taken after the first hour of flow
UA	Data Unavailable
USGS	United States Geological Survey
WESTECH	Westech Laboratories
WY	Water Year, October 1 - September 30

Biochemical Oxygen Demand - Five Day (BOD5)

Total
mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	69	NS	34	69	64	119
ASH	46	NS	57	46	27	105
DOBSON	93	NS	10	109	94	124
DORSEY	69	NS	71	68	60	114
PEORIA	31	NS	30	33	NC	NC
INDUSTRIAL	112	247	10	36	49	134
27THAVE	568	661	12	NC	NC	NC
35THAVE	61	7	NS	NS	78	61
48THSTREET	95	95	NC	NC	NC	NC
FALCON	54	12	9	36	45	124
S40THSTREET	147	20	NS	NS	45	258
SKYHARBOR	62	12	NS	NS	18	127
RESIDENTIAL	49	24	17	53	41	93
GRANDVIEW	44	NS	8	70	39	63
INDIANBEND	41	14	NS	NS	32	78
KIWANIS	58	NS	77	57	52	NS
LINDSAY	36	NS	5	20	20	98
OLIVE	20	NS	NS	20	NC	NC
SIXTH	66	6	15	60	66	124
YOUNGTOWN	36	36	NS	NS	NS	NS
IN-STREAM	16	20	7	NC	NC	NC
24THBRIDGE	20	20	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	7	NS	7	NS	NC	NS
UNDEVELOPED	20	20	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Chemical Oxygen Demand

Total

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	205	NS	200	240	160	225
ASH	218	NS	273	223	167	308
DOBSON	178	NS	111	225	178	180
DORSEY	224	NS	470	261	120	289
PEORIA	201	NS	173	215	188	243
INDUSTRIAL	227	396	74	172	149	257
27THAVE	508	1018	110	180	189	357
35THAVE	171	62	NS	NS	187	202
48THSTREET	177	120	NC	140	191	330
FALCON	154	150	67	174	125	251
S40THSTREET	253	125	NS	NS	145	332
SKYHARBOR	104	80	NS	NS	104	112
RESIDENTIAL	168	117	125	227	163	129
GRANDVIEW	82	NS	64	104	76	93
INDIANBEND	203	130	NS	NS	262	170
KIWANIS	308	NS	445	323	230	NS
LINDSAY	127	NS	101	131	152	101
OLIVE	154	NS	NS	145	162	148
SIXTH	128	40	122	164	95	145
YOUNGTOWN	124	124	NS	NS	NS	NS
IN-STREAM	43	23	24	90	51	28
24THBRIDGE	23	23	NS	NS	NS	NS
51STBRIDGE	26	NS	NS	NS	26	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	25	NS	NS	NS	25	NS
IBWCURRY	63	NS	NS	90	76	28
PRIEST	32	NS	24	NS	42	NS
UNDEVELOPED	10530	10530	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Chloride

Total
mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	6.62	NS	3.66	5.74	5.15	10.6
ASH	NC	NS	NC	NC	NC	NC
DOBSON	7.67	NS	NC	6.64	4.41	13.5
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	5.11	NS	3.66	4.23	7.20	5.50
INDUSTRIAL	20.0	11.9	9.10	7.45	27.9	18.4
27THAVE	22.8	15.7	9.10	19.0	55.0	18.1
35THAVE	59.2	NC	NS	NS	85.8	19.3
48THSTREET	20.6	8.10	NC	4.00	23.9	45.7
FALCON	6.39	NC	NC	4.64	6.90	6.89
S40THSTREET	16.0	NC	NS	NS	15.50	16.2
SKYHARBOR	19.5	NC	NS	NS	18.57	20.0
RESIDENTIAL	8.70	3.78	23.0	8.12	9.72	8.33
GRANDVIEW	6.28	NS	NC	6.15	5.83	6.96
INDIANBEND	14.9	NC	NS	NS	19.0	7.65
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	9.23	NS	23.0	10.2	6.78	10.6
OLIVE	6.89	NS	NS	5.70	8.66	5.28
SIXTH	9.15	NC	NC	8.16	9.57	9.96
YOUNGTOWN	3.78	3.78	NS	NS	NS	NS
IN-STREAM	87.9	140	86.5	14.0	66.8	210
24THBRIDGE	140	140	NS	NS	NS	NS
51STBRIDGE	76.0	NS	NS	NS	76.0	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	64.0	NS	NS	NS	64.0	NS
IBWCURRY	101	NS	NS	14.0	66.9	210
PRIEST	75.1	NS	86.5	NS	60.0	NS
UNDEVELOPED	1.60	1.60	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Cyanide

Total

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.01	NS	0.02	0.01	0.01	0.01
ASH	0.01	NS	NC	NC	NC	0.01
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	0.01	NS	NC	0.01	NC	NC
PEORIA	0.01	NS	0.02	0.01	0.01	0.01
INDUSTRIAL	0.02	0.03	NC	NC	0.02	0.01
27THAVE	0.01	NC	NC	NC	0.01	0.01
35THAVE	0.01	NC	NS	NS	0.01	NC
48THSTREET	0.01	NC	NC	NC	0.02	0.01
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	0.03	0.03	NS	NS	NC	NC
SKYHARBOR	0.03	NC	NS	NS	0.03	NC
RESIDENTIAL	0.10	NC	NC	0.26	0.02	0.01
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	0.26	NS	NC	0.26	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	0.02	NS	NS	NC	0.02	0.01
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Fecal Coliform

Total
cfu/mL

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	17674	NS	7625	811	8651	48413
ASH	NC	NS	NC	NC	NC	NC
DOBSON	19159	NS	1750	914	8651	53043
DORSEY	16000	NS	NC	NC	NC	16000
PEORIA	10880	NS	13500	400	NC	NC
INDUSTRIAL	15935	5123	879	14084	12185	42177
27THAVE	5743	5950	4500	NC	NC	NC
35THAVE	43923	4086	NS	NS	44715	82375
48THSTREET	4183	4183	NC	NC	NC	NC
FALCON	8673	2	155	14084	1380	31770
S40THSTREET	21392	2300	NS	NS	1777	45650
SKYHARBOR	7323	10323	NS	NS	880	11517
RESIDENTIAL	29468	7567	3700	52248	7250	67622
GRANDVIEW	59046	NS	4141	166199	570	82980
INDIANBEND	32873	17667	NS	NS	7968	73683
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	10544	NS	2803	1858	320	40505
OLIVE	1800	NS	NS	1800	NC	NC
SIXTH	24824	2	3786	22300	15714	74460
YOUNGTOWN	3778	3778	NS	NS	NS	NS
IN-STREAM	960	1725	195	NC	NC	NC
24THBRIDGE	1725	1725	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	195	NS	195	NS	NC	NS
UNDEVELOPED	2500	2500	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Fecal Strep

Total
cfu/mL

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	21287	NS	12281	60192	789	22578
ASH	NC	NS	NC	NC	NC	NC
DOBSON	24780	NS	16375	72096	789	23400
DORSEY	16000	NS	NC	NC	NC	16000
PEORIA	7617	NS	9006	670	NC	NC
INDUSTRIAL	9786	12937	5619	789	1049	24105
27THAVE	12871	12517	15000	NC	NC	NC
35THAVE	24573	601	NS	NS	668	84400
48THSTREET	11450	11450	NC	NC	NC	NC
FALCON	2642	2	3743	789	1590	7133
S40THSTREET	11211	18500	NS	NS	99	15900
SKYHARBOR	9672	33800	NS	NS	167	2800
RESIDENTIAL	10946	10371	23457	17956	657	7641
GRANDVIEW	12591	NS	13902	26211	198	7333
INDIANBEND	7714	25333	NS	NS	1449	8420
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	8984	NS	27803	4831	155	6670
OLIVE	5300	NS	NS	5300	NC	NC
SIXTH	14964	9	34169	28862	456	8433
YOUNGTOWN	4617	4617	NS	NS	NS	NS
IN-STREAM	1104	1724	690	NC	NC	NC
24THBRIDGE	1724	1724	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	690	NS	690	NS	NC	NS
UNDEVELOPED	9800	9800	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Solids, Dissolved

Total

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	152	NS	132	197	132	114
ASH	242	NS	260	298	208	85.0
DOBSON	114	NS	66.8	126	106	141
DORSEY	135	NS	260	169	94.5	56.7
PEORIA	104	NS	81.4	99.7	118	120
INDUSTRIAL	167	121	75.5	134	166	219
27THAVE	155	127	70.0	134	245	159
35THAVE	270	360	NS	NS	292	193
48THSTREET	131	76.8	NC	55.0	151	229
FALCON	158	61.0	76.6	145	122	307
S40THSTREET	155	80.0	NS	NS	135	194
SKYHARBOR	163	70.0	NS	NS	137	207
RESIDENTIAL	157	78.2	155	200	157	122
GRANDVIEW	89.1	NS	79.9	92.8	95.1	91.0
INDIANBEND	204	97.5	NS	NS	285	176
KIWANIS	270	NS	800	274	141	NS
LINDSAY	146	NS	72.2	165	182	114
OLIVE	94.5	NS	NS	64.5	123	74.3
SIXTH	118	45.0	108	138	94.3	144
YOUNGTOWN	70.8	70.8	NS	NS	NS	NS
IN-STREAM	347	335	328	94.0	315	634
24THBRIDGE	335	335	NS	NS	NS	NS
51STBRIDGE	364	NS	NS	NS	364	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	324	NS	NS	NS	324	NS
IBWCURRY	359	NS	NS	94.0	278	634
PRIEST	333	NS	328	NS	340	NS
UNDEVELOPED	35.0	35.0	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Solids, Suspended

Total

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	107	NS	176	108	87.1	94.5
ASH	130	NS	200	117	121	147
DOBSON	107	NS	87.0	154	108	84.4
DORSEY	85.5	NS	550	99.1	34.5	44.3
PEORIA	111	NS	157	44.0	89.0	126
INDUSTRIAL	392	396	193	204	353	551
27THAVE	958	976	1030	303	718	1316
35THAVE	849	70.0	NS	NS	970	1057
48THSTREET	212	175	116	174	207	401
FALCON	127	82.0	70.8	166	140	106
S40THSTREET	295	130	NS	NS	225	388
SKYHARBOR	156	65.0	NS	NS	285	122
RESIDENTIAL	128	207	66.7	123	123	163
GRANDVIEW	57.5	NS	32.5	86.7	58.1	61.8
INDIANBEND	244	188	NS	NS	272	248
KIWANIS	154	NS	95.0	152	172	NS
LINDSAY	89.5	NS	112	71.9	62.5	136
OLIVE	150	NS	NS	148	120	189
SIXTH	109	82.0	65.2	115	72.6	191
YOUNGTOWN	248	248	NS	NS	NS	NS
IN-STREAM	221	362	131	247	261	6.67
24THBRIDGE	362	362	NS	NS	NS	NS
51STBRIDGE	227	NS	NS	NS	227	NS
ACDC51ST	174	NS	NS	174	NS	NS
ALMABRIDGE	204	NS	NS	NS	204	NS
IBWCURRY	159	NS	NS	394	190	6.67
PRIEST	297	NS	131	NS	518	NS
UNDEVELOPED	1878	1878	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Nitrogen, Nitrate + Nitrite

Total

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	1.32	NS	0.95	1.56	1.05	1.57
ASH	1.26	NS	1.47	1.31	1.20	0.95
DOBSON	1.42	NS	0.34	1.79	0.99	2.10
DORSEY	1.42	NS	1.80	1.84	0.94	0.50
PEORIA	1.04	NS	0.67	0.79	1.08	1.37
INDUSTRIAL	1.51	1.59	0.60	1.35	1.49	1.71
27THAVE	2.56	2.47	1.80	1.24	3.20	2.84
35THAVE	0.95	NC	NS	NS	1.06	0.80
48THSTREET	1.21	0.88	NC	0.66	1.49	1.50
FALCON	1.15	0.60	0.36	1.48	1.11	1.54
S40THSTREET	1.30	NC	NS	NS	1.70	1.14
SKYHARBOR	1.90	NC	NS	NS	2.10	1.81
RESIDENTIAL	1.01	0.76	0.59	1.22	0.95	1.16
GRANDVIEW	0.72	NS	0.43	1.05	1.01	0.62
INDIANBEND	0.92	0.80	NS	NS	0.95	0.96
KIWANIS	1.22	NS	1.18	1.33	0.96	NS
LINDSAY	1.03	NS	0.57	1.10	0.76	1.59
OLIVE	1.14	NS	NS	1.09	1.14	1.18
SIXTH	0.99	0.33	0.60	1.12	1.05	1.23
YOUNGTOWN	0.82	0.82	NS	NS	NS	NS
IN-STREAM	0.88	0.15	NC	3.60	0.62	1.37
24THBRIDGE	0.15	0.15	NS	NS	NS	NS
51STBRIDGE	1.19	NS	NS	NS	1.19	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	0.12	NS	NS	NS	0.12	NS
IBWCURRY	1.26	NS	NS	3.60	0.86	1.37
PRIEST	0.17	NS	NC	NS	0.17	NS
UNDEVELOPED	1.00	1.00	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Nitrogen, Kjeldahl

Total

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	4.28	NS	4.75	5.74	2.86	3.93
ASH	4.45	NS	6.33	5.53	2.92	3.35
DOBSON	3.44	NS	1.35	3.70	3.08	4.82
DORSEY	4.91	NS	13.60	6.53	2.57	1.94
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	4.05	2.50	1.02	5.70	3.16	5.42
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	4.36	NC	NS	NS	4.63	3.96
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	3.84	2.50	1.02	5.70	2.68	7.00
S40THSTREET	5.47	NC	NS	NS	3.15	6.40
SKYHARBOR	3.48	NC	NS	NS	2.97	3.74
RESIDENTIAL	4.45	1.70	2.92	6.27	3.72	3.88
GRANDVIEW	1.98	NS	1.36	2.67	1.41	2.65
INDIANBEND	4.32	NC	NS	NS	3.77	4.96
KIWANIS	8.24	NS	15.70	8.75	5.35	NS
LINDSAY	4.12	NS	1.56	4.90	4.46	4.53
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	2.85	1.70	1.88	3.63	2.61	3.37
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Nitrogen, Nitrate

Total

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	1.14	NS	0.67	0.75	0.81	1.82
ASH	0.69	NS	NC	NC	0.69	NC
DOBSON	2.06	NS	NC	NC	1.80	2.09
DORSEY	0.48	NS	NC	NC	0.48	NC
PEORIA	0.93	NS	0.67	0.75	1.02	1.29
INDUSTRIAL	1.61	1.60	1.68	0.98	1.63	1.65
27THAVE	2.45	2.38	1.68	1.18	3.02	2.74
35THAVE	0.81	NC	NS	NS	0.88	0.78
48THSTREET	1.14	0.82	NC	0.60	1.43	1.39
FALCON	1.36	NC	NC	NC	1.12	1.54
S40THSTREET	1.26	NC	NS	NS	1.65	1.10
SKYHARBOR	1.81	NC	NS	NS	2.05	1.74
RESIDENTIAL	1.07	0.76	NC	1.04	1.08	1.14
GRANDVIEW	0.62	NS	NC	NC	NC	0.62
INDIANBEND	0.98	NC	NS	NS	1.01	0.96
KIWANIS	1.10	NS	NC	NC	1.10	NS
LINDSAY	1.43	NS	NC	NC	1.00	1.56
OLIVE	1.09	NS	NS	1.04	1.09	1.12
SIXTH	1.21	NC	NC	NC	1.16	1.23
YOUNGTOWN	0.76	0.76	NS	NS	NS	NS
IN-STREAM	0.64	0.13	NC	3.46	0.31	1.31
24THBRIDGE	0.13	0.13	NS	NS	NS	NS
51STBRIDGE	1.15	NS	NS	NS	1.15	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	0.11	NS	NS	NS	0.11	NS
IBWCURRY	0.85	NS	NS	3.46	0.22	1.31
PRIEST	0.16	NS	NC	NS	0.16	NS
UNDEVELOPED	0.93	0.93	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Nitrogen, Nitrite

Total

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.10	NS	0.07	0.13	0.09	0.13
ASH	0.11	NS	NC	NC	0.11	NC
DOBSON	0.15	NS	NC	NC	0.05	0.20
DORSEY	0.13	NS	NC	NC	0.13	NC
PEORIA	0.08	NS	0.07	0.13	0.05	0.09
INDUSTRIAL	0.12	0.08	0.12	0.06	0.16	0.13
27THAVE	0.11	0.09	0.12	0.07	0.18	0.11
35THAVE	0.35	NC	NS	NS	0.43	0.09
48THSTREET	0.07	0.07	NC	0.06	0.06	0.11
FALCON	0.05	NC	NC	NC	0.05	NC
S40THSTREET	0.11	NC	NS	NS	0.06	0.14
SKYHARBOR	0.20	NC	NS	NS	0.05	0.28
RESIDENTIAL	0.08	0.06	NC	0.06	0.09	0.08
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	0.08	NC	NS	NS	0.08	NC
KIWANIS	0.08	NS	NC	NC	0.08	NS
LINDSAY	0.13	NS	NC	NC	0.14	0.12
OLIVE	0.06	NS	NS	0.06	0.05	0.06
SIXTH	0.24	NC	NC	NC	0.24	NC
YOUNGTOWN	0.06	0.06	NS	NS	NS	NS
IN-STREAM	0.24	0.02	NC	0.14	0.31	0.06
24THBRIDGE	0.02	0.02	NS	NS	NS	NS
51STBRIDGE	0.03	NS	NS	NS	0.03	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	0.01	NS	NS	NS	0.01	NS
IBWCURRY	0.41	NS	NS	0.14	0.64	0.06
PRIEST	0.01	NS	NC	NS	0.01	NS
UNDEVELOPED	0.07	0.07	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Nitrogen, Ammonia

Total

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	1.70	NS	1.45	1.27	1.63	1.88
ASH	1.53	NS	NC	NC	1.55	1.44
DOBSON	2.25	NS	NC	NC	2.50	2.22
DORSEY	1.12	NS	NC	NC	1.35	0.75
PEORIA	1.79	NS	1.45	1.27	1.88	2.28
INDUSTRIAL	1.37	0.46	0.13	0.47	1.24	1.86
27THAVE	0.67	0.34	0.13	0.26	0.39	1.29
35THAVE	1.45	NC	NS	NS	1.47	1.43
48THSTREET	1.07	0.58	NC	0.89	1.47	1.37
FALCON	2.41	NC	NC	NC	1.22	3.16
S40THSTREET	1.60	NC	NS	NS	0.95	1.86
SKYHARBOR	1.59	NC	NS	NS	1.95	1.48
RESIDENTIAL	1.33	0.61	NC	1.06	1.70	1.25
GRANDVIEW	0.82	NS	NC	1.00	NC	0.79
INDIANBEND	1.86	NC	NS	NS	2.08	1.72
KIWANIS	1.92	NS	NC	NC	1.92	NS
LINDSAY	1.18	NS	NC	NC	1.00	1.23
OLIVE	1.39	NS	NS	1.09	1.86	1.07
SIXTH	1.21	NC	NC	NC	0.60	1.41
YOUNGTOWN	0.61	0.61	NS	NS	NS	NS
IN-STREAM	0.16	0.03	0.39	0.92	0.09	0.24
24THBRIDGE	0.03	0.03	NS	NS	NS	NS
51STBRIDGE	0.10	NS	NS	NS	0.10	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	0.03	NS	NS	NS	0.03	NS
IBWCURRY	0.24	NS	NS	0.92	0.14	0.24
PRIEST	0.13	NS	0.39	NS	0.04	NS
UNDEVELOPED	0.15	0.15	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Phosphorus

Total
mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.51	NS	0.48	0.67	0.37	0.46
ASH	0.59	NS	0.75	0.72	0.40	0.49
DOBSON	0.50	NS	0.26	0.97	0.40	0.45
DORSEY	0.46	NS	1.20	0.57	0.22	0.33
PEORIA	0.49	NS	0.35	0.52	0.55	0.57
INDUSTRIAL	0.99	0.52	0.24	0.77	1.08	1.35
27THAVE	1.87	1.00	0.51	0.77	1.53	3.27
35THAVE	1.75	0.34	NS	NS	2.65	1.09
48THSTREET	0.77	0.22	NC	0.55	1.07	1.36
FALCON	0.58	NC	0.19	0.80	0.44	0.97
S40THSTREET	0.93	0.42	NS	NS	1.57	0.88
SKYHARBOR	0.39	0.26	NS	NS	0.74	0.27
RESIDENTIAL	0.65	0.33	0.28	0.93	0.68	0.47
GRANDVIEW	0.32	NS	0.15	0.47	0.36	0.27
INDIANBEND	0.84	0.47	NS	NS	1.07	0.68
KIWANIS	0.85	NS	0.70	0.94	0.66	NS
LINDSAY	0.90	NS	0.29	1.63	0.93	0.46
OLIVE	0.51	NS	NS	0.41	0.55	0.53
SIXTH	0.43	NC	0.28	0.71	0.31	0.40
YOUNGTOWN	0.28	0.28	NS	NS	NS	NS
IN-STREAM	0.32	0.06	0.24	0.32	0.43	0.10
24THBRIDGE	0.06	0.06	NS	NS	NS	NS
51STBRIDGE	0.46	NS	NS	NS	0.46	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	0.24	NS	NS	NS	0.24	NS
IBWCURRY	0.19	NS	NS	0.32	0.22	0.10
PRIEST	0.71	NS	0.24	NS	1.41	NS
UNDEVELOPED	0.65	0.65	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Phosphorus

Dissolved

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.30	NS	0.27	0.36	0.23	0.31
ASH	0.28	NS	0.29	0.34	0.19	0.22
DOBSON	0.35	NS	0.15	0.62	0.23	0.35
DORSEY	0.24	NS	0.50	0.28	0.10	0.18
PEORIA	0.35	NS	0.23	0.42	0.44	0.35
INDUSTRIAL	0.34	0.14	0.13	0.46	0.43	0.30
27THAVE	0.17	0.14	0.17	0.17	0.14	0.21
35THAVE	0.47	NC	NS	NS	0.55	0.33
48THSTREET	0.44	0.14	NC	0.28	0.67	0.65
FALCON	0.34	0.17	0.11	0.57	0.30	0.33
S40THSTREET	0.16	NC	NS	NS	0.23	0.12
SKYHARBOR	0.43	NC	NS	NS	1.08	0.18
RESIDENTIAL	0.36	0.12	0.20	0.43	0.37	0.34
GRANDVIEW	0.22	NS	0.12	0.25	0.25	0.19
INDIANBEND	0.27	NC	NS	NS	0.27	0.28
KIWANIS	0.29	NS	0.30	0.34	0.19	NS
LINDSAY	0.72	NS	0.21	1.00	0.73	0.56
OLIVE	0.28	NS	NS	0.20	0.36	0.24
SIXTH	0.27	0.18	0.20	0.32	0.26	0.28
YOUNGTOWN	0.11	0.11	NS	NS	NS	NS
IN-STREAM	0.08	0.01	0.05	0.17	0.09	0.04
24THBRIDGE	0.01	0.01	NS	NS	NS	NS
51STBRIDGE	0.22	NS	NS	NS	0.22	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	0.03	NS	NS	NS	0.03	NS
IBWCURRY	0.08	NS	NS	0.17	0.08	0.04
PRIEST	0.05	NS	0.05	NS	0.04	NS
UNDEVELOPED	0.18	0.18	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Phosphorus

Ortho

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.27	NS	NC	NC	0.31	0.22
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	0.27	NS	NC	NC	0.31	0.22
INDUSTRIAL	0.39	NC	NC	NC	0.41	0.38
27THAVE	0.35	NC	NC	NC	0.32	0.36
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	0.44	NC	NC	NC	0.46	0.42
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	0.32	NC	NC	NC	0.44	0.20
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	0.32	NS	NS	NC	0.44	0.20
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	0.10	NC	NC	NC	0.11	0.03
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	0.23	NS	NS	NS	0.23	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	0.07	NS	NS	NS	0.07	NS
IBWCURRY	0.07	NS	NS	NC	0.09	0.03
PRIEST	0.07	NS	NC	NS	0.07	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Sulfate

Dissolved

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	51.1	NS	5.70	8.90	11.4	154
ASH	NC	NS	NC	NC	NC	NC
DOBSON	81.5	NS	NC	9.1	10.9	247
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	10.6	NS	5.70	8.73	12.8	14.7
INDUSTRIAL	19.1	9.75	5.30	10.2	18.9	24.9
27THAVE	15.1	11.8	5.30	9.90	29.7	14.6
35THAVE	26.2	NC	NS	NS	34.0	14.4
48THSTREET	14.9	7.67	NC	5.6	15.8	31.0
FALCON	21.8	NC	NC	12.9	13.1	45.7
S40THSTREET	19.6	NC	NS	NS	14.0	21.8
SKYHARBOR	18.4	NC	NS	NS	18.7	18.3
RESIDENTIAL	153	4.32	19.0	10.7	17.1	511
GRANDVIEW	8.62	NS	NC	8.33	9.69	7.30
INDIANBEND	34.8	NC	NS	NS	42.7	16.3
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	512	NS	19.0	13.9	10.5	1655
OLIVE	8.59	NS	NS	4.70	12.6	5.53
SIXTH	12.1	NC	NC	11.8	12.4	12.0
YOUNGTOWN	4.32	4.32	NS	NS	NS	NS
IN-STREAM	39.4	41.0	39.0	7.8	41.6	NC
24THBRIDGE	41.0	41.0	NS	NS	NS	NS
51STBRIDGE	51.7	NS	NS	NS	51.7	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	39.0	NS	NS	NS	39.0	NS
IBWCURRY	30.3	NS	NS	7.8	34.8	NC
PRIEST	41.9	NS	39.0	NS	45.7	NS
UNDEVELOPED	7.20	7.20	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Phenols, Recoverable

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	41.4	NS	35.0	49.2	53.9	23.9
ASH	51.1	NS	30.0	35.0	115	30.0
DOBSON	36.4	NS	53.0	NC	25.0	22.0
DORSEY	82.1	NS	NC	72.5	140	NC
PEORIA	19.4	NS	18.3	21.3	16.3	22.3
INDUSTRIAL	49.5	140	44.0	24.0	17.1	19.7
27THAVE	116	386	8.00	31.5	4.67	10.6
35THAVE	18.3	20.0	NS	NS	20.0	10.0
48THSTREET	10.5	9.17	NC	9.00	10.6	13.7
FALCON	31.8	53.0	53.0	NC	23.8	17.7
S40THSTREET	50.0	NC	NS	NS	30.0	60.0
SKYHARBOR	21.4	20.0	NS	NS	10.0	28.5
RESIDENTIAL	19.7	6.40	39.4	19.7	18.0	15.4
GRANDVIEW	21.6	NS	29.0	20.0	NC	15.0
INDIANBEND	18.9	NC	NS	NS	18.0	20.0
KIWANIS	33.6	NS	40.0	27.8	45.0	NS
LINDSAY	34.4	NS	53.0	20.0	16.7	28.0
OLIVE	6.55	NS	NS	4.00	6.40	8.00
SIXTH	15.7	NC	5.00	10.0	20.0	15.3
YOUNGTOWN	6.40	6.4	NS	NS	NS	NS
IN-STREAM	4.00	2.00	1.00	NC	5.67	2.00
24THBRIDGE	2.00	2.00	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	6.00	NS	NS	NC	7.00	2.00
PRIEST	2.00	NS	1.00	NS	3.00	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Oil and Grease, Recoverable

Total
mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	43.2	NS	3.25	9.05	109	5.77
ASH	5.94	NS	2.50	9.20	5.93	4.50
DOBSON	124	NS	NC	17.4	223	9.13
DORSEY	5.87	NS	5.00	6.43	5.90	4.00
PEORIA	2.93	NS	3.20	2.00	3.00	3.33
INDUSTRIAL	52.1	3.76	4.00	51.1	122	9.53
27THAVE	3.93	2.75	2.00	4.67	1.50	5.80
35THAVE	67.4	5.00	NS	NS	148	13.8
48THSTREET	5.00	3.50	3.50	2.00	5.00	9.00
FALCON	111	5.00	7.00	98.2	160	5.03
S40THSTREET	63.4	3.50	NS	NS	241	16.1
SKYHARBOR	41.9	4.00	NS	NS	128	5.45
RESIDENTIAL	97.7	4.38	13.5	22.3	224	7.35
GRANDVIEW	98.4	NS	5.00	11.9	236	10.42
INDIANBEND	108	4.00	NS	NS	211	6.57
KIWANIS	11.9	NS	NC	13.9	5.80	NS
LINDSAY	590	NS	NC	7.05	823	NC
OLIVE	2.86	NS	NS	2.50	3.00	3.00
SIXTH	33.2	NC	22.0	55.1	34.0	7.36
YOUNGTOWN	4.60	4.60	NS	NS	NS	NS
IN-STREAM	7.33	NC	NC	6.50	9.00	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	6.50	NS	NS	6.50	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	9.00	NS	NC	NS	9.00	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Organic Carbon

Total
mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	51.1	NS	43.8	57.0	53.3	52.3
ASH	NC	NS	NC	NC	NC	NC
DOBSON	46.8	NS	NC	NC	NC	46.8
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	52.5	NS	43.8	57.0	53.3	59.3
INDUSTRIAL	84.6	144	49.8	30.7	50.5	78.7
27THAVE	126	257	21.0	30.7	49.2	102
35THAVE	56.2	NC	NS	NS	NC	56.2
48THSTREET	50.8	31.2	59.3	NC	51.2	81.0
FALCON	89.4	NC	NC	NC	NC	89.4
S40THSTREET	54.0	NC	NS	NS	NC	54.0
SKYHARBOR	38.1	NC	NS	NS	NC	38.1
RESIDENTIAL	35.7	35.7	NC	32.0	46.9	33.0
GRANDVIEW	20.5	NS	NC	NC	NC	20.5
INDIANBEND	32.3	NC	NS	NS	NC	32.3
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	29.8	NS	NC	NC	NC	29.8
OLIVE	40.2	NS	NS	32.0	46.9	36.0
SIXTH	55.5	NC	NC	NC	NC	55.5
YOUNGTOWN	35.7	35.7	NS	NS	NS	NS
IN-STREAM	12.9	7.20	7.95	33.0	11.6	9.73
24THBRIDGE	7.20	7.20	NS	NS	NS	NS
51STBRIDGE	7.60	NS	NS	NS	7.60	NS
ACDC51ST	38.0	NS	NS	38.0	NS	NS
ALMABRIDGE	7.13	NS	NS	NS	7.13	NS
IBWCURRY	13.9	NS	NS	23.0	14.4	9.73
PRIEST	10.4	NS	8.0	NS	13.6	NS
UNDEVELOPED	114	114	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Alkalinity, Field

Total
mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	17.7	NS	20.6	16.5	17.5	15.0
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	17.7	NS	20.6	16.5	17.5	15.0
INDUSTRIAL	96.9	85.4	62.3	60.5	79.5	144
27THAVE	159	156	104	86.0	159	189
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	38.3	26.5	41.5	35.0	32.0	64.0
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	31.0	44.0	NC	24.0	19.2	29.8
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	23.9	NS	NS	24.0	19.2	30
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	44.0	44	NS	NS	NS	NS
IN-STREAM	116	131	114	0.00	132	135
24THBRIDGE	131	131	NS	NS	NS	NS
51STBRIDGE	145	NS	NS	NS	145	NS
ACDC51ST	0.00	NS	NS	0.00	NS	NS
ALMABRIDGE	137	NS	NS	NS	137	NS
IBWCURRY	123	NS	NS	NC	116	135
PRIEST	137	NS	114	NS	152	NS
UNDEVELOPED	33.0	33.0	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Alkalinity, Lab

Total
mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	23.1	NS	19.0	15.3	25.3	26.1
ASH	NC	NS	NC	NC	NC	NC
DOBSON	28.8	NS	NC	NC	NC	28.8
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	20.3	NS	19.0	15.3	25.3	20.8
INDUSTRIAL	57.9	50.7	95.0	46.3	70.0	57.3
27THAVE	81.3	68.8	95.0	58.0	113.0	83.1
35THAVE	66.0	NC	NS	NS	NC	66.0
48THSTREET	43.8	32.5	NC	23.0	44.2	72.7
FALCON	34.8	NC	NC	NC	NC	34.8
S40THSTREET	49.3	NC	NS	NS	NC	49.3
SKYHARBOR	31.2	NC	NS	NS	NC	31.2
RESIDENTIAL	39.1	44.3	NC	38.3	27.0	40.5
GRANDVIEW	25.3	NS	NC	NC	NC	25.3
INDIANBEND	58.0	NC	NS	NS	NC	58.0
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	37.9	NS	NC	NC	NC	37.9
OLIVE	31.5	NS	NS	31.5	27.0	37.3
SIXTH	46.0	NC	NC	52.0	NC	44.8
YOUNGTOWN	44.3	44.3	NS	NS	NS	NS
IN-STREAM	119	77.0	107	79.0	125	145
24THBRIDGE	77.0	77.0	NS	NS	NS	NS
51STBRIDGE	140	NS	NS	NS	140	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	134	NS	NS	NS	134	NS
IBWCURRY	116	NS	NS	79.0	108	145
PRIEST	123	NS	107	NS	138	NS
UNDEVELOPED	39.0	39.0	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Silica

Dissolved

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	1.30	NS	1.28	1.40	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	1.30	NS	1.28	1.40	NC	NC
INDUSTRIAL	2.85	2.78	2.53	3.53	NC	NC
27THAVE	3.72	3.90	3.40	3.53	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	1.98	1.85	2.23	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	2.51	2.57	NC	2.35	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	2.35	NS	NS	2.35	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	2.57	2.57	NS	NS	NS	NS
IN-STREAM	10.5	16.0	13.3	3.17	NC	NC
24THBRIDGE	16.0	16.0	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	2.55	NS	NS	2.55	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	4.40	NS	NS	4.40	NC	NC
PRIEST	13.3	NS	13.3	NS	NC	NS
UNDEVELOPED	2.00	2.00	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Antimony (Sb)

Total
ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	6.00	NS	6.00	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	6.00	NS	6.00	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	9.00	NC	NC	NC	NC	9.00
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	9.00	NC	NS	NS	NC	9.00
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Arsenic (As)

Total

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	5.38	NS	3.78	7.21	3.90	2.89
ASH	3.84	NS	4.33	4.00	3.33	3.00
DOBSON	5.00	NS	NC	NC	NC	5.00
DORSEY	8.17	NS	9.00	9.75	5.33	2.33
PEORIA	2.69	NS	2.40	2.00	3.25	2.67
INDUSTRIAL	10.8	7.58	11.0	5.33	11.2	15.8
27THAVE	14.3	11.0	11.0	7.00	11.3	20.9
35THAVE	26.8	20.5	NS	NS	50.0	21.5
48THSTREET	4.33	3.67	NC	2.00	3.40	8.00
FALCON	6.00	NC	NC	NC	NC	6.00
S40THSTREET	6.75	4.50	NS	NS	NC	9.00
SKYHARBOR	2.00	2.00	NS	NS	NC	NC
RESIDENTIAL	4.50	4.30	5.50	4.25	4.63	5.33
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	3.60	3.00	NS	NS	NC	6.00
KIWANIS	4.93	NS	5.50	4.45	7.25	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	2.80	NS	NS	2.00	2.00	4.00
SIXTH	10.0	NC	NC	NC	NC	10.0
YOUNGTOWN	5.17	5.17	NS	NS	NS	NS
IN-STREAM	10.1	7.00	8.00	7.00	11.8	7.00
24THBRIDGE	7.00	7.00	NS	NS	NS	NS
51STBRIDGE	12.3	NS	NS	NS	12.3	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	10.3	NS	NS	NS	10.3	NS
IBWCURRY	9.45	NS	NS	7.00	10.9	7.00
PRIEST	11.0	NS	8.00	NS	15.0	NS
UNDEVELOPED	5.50	5.50	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Arsenic (As)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	3.13	NS	NC	3.40	3.33	2.57
ASH	2.10	NS	NC	2.60	2.00	1.00
DOBSON	5.50	NS	NC	NC	NC	5.50
DORSEY	3.64	NS	NC	4.20	4.67	1.67
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	13.6	NC	NC	NC	13.6	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	7.00	NC	NS	NS	7.00	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	18.0	NC	NC	NC	18.0	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	3.31	NC	NC	2.73	4.50	5.00
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	11.0	NC	NS	NS	11.0	NC
KIWANIS	2.38	NS	NC	2.40	2.33	NS
LINDSAY	5.50	NS	NC	6.00	NC	5.00
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Barium (Ba)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	11.0	NS	10.0	16.0	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	11.0	NS	10.0	16.0	NC	NC
INDUSTRIAL	24.2	24.6	24.5	22.0	NC	NC
27THAVE	22.4	24.2	15.0	22.0	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	25.9	25.0	27.7	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	12.0	12.0	NC	12.0	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	12.0	NS	NS	12.0	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	12.0	12.0	NS	NS	NS	NS
IN-STREAM	29.6	44.0	35.3	17.3	NC	NC
24THBRIDGE	44.0	44.0	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	18.0	NS	NS	18.0	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	16.0	NS	NS	16.0	NC	NC
PRIEST	35.3	NS	35.3	NS	NC	NS
UNDEVELOPED	11.0	11.0	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Beryllium (Be)

Total
ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.31	NS	0.35	0.28	0.33	0.30
ASH	0.34	NS	0.30	0.33	0.40	0.30
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	0.25	NS	0.40	0.20	0.20	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	0.30	0.30	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	0.30	0.30	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	1.26	0.43	NC	0.46	0.60	4.67
GRANDVIEW	7.00	NS	NC	NC	NC	7.00
INDIANBEND	1.58	0.43	NS	NS	NC	5.00
KIWANIS	0.49	NS	NC	0.46	0.60	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	2.00	NC	NC	NC	NC	2.00
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Beryllium (Be)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.90	NS	0.70	NC	0.20	2.00
ASH	0.20	NS	NC	NC	0.20	NC
DOBSON	2.00	NS	NC	NC	NC	2.00
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	0.70	NS	0.70	NC	NC	NC
INDUSTRIAL	1.98	0.77	NC	0.60	NC	7.00
27THAVE	0.60	0.60	NC	0.60	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	0.85	0.85	NC	NC	NC	NC
FALCON	7.00	NC	NC	NC	NC	7.00
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	2.40	0.80	NC	NC	NC	4.00
GRANDVIEW	4.00	NS	NC	NC	NC	4.00
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	0.80	0.80	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Cadmium (Cd)

Total
ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	1.24	NS	1.35	0.90	2.26	1.60
ASH	1.45	NS	1.10	1.00	2.84	0.50
DOBSON	4.00	NS	NC	NC	NC	4.00
DORSEY	0.93	NS	2.10	0.83	0.60	1.17
PEORIA	1.00	NS	NC	NC	1.00	NC
INDUSTRIAL	3.04	2.25	NC	2.00	2.67	3.92
27THAVE	3.06	2.67	NC	2.00	3.00	3.57
35THAVE	4.00	NC	NS	NS	4.00	NC
48THSTREET	1.89	1.00	NC	2.00	2.00	2.33
FALCON	8.00	NC	NC	NC	NC	8.00
S40THSTREET	7.00	NC	NS	NS	NC	7.00
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	1.56	1.00	0.90	1.11	1.40	3.29
GRANDVIEW	4.00	NS	NC	NC	NC	4.00
INDIANBEND	6.00	NC	NS	NS	NC	6.00
KIWANIS	1.10	NS	0.90	1.11	1.20	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	1.25	NS	NS	NC	2.00	1.00
SIXTH	6.00	NC	NC	NC	NC	6.00
YOUNGTOWN	1.00	1.00	NS	NS	NS	NS
IN-STREAM	3.00	NC	NC	NC	3.00	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	3.00	NS	NS	NC	3.00	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	2.00	2.00	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Cadmium (Cd)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.68	NS	3.00	0.50	0.57	0.68
ASH	0.37	NS	NC	0.33	0.70	0.30
DOBSON	0.73	NS	NC	0.73	0.70	NC
DORSEY	0.63	NS	NC	0.50	0.30	1.05
PEORIA	3.00	NS	3.00	NC	NC	NC
INDUSTRIAL	1.63	0.83	1.50	2.06	0.95	7.50
27THAVE	1.67	NC	2.00	1.50	NC	NC
35THAVE	0.60	0.60	NS	NS	0.60	NC
48THSTREET	1.00	NC	1.00	NC	NC	NC
FALCON	2.16	NC	NC	2.25	1.14	7.50
S40THSTREET	1.10	1.10	NS	NS	NC	NC
SKYHARBOR	0.55	0.73	NS	NS	0.28	NC
RESIDENTIAL	2.09	1.40	NC	0.58	10.3	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	1.40	1.40	NS	NS	NC	NC
KIWANIS	0.46	NS	NC	0.46	NC	NS
LINDSAY	5.50	NS	NC	0.67	20.0	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	0.70	NC	NC	0.90	0.50	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Calcium (Ca)

Dissolved

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	8.78	NS	8.08	7.60	9.55	9.78
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	8.78	NS	8.08	7.60	9.55	9.78
INDUSTRIAL	16.0	13.5	15.7	13.7	17.5	18.7
27THAVE	18.5	17.0	12.0	16.0	25.0	18.9
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	13.2	10.1	17.0	6.90	13.0	18.3
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	10.5	10.4	NC	9.10	12.5	8.98
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	10.6	NS	NS	9.35	12.5	8.98
SIXTH	8.60	NC	NC	8.60	NC	NC
YOUNGTOWN	10.4	10.4	NS	NS	NS	NS
IN-STREAM	31.2	36.0	34.0	11.2	31.9	40.3
24THBRIDGE	36.0	36.0	NS	NS	NS	NS
51STBRIDGE	36.0	NS	NS	NS	36.0	NS
ACDC51ST	12.5	NS	NS	12.5	NS	NS
ALMABRIDGE	36.3	NS	NS	NS	36.3	NS
IBWCURRY	28.1	NS	NS	8.50	25.7	40.3
PRIEST	35.7	NS	34.0	NS	38.0	NS
UNDEVELOPED	11.0	11.0	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Chromium (Cr)

Total

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	5.42	NS	7.56	4.62	5.21	5.78
ASH	6.45	NS	5.67	6.00	6.57	9.00
DOBSON	6.55	NS	NC	NC	NC	6.55
DORSEY	4.68	NS	19.0	4.33	2.33	4.00
PEORIA	4.88	NS	6.40	2.33	5.00	4.75
INDUSTRIAL	48.9	12.7	34.0	340	32.9	26.9
27THAVE	29.4	28.7	34.0	15.0	23.7	36.0
35THAVE	60.6	4.00	NS	NS	126	55.0
48THSTREET	12.8	7.00	NC	9.00	15.4	21.3
FALCON	195	NC	NC	830	12.0	14.1
S40THSTREET	14.2	4.50	NS	NS	26.0	15.8
SKYHARBOR	7.20	3.67	NS	NS	11.0	14.0
RESIDENTIAL	22.3	7.89	20.7	42.1	9.10	10.3
GRANDVIEW	102	NS	52.0	250	NC	4.00
INDIANBEND	9.10	7.75	NS	NS	13.0	9.48
KIWANIS	7.13	NS	5.00	6.65	10.3	NS
LINDSAY	60.8	NS	NC	220	NC	7.67
OLIVE	9.09	NS	NS	7.00	7.40	12.3
SIXTH	120	NC	NC	330	NC	15.0
YOUNGTOWN	8.00	8.00	NS	NS	NS	NS
IN-STREAM	8.32	13.0	9.25	13.0	8.40	2.00
24THBRIDGE	13.0	13.0	NS	NS	NS	NS
51STBRIDGE	6.67	NS	NS	NS	6.67	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	5.67	NS	NS	NS	5.67	NS
IBWCURRY	6.91	NS	NS	13.0	8.14	2.00
PRIEST	11.5	NS	9.25	NS	16.0	NS
UNDEVELOPED	67.0	67.0	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Chromium (Cr)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	3.55	NS	NC	2.40	1.33	5.31
ASH	2.60	NS	NC	3.00	1.00	4.00
DOBSON	11.6	NS	NC	NC	NC	11.6
DORSEY	2.13	NS	NC	2.25	2.00	2.00
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	7.27	NC	NC	7.67	5.57	8.34
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	4.13	NC	NS	NS	2.00	5.20
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	8.14	NC	NC	7.67	6.17	10.8
S40THSTREET	5.50	NC	NS	NS	NC	5.50
SKYHARBOR	8.00	NC	NS	NS	NC	8.00
RESIDENTIAL	3.92	NC	NC	3.57	4.67	4.00
GRANDVIEW	2.00	NS	NC	NC	NC	2.00
INDIANBEND	5.00	NC	NS	NS	5.00	NC
KIWANIS	2.67	NS	NC	1.75	4.50	NS
LINDSAY	6.00	NS	NC	6.00	NC	6.00
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	6.00	NC	NC	6.00	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Cobalt (Co)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	5.00	NC	5.00	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	5.00	NC	5.00	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Copper (Cu)

Total

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	33.4	NS	39.6	36.2	26.5	28.9
ASH	46.4	NS	87.3	41.5	37.5	29.0
DOBSON	48.9	NS	NC	65.0	NC	43.5
DORSEY	28.4	NS	25.0	33.4	19.7	11.3
PEORIA	16.8	NS	13.8	12.0	20.8	20.3
INDUSTRIAL	96.8	91.9	100	67.0	89.3	113
27THAVE	116	153	100	54.5	51.3	144
35THAVE	158	NC	NS	NS	171	142
48THSTREET	74.6	43.4	NC	90.0	71.6	127
FALCON	49.1	NC	NC	67.5	45.7	35.8
S40THSTREET	149	NC	NS	NS	155	147
SKYHARBOR	66.2	NC	NS	NS	93.0	48.3
RESIDENTIAL	57.6	18.0	60.5	80.1	49.1	34.3
GRANDVIEW	252	NS	NC	455	70.0	28.0
INDIANBEND	52.1	NC	NS	NS	69.7	39.0
KIWANIS	55.2	NS	60.5	53.6	61.5	NS
LINDSAY	34.9	NS	NC	60.0	44.0	19.5
OLIVE	25.7	NS	NS	17.5	26.0	29.5
SIXTH	57.5	NC	NC	60.0	50.0	67.5
YOUNGTOWN	18.0	18.0	NS	NS	NS	NS
IN-STREAM	28.8	151	11.8	19.0	23.3	3.0
24THBRIDGE	151	151	NS	NS	NS	NS
51STBRIDGE	13.7	NS	NS	NS	13.7	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	17.7	NS	NS	NS	17.7	NS
IBWCURRY	20.0	NS	NS	19.0	27.4	3.0
PRIEST	19.1	NS	11.8	NS	29.0	NS
UNDEVELOPED	119	119	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Copper (Cu)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	18.8	NS	10.0	17.3	13.7	28.0
ASH	14.8	NS	NC	17.2	10.7	15.0
DOBSON	48.7	NS	NC	NC	NC	48.7
DORSEY	16.4	NS	NC	18.8	16.7	10.0
PEORIA	10.0	NS	10.0	10.0	NC	NC
INDUSTRIAL	38.1	49.4	45.0	16.7	13.8	38.3
27THAVE	16.3	16.0	NC	16.7	NC	NC
35THAVE	78.8	190	NS	NS	9.50	37.0
48THSTREET	26.0	13.3	45.0	NC	NC	NC
FALCON	24.0	NC	NC	NC	5.00	30.3
S40THSTREET	47.5	60.0	NS	NS	20.0	50.0
SKYHARBOR	39.4	40.3	NS	NS	25.0	43.3
RESIDENTIAL	22.5	31.5	NC	26.9	8.00	20.8
GRANDVIEW	18.0	NS	NC	NC	NC	18.0
INDIANBEND	25.0	31.5	NS	NS	3.00	21.0
KIWANIS	20.1	NS	NC	22.1	11.0	NS
LINDSAY	30.3	NS	NC	70.0	5.0	16.0
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	19.7	NC	NC	NC	10.0	24.5
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	10.0	NC	NC	10.0	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	10.0	NS	NS	10.0	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Iron (Fe)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	94.2	NS	71.0	210	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	94.2	NS	71.0	210.00	NC	NC
INDUSTRIAL	75.4	61.4	142	38.3	NC	NC
27THAVE	77.6	82.6	170	38.3	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	73.2	43.7	132	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	37.5	36.5	NC	40.5	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	40.5	NS	NS	40.5	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	36.5	36.5	NS	NS	NS	NS
IN-STREAM	68.1	4.00	45.7	112	NC	NC
24THBRIDGE	4.00	4.00	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	83.0	NS	NS	83.0	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	170	NS	NS	170	NC	NC
PRIEST	45.7	NS	45.7	NS	NC	NS
UNDEVELOPED	11.0	11.0	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Lead

Total

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	21.5	NS	30.4	24.4	16.2	18.1
ASH	28.0	NS	47.3	26.1	23.2	33.0
DOBSON	28.3	NS	29.5	80.0	NC	21.6
DORSEY	19.4	NS	76.0	23.1	11.4	7.67
PEORIA	10.4	NS	11.4	6.67	10.5	11.8
INDUSTRIAL	110	104	110	90.8	93.5	129
27THAVE	256	278	170	111	221	307
35THAVE	96.9	16.0	NS	NS	100	147
48THSTREET	37.3	23.2	NC	33.0	40.2	62.0
FALCON	42.2	NC	50.0	100	10.0	24.0
S40THSTREET	68.3	40.5	NS	NS	120	69.3
SKYHARBOR	16.4	15.7	NS	NS	10.0	19.3
RESIDENTIAL	33.2	36.3	17.3	34.4	42.1	24.3
GRANDVIEW	34.3	NS	NC	70.0	NC	16.5
INDIANBEND	28.8	33.8	NS	NS	40.0	22.6
KIWANIS	32.8	NS	15.5	26.0	53.3	NS
LINDSAY	46.3	NS	NC	190	NC	10.4
OLIVE	28.9	NS	NS	23.0	28.8	32.0
SIXTH	33.6	NC	21.0	50.0	10.0	40.3
YOUNGTOWN	38.0	38.0	NS	NS	NS	NS
IN-STREAM	23.0	27.0	10.7	27.0	24.9	NC
24THBRIDGE	27.0	27.0	NS	NS	NS	NS
51STBRIDGE	7.33	NS	NS	NS	7.33	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	8.67	NS	NS	NS	8.67	NS
IBWCURRY	38.1	NS	NS	27.0	39.7	NC
PRIEST	15.8	NS	10.7	NS	23.5	NS
UNDEVELOPED	80.0	80.0	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Lead

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	5.54	NS	NC	4.20	6.44	6.29
ASH	5.73	NS	NC	4.40	8.50	3.50
DOBSON	8.67	NS	NC	5.00	6.50	11.3
DORSEY	3.22	NS	NC	3.75	3.67	1.50
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	16.7	10.0	NC	13.0	14.3	20.7
27THAVE	10.0	10.0	NC	NC	NC	NC
35THAVE	16.8	NC	NS	NS	11.3	28.0
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	18.0	NC	NC	13.0	16.0	24.3
S40THSTREET	22.5	NC	NS	NS	NC	22.5
SKYHARBOR	6.25	NC	NS	NS	NC	6.25
RESIDENTIAL	7.74	10.0	NC	4.33	12.0	6.60
GRANDVIEW	8.50	NS	NC	NC	10.0	7.00
INDIANBEND	5.00	NC	NS	NS	NC	5.00
KIWANIS	4.00	NS	NC	4.00	4.00	NS
LINDSAY	10.3	NS	NC	7.00	19.0	5.00
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	16.8	NC	NC	NC	25.5	8.00
YOUNGTOWN	10.0	10.0	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Lithium (Li)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	7.80	6.78	11.3	7.33	NC	NC
27THAVE	7.00	7.20	5.00	7.33	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	9.00	6.25	14.5	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	36.0	55.0	37.8	10.0	NC	NC
24THBRIDGE	55.0	55.0	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	10.0	NS	NS	10.0	NC	NC
PRIEST	37.8	NS	37.8	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Magnesium (Mg)

Dissolved

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	1.42	NS	0.97	1.10	1.95	1.70
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	1.42	NS	0.97	1.10	1.95	1.70
INDUSTRIAL	3.06	1.65	2.13	1.93	5.93	3.27
27THAVE	3.59	2.07	1.60	2.17	11.07	2.59
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	2.46	1.23	2.31	1.20	2.84	4.87
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	1.17	0.96	NC	1.05	1.49	1.17
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	1.31	NS	NS	1.15	1.49	1.17
SIXTH	0.85	NC	NC	0.85	NC	NC
YOUNGTOWN	0.96	0.96	NS	NS	NS	NS
IN-STREAM	14.4	11.0	12.2	2.43	14.2	32.3
24THBRIDGE	11.0	11.0	NS	NS	NS	NS
51STBRIDGE	15.7	NS	NS	NS	15.7	NS
ACDC51ST	1.90	NS	NS	1.90	NS	NS
ALMABRIDGE	14.7	NS	NS	NS	14.7	NS
IBWCURRY	17.3	NS	NS	3.50	12.8	32.3
PRIEST	13.6	NS	12.2	NS	15.4	NS
UNDEVELOPED	0.85	0.85	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Manganese (Mn)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	95.3	NS	82.4	160	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	95.3	NS	82.4	160	NC	NC
INDUSTRIAL	35.9	27.0	74.3	17.7	NC	NC
27THAVE	18.2	19.6	13.0	17.7	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	53.7	33.2	94.7	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	28.5	29.7	NC	25.0	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	25.0	NS	NS	25.0	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	29.7	29.7	NS	NS	NS	NS
IN-STREAM	8.29	NC	2.25	16.3	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	19.5	NS	NS	19.5	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	10.0	NS	NS	10.0	NC	NC
PRIEST	2.25	NS	2.25	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Mercury (Hg)

Total
ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.18	NS	NC	0.10	0.20	0.20
ASH	NC	NS	NC	NC	NC	NC
DOBSON	0.15	NS	NC	0.10	NC	0.20
DORSEY	0.20	NS	NC	NC	0.20	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	0.21	0.13	NC	0.10	0.40	0.20
27THAVE	0.13	0.20	NC	0.10	0.10	NC
35THAVE	1.00	NC	NS	NS	1.00	NC
48THSTREET	0.10	0.10	NC	0.10	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	0.20	NC	NS	NS	NC	0.20
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	0.15	NC	NC	NC	0.15	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	0.20	NS	NC	NC	0.20	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	0.10	NS	NS	NC	0.10	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	0.23	NC	NC	NC	0.23	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	0.10	NS	NS	NS	0.10	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	0.30	NS	NC	NS	0.30	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Mercury (Hg)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	0.20	NC	NC	NC	NC	0.20
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	0.20	NS	NC	NC	NC	0.20
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Molybdenum (Mo)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	10.0	NS	10.0	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	10.0	NS	10.0	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	10.0	NC	10.0	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	10.0	NS	10.0	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Nickel (Ni)

Total

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	18.6	NS	16.7	15.0	10.9	41.0
ASH	24.7	NS	28.3	14.9	12.3	77.0
DOBSON	20.0	NS	NC	NC	NC	20.0
DORSEY	21.1	NS	12.0	17.2	10.7	111
PEORIA	9.56	NS	10.6	5.67	10.0	10.8
INDUSTRIAL	40.2	32.3	68.0	18.0	27.4	56.3
27THAVE	55.4	56.2	68.0	22.0	44.7	67.1
35THAVE	30.0	NC	NS	NS	NC	30.0
48THSTREET	18.7	14.3	NC	10.0	17.0	33.0
FALCON	77.3	NC	NC	NC	NC	77.3
S40THSTREET	48.0	46.0	NS	NS	NC	50.0
SKYHARBOR	12.0	8.00	NS	NS	NC	20.0
RESIDENTIAL	21.1	15.1	46.7	21.2	13.6	25.0
GRANDVIEW	60.0	NS	60.0	NC	NC	NC
INDIANBEND	20.8	17.0	NS	NS	NC	32.0
KIWANIS	23.5	NS	40.0	22.4	20.7	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	11.4	NS	NS	9.00	8.25	15.8
SIXTH	40.0	NC	NC	NC	NC	40.0
YOUNGTOWN	14.2	14.2	NS	NS	NS	NS
IN-STREAM	14.8	25.5	9.25	12.0	16.7	1.5
24THBRIDGE	25.5	25.5	NS	NS	NS	NS
51STBRIDGE	13.7	NS	NS	NS	13.7	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	13.7	NS	NS	NS	13.7	NS
IBWCURRY	9.20	NS	NS	12.0	11.0	1.5
PRIEST	21.5	NS	9.25	NS	46.0	NS
UNDEVELOPED	56.0	56.0	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Nickel (Ni)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	20.3	NS	10.0	13.6	7.33	61.0
ASH	26.3	NS	NC	12.3	6.67	76.5
DOBSON	30.0	NS	NC	NC	NC	30.0
DORSEY	11.0	NS	NC	15.5	8.00	NC
PEORIA	10.0	NS	10.0	NC	NC	NC
INDUSTRIAL	56.0	NC	20.0	NC	NC	68.0
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	20.0	NC	20.0	NC	NC	NC
FALCON	68.0	NC	NC	NC	NC	68.0
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	15.6	NC	NC	18.0	8.00	22.0
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	15.0	NS	NC	18.0	8.00	NS
LINDSAY	22.0	NS	NC	NC	NC	22.0
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Potassium (K)

Dissolved

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	1.43	NS	1.10	1.33	1.73	1.60
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	1.43	NS	1.10	1.33	1.73	1.60
INDUSTRIAL	3.90	3.32	2.90	3.10	3.66	5.12
27THAVE	4.53	4.60	2.90	3.95	3.97	5.10
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	3.10	2.03	NC	1.40	3.48	5.17
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	2.32	1.48	NC	2.30	3.48	2.15
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	2.80	NS	NS	2.40	3.48	2.15
SIXTH	2.10	NC	NC	2.10	NC	NC
YOUNGTOWN	1.48	1.48	NS	NS	NS	NS
IN-STREAM	3.63	3.20	2.60	2.20	3.65	5.33
24THBRIDGE	3.20	3.20	NS	NS	NS	NS
51STBRIDGE	4.00	NS	NS	NS	4.00	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	2.83	NS	NS	NS	2.83	NS
IBWCURRY	4.12	NS	NS	2.20	3.87	5.33
PRIEST	3.10	NS	2.60	NS	3.60	NS
UNDEVELOPED	4.30	4.30	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Selenium (Se)

Total
ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	38.5	NS	76.0	1.00	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	76.0	NS	76.0	NC	NC	NC
PEORIA	1.00	NS	NC	1.00	NC	NC
INDUSTRIAL	1.00	1.00	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	1.00	1.00	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	2.00	2.00	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	2.00	2.00	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Silver (Ag)

Total
ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	5.86	NS	0.48	0.63	64.0	NC
ASH	0.36	NS	0.37	0.35	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	9.79	NS	0.80	0.74	64.0	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	0.77	0.65	NC	NC	NC	1.00
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	0.30	0.30	NS	NS	NC	NC
48THSTREET	1.00	NC	NC	NC	NC	1.00
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	1.00	1.00	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	4.14	NC	28.4	0.67	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	4.14	NS	28.4	0.67	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	3.00	3.00	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Silver (Ag)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.25	NS	NC	0.30	0.20	NC
ASH	0.20	NS	NC	NC	0.20	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	0.30	NS	NC	0.30	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	3.00	NC	3.00	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	3.00	NC	3.00	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	0.77	1.00	NC	0.30	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	0.30	NS	NC	0.30	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	1.00	1.00	NS	NS	NS	NS
IN-STREAM	2.50	NC	2.00	3.00	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	3.00	NS	NS	3.00	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	2.00	NS	2.00	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Sodium (Na)

Dissolved

mg/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	5.36	NS	4.46	4.73	6.53	5.78
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	5.36	NS	4.46	4.73	6.53	5.78
INDUSTRIAL	15.1	8.31	8.28	9.45	26.0	19.5
27THAVE	15.6	10.6	7.50	11.1	38.3	13.4
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	14.5	6.05	8.53	4.50	18.6	33.7
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	4.59	2.83	NC	4.87	6.70	4.38
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	5.59	NS	NS	5.25	6.70	4.38
SIXTH	4.10	NC	NC	4.10	NC	NC
YOUNGTOWN	2.83	2.83	NS	NS	NS	NS
IN-STREAM	57.2	58.0	59.0	8.63	53.4	123
24THBRIDGE	58.0	58.0	NS	NS	NS	NS
51STBRIDGE	63.0	NS	NS	NS	63.0	NS
ACDC51ST	6.95	NS	NS	6.95	NS	NS
ALMABRIDGE	49.7	NS	NS	NS	49.7	NS
IBWCURRY	67.0	NS	NS	12.0	50.7	123
PRIEST	56.7	NS	59.0	NS	53.7	NS
UNDEVELOPED	0.90	0.90	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Strontium (Sr)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	53.8	NS	48.0	83.0	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	53.8	NS	48.0	83.0	NC	NC
INDUSTRIAL	110	111	92.8	126	NC	NC
27THAVE	138	156	82.0	126	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	81.2	73.7	96.3	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	52.0	51.5	NC	53.5	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	53.5	NS	NS	53.5	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	51.5	51.5	NS	NS	NS	NS
IN-STREAM	261	310	355	120	NC	NC
24THBRIDGE	310	310	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	125	NS	NS	125	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	110	NS	NS	110	NC	NC
PRIEST	355	NS	355	NS	NC	NS
UNDEVELOPED	50.0	50.0	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Thallium (Tl)

Total
ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	2.00	NC	NC	2.00	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	2.00	NS	NC	2.00	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated
NS - No samples taken during the Water Year

Vanadium (V)

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	10.0	NS	10.0	10.0	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	10.0	NS	10.0	10.0	NC	NC
INDUSTRIAL	8.71	7.40	15.0	9.00	NC	NC
27THAVE	8.00	7.75	NC	9.00	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	10.5	6.00	15.0	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	8.00	8.00	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	8.00	8.00	NS	NS	NS	NS
IN-STREAM	7.00	NC	7.00	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	7.00	NS	7.00	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Zinc

Total

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	210	NS	229	218	180	237
ASH	284	NS	469	276	249	227
DOBSON	209	NS	147	220	148	288
DORSEY	155	NS	155	185	125	92.0
PEORIA	194	NS	148	173	213	248
INDUSTRIAL	364	250	197	257	361	488
27THAVE	612	513	340	260	615	834
35THAVE	502	80.0	NS	NS	590	603
48THSTREET	349	162	NC	140	422	670
FALCON	224	NC	125	273	161	294
S40THSTREET	348	156	NS	NS	680	358
SKYHARBOR	148	77	NS	NS	90.0	203
RESIDENTIAL	188	136	191	199	198	177
GRANDVIEW	118	NS	NC	134	100	120
INDIANBEND	250	154	NS	NS	445	183
KIWANIS	233	NS	269	241	206	NS
LINDSAY	122	NS	135	91.4	174	95.0
OLIVE	239	NS	NS	155	238	283
SIXTH	188	NC	177	228	76.0	244
YOUNGTOWN	123	123	NS	NS	NS	NS
IN-STREAM	80.0	120	50.0	120	76.4	NC
24THBRIDGE	120	120	NS	NS	NS	NS
51STBRIDGE	30.0	NS	NS	NS	30.0	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	35.0	NS	NS	NS	35.0	NS
IBWCURRY	109	NS	NS	120	107	NC
PRIEST	70.0	NS	50.0	NS	80.0	NS
UNDEVELOPED	225	225	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Zinc

Dissolved

ug/L

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	125	NS	61.4	123	110	166
ASH	143	NS	NC	147	152	116
DOBSON	159	NS	NC	73.3	120	205
DORSEY	88.6	NS	NC	100	76.2	94.3
PEORIA	94.5	NS	61	260	NC	NC
INDUSTRIAL	122	18	204	111	91.6	217
27THAVE	6.00	6.00	NC	6.00	NC	NC
35THAVE	98.1	NC	NS	NS	105	74.5
48THSTREET	85.1	25.5	204	NC	NC	NC
FALCON	186	NC	NC	163	80.8	382
S40THSTREET	157	NC	NS	NS	NC	157
SKYHARBOR	130	NC	NS	NS	89.0	146
RESIDENTIAL	77.1	12	150	99	79.4	66.8
GRANDVIEW	85.3	NS	NC	NC	NC	85.3
INDIANBEND	70.0	NC	NS	NS	230	30.0
KIWANIS	90.2	NS	NC	107	49.0	NS
LINDSAY	76.7	NS	NC	95.0	59.0	69.2
OLIVE	35.0	NS	NS	35.0	NC	NC
SIXTH	100	NC	150	112	83	86.5
YOUNGTOWN	12.2	12.2	NS	NS	NS	NS
IN-STREAM	21.7	NC	NC	21.7	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	29.5	NS	NS	29.5	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	6.00	NS	NS	6.00	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Diazinon

Total

ug/L

EPA 614: Organophosphorus Pesticides

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.12	NS	NC	0.12	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	0.12	NS	NC	0.12	NC	NC
INDUSTRIAL	0.17	NC	0.05	0.34	NC	NC
27THAVE	0.34	NC	NC	0.34	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	0.05	NC	0.05	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	0.41	NC	NC	0.41	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	0.56	NS	NS	0.56	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	0.12	NS	NS	0.12	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Malathion

Total

ug/L

EPA 614: Organophosphorus Pesticides

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.04	NS	NC	0.04	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	0.04	NS	NC	0.04	NC	NC
INDUSTRIAL	0.07	NC	0.09	0.06	NC	NC
27THAVE	0.06	NC	NC	0.06	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	0.09	NC	0.09	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	0.77	NC	NC	0.77	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	0.97	NS	NS	0.97	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	0.37	NS	NS	0.37	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Methyl Parathion

Total

ug/L

EPA 614: Organophosphorus Pesticides

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	0.04	NC	0.04	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	0.04	NC	0.04	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Di - syston

Total

ug/L

EPA 614: Organophosphorus Pesticides

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	0.01	NC	0.01	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	0.01	NC	0.01	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Phorate

Total

ug/L

EPA 614: Organophosphorus Pesticides

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	0.02	NC	NC	0.02	NC	NC
27THAVE	0.02	NC	NC	0.02	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Chlorpyrifos

Total

ug/L

EPA 614: Organophosphorus Pesticides

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.01	NS	NC	0.01	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	0.01	NS	NC	0.01	NC	NC
INDUSTRIAL	0.01	NC	0.01	0.01	NC	NC
27THAVE	0.01	NC	NC	0.01	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	0.01	NC	0.01	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	0.08	NC	NC	0.08	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	0.06	NS	NS	0.06	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	0.13	NS	NS	0.13	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

DEF

Total

ug/L

EPA 614: Organophosphorus Pesticides

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.03	NS	NC	0.03	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	0.03	NS	NC	0.03	NC	NC
INDUSTRIAL	0.08	NC	NC	0.08	NC	NC
27THAVE	0.08	NC	NC	0.08	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Aldrin

Total

ug/L

EPA 608: Organochlorine Pesticides and PCBs

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	21.0	NS	NC	21.0	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	21.0	NS	NC	21.0	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	15.5	NC	NC	15.5	NC	NC
GRANDVIEW	23.5	NS	NC	23.5	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	9.40	NS	NC	9.40	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	10.7	NC	NC	10.7	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

BHC - Gamma (Lindane)

Total

ug/L

EPA 608: Organochlorine Pesticides and PCBs

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	0.05	NC	NC	0.05	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	0.05	NS	NS	0.05	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Arochlor 1248 (PCB)

Total

ug/L

EPA 608: Organochlorine Pesticides and PCBs

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	2.70	NC	NC	2.70	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	2.70	NC	NC	2.70	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Arochlor 1254 (PCB)

Total

ug/L

EPA 608: Organochlorine Pesticides and PCBs

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	0.30	0.30	NC	NC	NC	NC
27THAVE	0.30	0.30	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Chlordane

Total

ug/L

EPA 608: Organochlorine Pesticides and PCBs

Average Values

	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	0.10	NC	NC	0.10	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	0.10	NS	NS	0.10	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

DDE (P, P')

Total

ug/L

EPA 608: Organochlorine Pesticides and PCBs

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.06	NS	0.06	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	0.02	NS	0.02	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	0.10	NS	0.10	NC	NC	NC
INDUSTRIAL	0.28	0.57	0.15	NC	0.12	NC
27THAVE	0.53	0.57	0.40	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	0.09	NC	0.06	NC	0.12	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	0.12	0.20	0.08	NC	0.11	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	0.09	NS	0.08	NC	0.11	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	0.20	0.20	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

DDT (P, P')

Total

ug/L

EPA 608: Organochlorine Pesticides and PCBs

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	0.10	0.10	0.10	NC	NC	NC
27THAVE	0.10	0.10	0.10	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Tetrachloroethene (PCE)

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

Average Values

	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	3.30	NS	NC	NC	3.30	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	3.30	NS	NC	NC	3.30	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	2.15	NC	NC	NC	2.15	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	2.00	NC	NS	NS	2.00	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	2.30	NC	NC	NC	2.30	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	9.73	NC	NC	NC	9.73	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	19.0	NC	NS	NS	19.0	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	6.63	NS	NC	NC	6.63	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

1,1,1 - Trichloroethane

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

Average Values

	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	552	NC	NC	1100	3.50	NC
GRANDVIEW	3.50	NS	NC	NC	3.50	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	1100	NS	NC	1100	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Benzene

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	2.00	NC	NC	NC	2.00	NC
GRANDVIEW	2.00	NS	NC	NC	2.00	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Carbon Tetrachloride

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	2.00	NC	2.00	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	2.00	NC	2.00	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Chloroethane

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	7.50	NC	NC	NC	NC	7.50
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	7.50	NC	NS	NS	NC	7.50
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Methylene Chloride

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	1.90	NC	1.90	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	1.90	NC	1.90	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	1.50	NC	1.50	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	1.60	NS	1.60	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	1.40	NC	1.40	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Toluene

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	3.35	NS	0.20	NC	2.20	10.8
ASH	NC	NS	NC	NC	NC	NC
DOBSON	6.50	NS	NC	NC	2.20	10.8
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	0.20	NS	0.20	NC	NC	NC
INDUSTRIAL	1.15	0.30	NC	NC	NC	2.00
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	0.30	0.30	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	2.00	NC	NS	NS	NC	2.00
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	1.53	NC	2.85	0.20	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	0.20	NS	NS	0.20	NC	NC
SIXTH	2.85	NC	2.85	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Vinyl Chloride

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	2.10	NS	NC	2.10	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	2.10	NS	NC	2.10	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Acetone

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	33.8	NS	60.0	32.0	36.7	22.3
ASH	36.4	NS	60.0	36.0	28.7	NC
DOBSON	54.2	NS	NC	NC	58.3	38.0
DORSEY	22.3	NS	NC	31.0	16.0	17.0
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	33.0	NC	NC	NC	25.0	36.2
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	16.0	NC	NS	NS	NC	16.0
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	36.8	NC	NC	NC	25.0	48.5
S40THSTREET	30.3	NC	NS	NS	NC	30.3
SKYHARBOR	30.5	NC	NS	NS	NC	30.5
RESIDENTIAL	34.1	NC	120	31.3	27.0	31.9
GRANDVIEW	27.7	NS	NC	NC	26.3	29.0
INDIANBEND	19.0	NC	NS	NS	NC	19.0
KIWANIS	45.0	NS	120	31.3	25.0	NS
LINDSAY	15.0	NS	NC	NC	NC	15.0
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	35.1	NC	NC	NC	28.0	44.7
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

2 - Butanone (Methyl Ethyl Ketone)

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

Average Values

	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	25.0	NS	NC	NC	25.0	NC
ASH	10.0	NS	NC	NC	10.0	NC
DOBSON	35.0	NS	NC	NC	35.0	NC
DORSEY	10.0	NS	NC	NC	10.0	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	24.7	NC	NC	NC	29.0	22.5
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	27.0	NC	NC	NC	29.0	25.0
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	20.0	NC	NS	NS	NC	20.0
RESIDENTIAL	11.7	NC	NC	11.0	NC	12.0
GRANDVIEW	12.0	NS	NC	NC	NC	12.0
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	11.0	NS	NC	11.0	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	12.0	NC	NC	NC	NC	12.0
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Xylenes (p- , o- , m-)

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.25	NS	0.25	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	0.25	NS	0.25	NC	NC	NC
INDUSTRIAL	2.46	0.20	NC	NC	NC	3.97
27THAVE	0.20	0.20	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	0.20	0.20	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	3.97	NC	NS	NS	NC	3.97
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	4.00	NC	NC	4.00	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	4.00	NS	NC	4.00	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Styrene

Total

ug/L

EPA 624: Purgeable (Volatile Organics)

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	0.50	0.50	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	0.50	0.50	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Benzoic Acid

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

Average Values

	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	171	NS	45.0	224	NC	43.7
ASH	44.3	NS	45.0	44.0	NC	NC
DOBSON	43.7	NS	NC	NC	NC	43.7
DORSEY	315	NS	NC	315	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	58.4	NC	NC	NC	NC	58.4
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	52.0	NC	NC	NC	NC	52.0
S40THSTREET	120.0	NC	NS	NS	NC	120.0
SKYHARBOR	16.0	NC	NS	NS	NC	16.0
RESIDENTIAL	65.8	NC	NC	105	NC	13.7
GRANDVIEW	11.0	NS	NC	NC	NC	11.0
INDIANBEND	15.0	NC	NS	NS	NC	15.0
KIWANIS	105	NS	NC	105	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	11.0	NC	NC	NC	NC	11.0
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Benzo-a-Anthracene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	6.00	NS	NC	6.00	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	6.00	NS	NC	6.00	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Benzo-b-Fluoranthene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	12.0	NS	16.3	8.75	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	8.75	NS	NC	8.75	NC	NC
PEORIA	16.3	NS	16.3	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Benzo-k-Fluoranthene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	9.00	NS	12.0	8.00	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	8.00	NS	NC	8.00	NC	NC
PEORIA	12.0	NS	12.0	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Benzo-ghi-Perylene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

Average Values

	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	2.00	NS	NC	NC	2.00	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	2.00	NS	NC	NC	2.00	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	16.0	16.0	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	16.0	16.0	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Benzo-a-Pyrene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

Average Values

	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	4.45	NS	2.90	6.00	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	2.90	NS	2.90	NC	NC	NC
DORSEY	6.00	NS	NC	6.00	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Benzyl Alcohol

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	5.85	NS	NC	6.33	NC	4.40
ASH	NC	NS	NC	NC	NC	NC
DOBSON	4.40	NS	NC	NC	NC	4.40
DORSEY	6.33	NS	NC	6.33	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	7.50	NC	NC	NC	NC	7.50
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	7.50	NC	NS	NS	NC	7.50
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	9.60	NC	NC	15.0	NC	4.20
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	4.20	NC	NS	NS	NC	4.20
KIWANIS	15.0	NS	NC	15.0	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Bis (2-Ethyl Hexyl) Phthalate

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	35.6	NS	10.5	36.8	34.2	58.5
ASH	17.1	NS	NC	14.0	26.0	12.0
DOBSON	46.4	NS	13.0	NC	43.2	74.0
DORSEY	47.2	NS	NC	51.4	24.0	NC
PEORIA	8.00	NS	8.00	NC	NC	NC
INDUSTRIAL	47.4	6.33	5.80	NC	50.3	62.9
27THAVE	5.00	5.00	NC	NC	NC	NC
35THAVE	22.0	NC	NS	NS	22.0	NC
48THSTREET	7.00	7.00	NC	NC	NC	NC
FALCON	60.7	NC	5.80	NC	55.8	77.4
S40THSTREET	52.7	NC	NS	NS	51.0	53.5
SKYHARBOR	39.0	NC	NS	NS	45.0	36.0
RESIDENTIAL	53.6	NC	7.57	9.67	60.4	79.3
GRANDVIEW	74.8	NS	8.90	NC	118	36.0
INDIANBEND	33.0	NC	NS	NS	53.0	21.0
KIWANIS	9.67	NS	NC	9.67	NC	NS
LINDSAY	86.7	NS	4.90	NC	34.8	185
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	26.0	NC	NC	NC	7.00	35.5
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Butyl Benzyl Phthalate

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

Average Values

	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	2.00	NC	NC	NC	2.00	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	2.00	NS	NC	NC	2.00	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Chrysene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

Average Values

	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	9.42	NS	12.6	7.80	5.00	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	5.60	NS	6.20	NC	5.00	NC
DORSEY	7.80	NS	NC	7.80	NC	NC
PEORIA	14.7	NS	14.7	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	13.0	NC	NC	13.0	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	13.0	NS	NC	13.0	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Dibenzo-[a,h]-Anthracene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	10.0	NS	NC	10.0	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	10.0	NS	NC	10.0	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Di-N-Butyl Phthalate

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

Average Values

	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	29.8	NS	NC	55.0	NC	4.60
ASH	55.0	NS	NC	55.0	NC	NC
DOBSON	4.60	NS	NC	NC	NC	4.60
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	6.60	NC	NC	NC	9.00	4.20
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	9.00	NC	NS	NS	9.00	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	4.20	NC	NC	NC	NC	4.20
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	4.80	NC	NC	NC	NC	4.80
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	4.80	NC	NS	NS	NC	4.80
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

1,4-Dichlorobenzene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	2.00	NC	NC	NC	2.00	NC
GRANDVIEW	2.00	NS	NC	NC	2.00	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Diethyl Phthalate

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	NC	NS	NC	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	10.0	NC	NC	NC	10.0	NC
GRANDVIEW	10.0	NS	NC	NC	10.0	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Di-N-Octyl Phthalate

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	10.0	NS	NC	10.0	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	10.0	NS	NC	10.0	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Fluoranthene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	11.9	NS	12.0	13.6	3.00	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	5.50	NS	8.00	NC	3.00	NC
DORSEY	13.6	NS	NC	13.6	NC	NC
PEORIA	13.0	NS	13.0	NC	NC	NC
INDUSTRIAL	7.00	7.00	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	7.00	7.00	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Indeno (1,2,3-CD) Pyrene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	2.85	NS	3.70	NC	2.00	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	2.85	NS	3.70	NC	2.00	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	22.0	22.0	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	22.0	22.0	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Naphthalene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	0.40	NS	0.40	NC	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	0.40	NS	0.40	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

4 - Nitrophenol

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	10.0	NS	NC	NC	NC	10.0
ASH	10.0	NS	NC	NC	NC	10.0
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	NC	NS	NC	NC	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Phenanthrene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	6.67	NS	NC	6.67	NC	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	6.67	NS	NC	6.67	NC	NC
PEORIA	NC	NS	NC	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	NC	NC	NC	NC	NC	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Phenol

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	10.3	NS	7.00	10.5	12.0	NC
ASH	12.0	NS	NC	NC	12.0	NC
DOBSON	NC	NS	NC	NC	NC	NC
DORSEY	10.5	NS	NC	10.5	NC	NC
PEORIA	7.00	NS	7.00	NC	NC	NC
INDUSTRIAL	NC	NC	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	NC	NC	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	17.0	NC	NC	18.8	14.7	NC
GRANDVIEW	NC	NS	NC	NC	NC	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	17.0	NS	NC	18.8	14.7	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year

Pyrene

Total

ug/L

EPA 625: Base / Neutral / Acid Extractables

	Average Values					
	ALL DATA	WY 1992	WY 1993	WY 1994	WY 1995	WY1996
COMMERCIAL	9.54	NS	10.4	10.0	4.00	NC
ASH	NC	NS	NC	NC	NC	NC
DOBSON	5.70	NS	7.40	NC	4.00	NC
DORSEY	10.0	NS	NC	10.0	NC	NC
PEORIA	11.3	NS	11.3	NC	NC	NC
INDUSTRIAL	11.0	11.0	NC	NC	NC	NC
27THAVE	NC	NC	NC	NC	NC	NC
35THAVE	NC	NC	NS	NS	NC	NC
48THSTREET	11.0	11.0	NC	NC	NC	NC
FALCON	NC	NC	NC	NC	NC	NC
S40THSTREET	NC	NC	NS	NS	NC	NC
SKYHARBOR	NC	NC	NS	NS	NC	NC
RESIDENTIAL	2.00	NC	NC	NC	2.00	NC
GRANDVIEW	2.00	NS	NC	NC	2.00	NC
INDIANBEND	NC	NC	NS	NS	NC	NC
KIWANIS	NC	NS	NC	NC	NC	NS
LINDSAY	NC	NS	NC	NC	NC	NC
OLIVE	NC	NS	NS	NC	NC	NC
SIXTH	NC	NC	NC	NC	NC	NC
YOUNGTOWN	NC	NC	NS	NS	NS	NS
IN-STREAM	NC	NC	NC	NC	NC	NC
24THBRIDGE	NC	NC	NS	NS	NS	NS
51STBRIDGE	NC	NS	NS	NS	NC	NS
ACDC51ST	NC	NS	NS	NC	NS	NS
ALMABRIDGE	NC	NS	NS	NS	NC	NS
IBWCURRY	NC	NS	NS	NC	NC	NC
PRIEST	NC	NS	NC	NS	NC	NS
UNDEVELOPED	NC	NC	NS	NS	NS	NS

NC - Not Calculated

NS - No samples taken during the Water Year