


FLOOD INSURANCE STUDY



MARICOPA COUNTY, ARIZONA AND INCORPORATED AREAS

VOLUME 1 OF 3



COMMUNITY NAME	COMMUNITY NUMBER
APACHE JUNCTION, CITY OF	040120
AVONDALE, CITY OF	040038
BUCKEYE, TOWN OF	040039
CAREFREE, TOWN OF	040126
CHANDLER, CITY OF	040040
EL MIRAGE, TOWN OF	040041
GILA BEND, TOWN OF	040043
GILBERT, TOWN OF	040044
GLENDALE, CITY OF	040045
GOODYEAR, TOWN OF	040046
GUADALUPE, TOWN OF	040111
MARICOPA COUNTY, UNINCORPORATED AREAS.	040037
MESA, CITY OF	040048
PARADISE VALLEY, TOWN OF	040049
PEORIA, CITY OF	040050
PHOENIX, CITY OF	040051
SCOTTSDALE, CITY OF	045012
SURPRISE, TOWN OF	040053
TEMPE, CITY OF	040054
TOLLESON, CITY OF	040055
WICKENBURG, TOWN OF	040056
YOUNGTOWN, TOWN OF	040057

APRIL 15, 1988



Federal Emergency Management Agency

FEMA

NOTICE TO
FLOOD INSURANCE STUDY USERS

Communities participating in the National Flood Insurance Program have established repositories of flood hazard data for floodplain management and flood insurance purposes. This Flood Insurance Study may not contain all data available within the repository. It is advisable to contact the community repository for any additional data.

TABLE OF CONTENTS - VOLUME 1

	Page
1.0 <u>INTRODUCTION</u>	1
1.1 Purpose of Study.....	1
1.2 Authority and Acknowledgments.....	1
1.3 Coordination.....	3
2.0 <u>AREA STUDIED</u>	3
2.1 Scope of Study.....	3
2.2 Community Description.....	3
2.3 Principal Flood Problems.....	14
2.4 Flood Protection Measures.....	16
3.0 <u>ENGINEERING METHODS</u>	21
3.1 Hydrologic Analyses.....	22
3.2 Hydraulic Analyses.....	23
4.0 <u>FLOODPLAIN MANAGEMENT APPLICATIONS</u>	38
4.1 Flood Boundaries.....	38
4.2 Floodways.....	39
5.0 <u>INSURANCE APPLICATION</u>	88
5.1 Reach Determinations.....	88
5.2 Flood Hazard Factors.....	88
5.3 Flood Insurance Zones.....	89
5.4 Flood Insurance Rate Map Description.....	90
6.0 <u>OTHER STUDIES</u>	90
7.0 <u>LOCATION OF DATA</u>	106
8.0 <u>BIBLIOGRAPHY AND REFERENCES</u>	106

TABLE OF CONTENTS - VOLUME 1 (Cont'd)

Page

FIGURES

Figure 1 - Vicinity Map.....	4
Figure 2 - Historic Flooding.....	17
Figure 3 - Historic Flooding.....	17
Figure 4 - Historic Flooding.....	18
Figure 5 - Historic Flooding.....	19
Figure 6 - Historic Flooding.....	20
Figure 7 - Floodway Schematic.....	87

TABLES

Table 1 - Detailed-Study Sources.....	5
Table 2 - Approximate-Study Streams.....	9
Table 3 - Summary of Discharges.....	24
Table 4 - Range of Hydraulic Roughness Coefficients (Manning's "n") ...	33
Table 5 - Floodway Data.....	40
Table 6 - Flood Insurance Zone Data.....	91
Table 7 - Community Map History.....	105

TABLE OF CONTENTS - VOLUME 2

EXHIBITS

Exhibit 1 - Flood Profiles

Agua Fria River	Panels 1P-11P
Gila River	Panels 12P-23P
Hassayampa River	Panels 24P-31P
New River	Panels 32P-49P
Salt River	Panels 50P-61P
Skunk Creek	Panels 62P-83P
Scatter Wash	Panels 84P-88P
Scatter Wash, North Branch	Panels 89P-92P
Scatter Wash, South Branch	Panels 93P-96P
Aguila Farm Channel	Panel 97P
Andora Hills Wash	Panels 98P-102P

TABLE OF CONTENTS - VOLUME 3

EXHIBITS

Atchison, Topeka, and Santa Fe Railway Channel (At El Mirage)	Panel 103P
Casandro Wash	Panels 104P-108P
South Branch Casandro Wash	Panels 109P-110P
Cave Creek	Panels 111P-138P
East Fork Cave Creek	Panels 139P-144P
Dreamy Draw Wash East	Panels 145P-146P
Echo Canyon Wash	Panels 147P-150P
Flynn Lane Wash	Panels 151P-153P
Flying "E" Wash	Panel 154P
Galloway Wash	Panels 155P-161P
Granite Reef	Panels 162P-163P
Grapevine Wash	Panels 164P-165P
Grass Wash	Panel 166P
Hospital Wash	Panel 167P
Indian Bend Wash	Panels 168P-176P
Indian Bend Wash - Low Flow Channel	Panels 177P-179P
Little San Domingo Wash	Panels 180P-181P
Lower El Mirage Wash	Panel 182P
Martinez Wash	Panel 183P
Mockingbird Wash	Panels 184P-185P
Moon Valley Wash	Panels 186P-187P
Myrtle Avenue Wash	Panels 188P-189P
Ocotillo Wash	Panels 190P-193P
Powder House Wash	Panels 194P-196P
Rowe Wash	Panels 197P-200P
Sols Wash	Panels 201P-203P
Tenth Street Wash	Panel 204P
Wash B	Panels 205P-206P
Willow Springs Wash	Panels 207P-209P
Wittman Drainage	Panels 210P-211P
Weekes Wash	Panels 212P-213P

Exhibit 2 - Flood Boundary and Floodway Map Index
Flood Boundary and Floodway Map

PUBLISHED SEPARATELY:

Flood Insurance Rate Map Index
Flood Insurance Rate Map

1.0 INTRODUCTION

1.1 Purpose of Study

This Flood Insurance Study revises and updates information on the existence and severity of flood hazards in the geographic area of Maricopa County, Arizona, including the Cities of Apache Junction, Avondale, Chandler, El Mirage, Glendale, Mesa, Phoenix, Scottsdale, Tempe, and Tolleson; the Towns of Buckeye, Carefree, Gila Bend, Gilbert, Goodyear, Guadalupe, Paradise Valley, Peoria, Surprise, Wickenburg, and Youngtown; and the unincorporated areas of Maricopa County (hereinafter referred to collectively as Maricopa County). This information will be used to update existing flood plain regulations as part of the regular phase of the National Flood Insurance Program (NFIP). The information will also be used by local and regional planners to further promote sound land use and flood plain development.

In some states or communities, flood plain management criteria or regulations may exist that are more restrictive or comprehensive than the minimum Federal requirements. In such cases, the more restrictive criteria take precedence and the State (or other jurisdictional agency) will be able to explain them.

1.2 Authority and Acknowledgments

The sources of authority for this Flood Insurance Study are the National Flood Insurance Act of 1968 and the Flood Disaster Protection Act of 1973.

This Flood Insurance Study is based on previous Flood Insurance Studies for the various incorporated communities and unincorporated areas within Maricopa County. Detailed information on the contractors who studied each area is provided below.

The original hydrologic and hydraulic analyses for this study were performed by the U.S. Army Corps of Engineers (COE), Los Angeles District, for FEMA, under Inter-Agency Agreement Nos. IAA-H-15-72 and IAA-H-15-73. This study was completed in 1973.

Additional hydrologic and hydraulic analyses for many streams within the county were performed by Harris-Toups Associates under Contract No. H-4008. This work was completed in February 1978 and January 1979.

Hydrologic and hydraulic analyses for Cave Creek (below Cave Creek Dam) and for East Fork Cave Creek were revised by Cella,

Barr, Evans, and Associates, under Contract No. H-4607. This work was completed in October 1980.

Additional hydrologic and hydraulic analyses for portions of the Agua Fria River, New River, and Skunk Creek were performed by the COE under contract to the Maricopa County Flood Control District. Hydrologic and hydraulic analyses for portions of the Salt and Gila Rivers were performed by Harris-Toups Associates in October 1977. The 10-year flood for portions of the above streams as well as the 500-year flood for the Agua Fria River were computed by Dames & Moore using data provided by the COE, Los Angeles District. Approximate flood plain boundaries and boundaries for areas subject to sheetflow were delineated by Dames & Moore.

Hydraulic analyses for portions of the following streams were taken from the effective Flood Insurance studies for the incorporated communities (References 1-20): Agua Fria River, Gila River, Hassayampa River, New River, Salt River, Skunk Creek, Scatter Wash, Aguila Farm Channel, Andora Hills Wash, Atchison, Topeka & Santa Fe Railway Channel, Casandro Wash, South Branch Casandro Wash, Cave Creek, East Fork Cave Creek, Dreamy Draw Wash East, Echo Canyon Wash, Flynn Lane Wash, Flying "E" Wash, Galloway Wash, Granite Reef Wash, Grapevine Wash, Grass Wash, Hospital Wash, Indian Bend Wash, Indian Bend Wash-Low Flow Channel, Little San Domingo Wash, Lower El Mirage Wash, Martinez Wash, Mockingbird Wash, Moon Valley Wash, Myrtle Avenue Wash, Ocotillo Wash, Powder House Wash, Rowe Wash, Sols Wash, Tenth Street Wash, Wash B, Willow Springs Wash, Wittman Drainage and Weekes Wash.

The hydrologic and hydraulic analyses for portions of the Agua Fria, New, Gila, and Salt Rivers, Skunk Creek, and Scatter Wash included in the restudy were performed by the COE, Los Angeles District, for FEMA, under Inter-Agency Agreement No. EMW-E-0941, Project Order No. 10. This work was completed in March 1986.

Revised hydraulic analyses for a portion of Consolidated Canal were performed by Greiner Engineering Sciences, Inc. for the City of Mesa in 1984 (Reference 21).

Revised hydraulic analyses for a portion of the Agua Fria River in El Mirage were performed by Engineering and Surveying of Arizona, Inc., in November 1984 (Reference 22).

Revised hydraulic analyses for flooding along a portion of the Atchison, Topeka & Santa Fe Railroad in The City of Chandler were performed in July 1980 (Reference 23).

Revised hydraulic analyses for a portion of East Fork Cave Creek in the City of Phoenix were performed by Erie and Associates, Inc. for the Coral Gables Estates Unit Six Subdivision in November 1985 (Reference 24).

1.3 Coordination

The Maricopa County Flood Control District (MCFCD) assisted in the selection of the areas that were studied in detail and the selection of preliminary floodway limits.

The Arizona Department of Transportation provided highway maps used for the preparation of base maps covering undeveloped areas studied only by approximate methods.

This study was also coordinated with the Special Studies Section of the Water Resources Division of the U.S. Geological Survey (USGS), Tucson, Arizona.

On May 31, 1977, results of the study were reviewed at the final consultation and coordination meeting, which was attended by residents of the county, and representatives of MCFCD and FEMA.

This study was revised in 1986 to incorporate either new or revised hydrologic and hydraulic analyses for several flooding sources throughout the county. At this time, FEMA decided to include flooding information through the incorporated communities to provide the county with a more usable Flood Insurance Rate Map.

2.0 AREA STUDIED

2.1 Scope of Study

This Flood Insurance Study covers the geographic area of Maricopa County, Arizona. The area of study is shown on the Vicinity Map (Figure 1).

The flooding sources studied by detailed methods are shown in Table 1.


The areas studied by detailed methods were selected with priority given to all known flood hazard areas and areas of projected development or proposed construction.

Portions of some flooding sources were studied by approximate methods and are shown in Table 2.

Approximate analyses were used to study those areas having a low development potential or minimal flood hazards. The scope and methods of study were proposed to, and agreed upon by, FEMA and Maricopa County.

2.2 Community Description

Maricopa County, encompassing a total area of 9,238 square miles, is located in south-central Arizona. Adjacent counties are Yavapai on the north, Gila on the northeast, Pinal on the east,



VICINITY MAP

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FIGURE 1

Table 1. Detailed-Study Sources

Flooding Source	Limits of Study
Gila River	From 331st Avenue to confluence with Salt River at 115th Avenue
Agua Fria River	From confluence with Gila River to River Mile 24.32 (near Pinnacle Peak Road)
New River	From confluence with Agua Fria River to River Mile 14.48 (near Pinnacle Peak Road)
Skunk Creek	From confluence of Arizona Canal to River Mile 27.76, in north-central Maricopa County
Scatter Wash	From confluence with Skunk Creek to just above Williams Drive, and between Black Canyon Highway (Interstate Highway 17) and 7th Avenue
Scatter Wash, North Branch	From confluence with Scatter Wash to 1.6 miles upstream
Scatter Wash, South Branch	From confluence with Scatter Wash to 0.8 mile upstream
Salt River	From confluence with Gila River to North Mesa Drive
Salt River Overflow Area	Along southern overbank between 75th and 39th Avenues
Cave Creek	From 27th Avenue to 0.3 mile above Granite Reef Aqueduct, and from 0.7 mile below Carefree Highway to 0.14 mile above Morning Star Road
East Fork Cave Creek	From confluence with Cave Creek to Beardsley Road
Andora Hills Wash	From confluence with Cave Creek to approximately 2.9 miles upstream

Table 1. Detailed-Study Sources (Cont'd)

Flooding Source	Limits of Study
Galloway Wash	From confluence with Cave Creek to approximately 3.1 miles upstream
Rowe Wash	From confluence with Galloway Wash to 1.5 miles upstream
Grapevine Wash	From confluence with Galloway Wash to approximately 1 mile upstream
Ocotillo Wash	From confluence with Cave Creek to approximately 2 miles upstream
Willow Springs Wash	From confluence with Cave Creek to approximately 1.8 miles upstream
Hassayampa River	From River Mile 40.0 to the Maricopa-Yavapai County boundary
Sols Wash	From confluence with Hassayampa River to Maricopa-Yavapai County boundary
Casandro Wash	From confluence with Sols Wash to approximately 2.8 miles upstream
South Branch Casandro Wash	From confluence with Casandro Wash to 0.9 mile upstream
Flying E Wash	From approximately 0.2 mile downstream of U.S. Highways 60 and 70 to 0.5 mile above the highways
Hospital Wash	From confluence with Sols Wash to 0.4 mile upstream
Powder House Wash	From confluence with Hassayampa River to 1.3 miles upstream

Table 1. Detailed-Study Sources (Cont'd)

Flooding Source	Limits of Study
Martinez Wash	From confluence with Hassayampa River to Maricopa-Yavapai County boundary
Mockingbird Wash	From U.S. Highways 60, 70, and 89 to 0.9 mile upstream
Little San Domingo Wash	From the U.S. Highways 60, 70, and 89 crossing at Morrystown to approximately 0.7 mile upstream
Wittmann Drainage	From the U.S. Highways 60, 70, and 89 crossing to 0.6 mile upstream
Aguila Farm Channel	For 1.5 miles at Aguila, in northwestern Maricopa County
Grass Wash	For 2.2 miles at Aguila
Lower El Mirage Wash	From Cactus Road to approximately 0.4 mile upstream
Lower El Mirage Wash Tributary	For shallow flooding, from confluence with Lower El Mirage Wash to 0.7 mile upstream
Sand Tank and Bender Washes	For combined flows at Gila Bend
Rodeo Wash	For ponding along Southern Pacific Railroad, U.S. Highway 80, and Gillespie Canal at Gila Bend
Rodeo Wash Tributary	For ponding along Southern Pacific Railroad at Gila Bend
Airport Wash	For ponding along U.S. Highway 80 at Gila Bend
Scott Avenue Wash	For ponding along Gillespie Canal, Southern Pacific Railroad, and U.S. Highway 80 at Gila Bend
Atchison, Topeka & Santa Fe Railway Channel	From confluence with Agua Fria River to 1.5 miles upstream

Table 1. Detailed-Study Sources (Cont'd)

Flooding Source	Limits of Study
Atchison, Topeka & Santa Fe Railway Ponding	For ponding along the railroad at Peoria
Echo Canyon Wash	From Arizona Canal to McDonald Drive
Southern Pacific Railroad Shallow Flooding	For shallow flooding at Buckeye, Goodyear, Gilbert, Tempe, and Tolleson
Apache Creek	Flooding on alluvial fan near Apache Junction
Flynn Lane Wash	From confluence with Arizona Canal upstream to 23rd Place
Granite Reef Wash	From Fillmore Street upstream to Pima Road
Indian Bend Wash	From entire length within Scottsdale corporate limits
∞ Indian Bend Wash - Low Flow Channel	From entire length within Scottsdale corporate limits
Moon Valley Wash	From confluence with Cave Creek to Thunderbird Road
Myrtle Avenue Wash	From confluence with Arizona Canal to Myrtle Avenue
Tenth Street Wash	From confluence with Arizona Canal to 100 feet upstream of Mescal Street
Wash B	From Granite Reef Aqueduct to Mountain View Road

Table 2. Approximate-Study Streams

Agua Fria River	Hassayampa River
Arizona Canal	Highline Canal
Atchison, Topeka and Santa Fe Railway Channel	Jackrabbit Wash
Buckeye Canal	Kaiser-Aetna McCormick Ranch Drainage
Buckeye Detention Dike	Kyrene Branch Canal
Cave Buttes Detention Dike	Little Squaw Creek
Cave Creek	Lower El Mirage Wash
Cemetery Wash	Moore Gulch
Centennial Wash	New River
Cline Creek	Queen Creek
Consolidated Canal	Rodger Creek
Cooper Creek	Roosevelt Canal
Cross Cut Canal	Rowe Wash
Dreamy Draw Detention Dike	Saddle Back Mountain Detention Dike
Eastern Canal	Salt River
Echo Canyon Canal	Scatter Wash
Flying E Wash	Signal Butte Detention Dike
Gila Bend Canal	Sols Wash
Gila River	Southern Pacific Railroad
Grand Canal	Spook Hill Detention Dike
Granite Reef Aqueduct	Sunny Cove Wash
Harquahala Detention Dike	Sunset Wash
Hartman Wash	Sycamore Creek

Table 2. Approximate-Study Streams (Cont'd)

Tempe Canal

Tiger Wash Detention Dike

Tribby Wash Detention Basin

Verde River

Verde River Tributaries

(Washes 9, 10, and 11)

Waterman Wash

West Prong Wash

Western Canal

Pima on the south, Yuma on the west, and La Paz on the northwest. The incorporated communities within the county cover an area in excess of 100 square miles, and an additional 3,330 square miles are government owned lands. A large portion of the remaining county land is undeveloped and is considered to be economically unfit for development. The 1980 population of the county was 1.5 million.

The terrain throughout Maricopa County varies in character from numerous rugged mountain ranges to plains and deserts. An abundance of small intermittent streams and washes traverse the major portion of the county.

Residential and agricultural development is concentrated along the major streams, with expansion continuing at a rapid pace.

The climate in Maricopa County is mild, with short winters and long, hot summers.

The Gila River, which is the largest tributary to the lower Colorado River, flows southwesterly through the southern half of the county. The river basin includes the southern half of Arizona and part of southwestern New Mexico and contributes a drainage area of 49,500 square miles at the Gillespie Dam, which is approximately 31 miles downstream from Goodyear.

The Agua Fria River, a tributary to the Gila River, rises in the Prescott National Forest and flows southerly for approximately 130 miles to its confluence with the Gila River. It drains an area of approximately 2,340 square miles. The river is usually dry because flows are regulated by the Carl Pleasant Dam and Lake Pleasant reservoir, approximately 18 miles north of El Mirage, in north-central Maricopa County (Reference 27).

The New River, the major tributary of the Agua Fria River, rises in the Cook Mesa area of the New River Mountains and flows southerly to the Agua Fria River. It is approximately 48 miles long and has a drainage area of approximately 315 square miles (Reference 28).

Skunk Creek flows southwesterly to its confluence with the New River, draining an area of approximately 110 square miles at its mouth.

Scatter Wash flows westerly through northern Phoenix to its confluence with Skunk Creek.

East Branch Scatter Wash is an overflow area from Scatter Wash. Floodwater flows along the southern overbank of Scatter Wash just north of Black Canyon Highway, crosses the highway at the Deer Valley Road interchange, and rejoins Scatter Wash along Rose Garden Lane in Phoenix.

The Salt River originates at the Theodore Roosevelt Lake in Gila County. The river flows westerly through east-central Maricopa County to its confluence with the Gila River. The Salt River has a wide, irregular, sandy streambed with several meandering channels throughout the study area. The river drains an area of 13,700 square miles at its mouth. The Salt River is regulated by four dams: Roosevelt, Horse Mesa, Mormon Flat, and Stewart Mountain. The total capacity of the four reservoirs is 1.755 million acre-feet. Water from this system is used for irrigation of the Salt River Valley and for the generation of power (Reference 29). Granite Reef Dam, located on the Salt River 3.4 miles below its confluence with the Verde River, diverts water from the river to Arizona and Southern Canals. This water is for municipal use and irrigation.

Cave Creek and its numerous tributaries drain the mountainous areas of east-central Maricopa County. Cave Creek flows southwesterly to its confluence with the Salt River. Its tributaries include East Fork Cave Creek and Andora Hills, Galloway, Rowe, Grapevine, Ocotillo, and Willow Springs Washes. Flows are regulated by Cave Creek Dam, located just north of Phoenix. East Fork Cave Creek flows southwesterly to its confluence with Cave Creek, draining an area of 14.4 square miles at its mouth. Andora Hills Wash flows westerly to its confluence with Cave Creek north of Phoenix. Galloway Wash flows westerly to its confluence with Cave Creek north of Phoenix. Rowe Wash and Grapevine Wash flow southwesterly to their confluences with Galloway Wash north of Phoenix. Ocotillo and Willow Springs Washes flow southwesterly before joining Cave Creek north of Phoenix.

The Hassayampa River flows southerly through northwestern Maricopa County before joining the Gila River 40 miles west of Phoenix. The river, which drains an area in northwestern Maricopa County and southern Yavapai County, originates in the Bradshaw Mountains south of Prescott (Reference 26). The terrain of the drainage basin consists of mountains with heavy forest cover in the northern one-third, rolling hills in the central one-third, and desert valley in the southern third. The stream gradient of the Hassayampa River ranges from an average of 20 feet per mile near River Mile 40 to approximately 400 feet per mile near Box Canyon in Yavapai County (Reference 26).

Sols Wash originates in the Date Creek Mountains north of Wickenburg. It flows southeasterly, draining an area of 145 square miles at its confluence with the Hassayampa River. The basin is bounded by low, poorly defined ridges and hills extending to Twin Peaks. On the south and east, pronounced foothills and mountains distinguish the drainage divide. The Sols Wash basin is a mildly sloping desert plain. Tributaries to Sols Wash are Flying E, Hospital, Casandro, and South Branch Casandro Washes. Flying E Wash flows northeasterly, joining Sols Wash in western Wickenburg. Hospital Wash flows southerly to its confluence with Sols Wash within Wickenburg. Casandro Wash flows

northeasterly to its confluence with Sols Wash in Wickenburg. South Branch Casandro Wash flows northeasterly to its confluence with Casandro Wash in southwestern Wickenburg.

Powder House Wash flows southwesterly in a well-defined channel, draining 2 square miles of desert highlands before discharging into the Hassayampa River at Wickenburg.

Martínez Wash flows southeasterly, joining the Hassayampa River at the Maricopa-Yavapai County line.

Mockingbird Wash is a tributary of the Hassayampa River approximately 2 miles southeast of Wickenburg. The wash is well defined, with steep sidewalls. Mockingbird Wash flows southwesterly, draining approximately 7 square miles of desert highland. There is some residential development upstream of the U.S. Highways 60, 70, and 89 crossing.

Little San Domingo Wash is a small, well-defined wash near the unincorporated area of Morrystown in northern Maricopa County. It flows southwesterly, draining 6.2 square miles of desert highlands at the U.S. Highways 60, 70, and 89 crossing.

Wittmann Drainage flows southerly near the unincorporated community of Wittmann, approximately 25 miles northwest of Phoenix.

Aguila Farm Channel collects floodflows north of the Atchison, Topeka & Santa Fe Railway in northwestern Maricopa County and conveys them westerly across Aguila Farm to Grass Wash.

Grass Wash flows northwesterly through Aguila to its confluence with Centennial Wash in northwestern Maricopa County.

Sand Tank and Bender Washes flow northwesterly through the center of Gila Bend. Sand Tank and Bender Washes approach Gila Bend from the south in two separate channels, but during periods of heavy runoff the washes overflow their banks and the flows are intermixed. The combined flows join the Gila River 3 miles north of Gila Bend.

Rodeo Wash and Rodeo Wash Tributary flow northwesterly through eastern Gila Bend.

Airport Wash flows northwesterly through the northeastern corner of Gila Bend.

Scott Avenue Wash flows northerly through western Gila Bend.

Lower El Mirage Wash and Lower El Mirage Wash Tributary flow easterly to the Agua Fria River near El Mirage.

The Atchison, Topeka & Santa Fe Railway Channel flows easterly to the Agua Fria River through the northern part of the town.

The elevated embankments of the Atchison, Topeka & Santa Fe Railway and the Southern Pacific Railroad impede the movement of floodwaters from the east and northeast, resulting in ponding and shallow flooding along the embankments throughout the county.

Echo Canyon Wash flows southwesterly through Paradise Valley, Scottsdale, and Phoenix to its junction with Arizona Canal.

Apache Creek, near Apache Junction, is on an alluvial fan at the base of the Superstition Mountains in southeastern Maricopa County.

A system of irrigation canals crosses the southern one-half of the county nearly parallel to ground contours. The system consists of the Arizona, Grand, Western, Tempe, Highline, Kyrene Branch, Gila Bend, Southern, Buckeye, Consolidated, Roosevelt, and Eastern Canals, and the Granite Reef Aqueduct.

2.3 Principal Flood Problems

The flooding history of Maricopa County indicates that large portions of the county are subject to destructive floods.

The principal flood hazard results from overflow of the major rivers; the overflow results in the inundation of the wide, flat flood plains, including any residential, commercial, or agricultural developments located within them. Erosion, combined with the development of new channels, adds to the potential hazard from inundation.

Areas adjacent to the flood plains of the major rivers, but not subject to overflow from the rivers, may be flooded due to the failure of earthen dikes and other retarding or diverting structures (Reference 29).

The upland areas of Maricopa County are also subject to flooding. Throughout the county, broad alluvial slopes lie between the steep mountains and major watercourses. These slopes are formed by the intermingling of alluvial fans from several streams and are traversed by many small channels that divide and reconverge at many places.

These channels are usually lined with small amounts of brush. Flooding occurs as a direct result of rainfall on the slopes or is caused by streams that drain from the mountains. Floods originating in the mountains often carry substantial amounts of rock debris, which are deposited on the alluvial slope. The debris may plug old channels and cause new ones to develop. Many of the lower slopes receive runoff only from precipitation that falls directly on the area involved because mountain runoff is completely dissipated on the upper slopes.

Much of the floodflow on the upland areas is unconfined and moves downslope as sheetflow. Generally, the sheetflow is less than 1.0 foot deep because the width of flow prevents water from building up to greater depths, except in depressions and where water ponds behind dikes, canals, and road fills that may divert the flow from its normal path. The concentrated flow may then break through at one spot, causing high velocities and deep flows immediately below the break or overflow area (Reference 30).

The type of sheetflow described above occurs on ground slopes of 1 to 5 percent. Slopes of less than 1 percent are too flat to carry water any significant distance. Ponding and rapid infiltration deplete the floodflows quickly. Slopes of more than 5 percent generally cause defined channels to form. Defined channels of minor tributaries may extend a considerable distance into slopes that are flatter than 5 percent, but will seldom reach slopes of less than 2 percent without distributary channels forming. Water in these channels is generally 2.5 to 3 feet deep (Reference 30).

Floods have plagued the Gila River basin for many years. The flood of February 1891 produced a great flood on the Salt River; the estimated peak floodflow was 300,000 cubic feet per second (cfs) at Arizona Dam (the present site of Granite Reef Dam). The largest flood involving the entire Gila River basin since that time was produced by the storms of January 1916. During that month, two Pacific storms occurring 10 days apart, brought warm rain, which melted unusually heavy snowcovers. The resultant flood ravaged the entire basin (Reference 31).

Other large floods occurred in April 1905, February 1920, March 1938, August 1951, December 1965, December 1967, September 1970, June 1972.

Maricopa County has experienced major flood losses recently. Heavy precipitation in the mountains north and east of Phoenix caused five floods in the Phoenix area from March 1978 to February 1980. The floods occurred in March 1978, December 1978, January 1979, March 1979, and February 1980 (approximately a 50-year event) when the flows in the Salt, Verde, and Agua Fria Rivers exceeded the storage capacity of the reservoirs on the rivers. These floods made almost all river crossings on the Salt River impassable for weeks and cut Maricopa County practically in half. Because of major traffic delays, businesses suffered major income losses. The nuisance of traffic jams also affected the lives of residents in the Phoenix metropolitan area. Major physical damages were to roads and bridges that crossed the Salt and Agua Fria Rivers. The Sky Harbor International Airport runways were flooded, causing partial closure of operations. The other flood damages were to agricultural fields on the flat flood plains, to the sand-and-gravel-mining operations in the riverbed, and commercial establishments in the river flood plains. Emergency assistance costs for local fire, police, and public services increased significantly. The overall flood damage

estimate for March 1978 was approximately \$33.2 million; for December 1978, \$51.8 million; and for February 1980, \$63.6 million.

Figures 2, 3, 4, and 5 depict flooding along the Salt River during December 1965. Figure 6 shows flooding on the Agua Fria River near Goodyear during the December 1965 flood.

2.4 Flood Protection Measures

Several flood-control structures exist in Maricopa County. Painted Rock Dam, which is 20 miles northwest of Gila Bend on the Gila River, was completed in 1959. It provides flood protection for approximately 360,000 acres downstream of the dam (Reference 31).

Runoff on the Salt River and its tributary, the Verde River, has been reduced over the years by the construction of several dams: Granite Reef Dam (1908); Roosevelt Dam (1911); Mormon Flat Dam (1925); Horse Mesa Dam (1927); Stewart Mountain Dam (1930) on the Salt River; Bartlett Dam (1939); and Horseshoe Dam (1945) on the Verde River.

Carl Pleasant Dam was constructed at the Frog Tanks gage on the Agua Fria River in 1927. It controls runoff from an area of 1,457 square miles (Reference 32).

Cave Creek Dam, built in 1920, provides protection from a 25-year flood to parts of Phoenix.

The Paradise Valley detention dikes, which are a feature of the Central Arizona Project (CAP), provide flood protection for the northeastern part of Phoenix and Scottsdale in excess of the 100-year flood. The Paradise Valley detention dikes have 14 feet of freeboard to provide protection from the 100-year flood (Reference 14). Also part of the CAP is the Granite Reef Aqueduct, which consists of a concrete-lined channel and a series of levees.

Dreamy Draw detention basin (1973) and Cave Buttes Dam (1980) provide additional flood protection for the City of Phoenix.

Trilby Wash detention basin (McMicken Dam) was completed in 1956. The detention basin has a capacity of 19,300 acre-feet (Reference 31). A leveed outlet channel conveys flood releases from the detention basin to the Agua Fria River. The project provides some flood protection to Luke Air Force Base, Phoenix Litchfield Municipal Airport, and the Towns of Goodyear, Litchfield, Avondale, Surprise, and El Mirage.

Spookhill Dam, Signal Butte Dam, Pass Mountain Dam, Powerline Dam, a diversion structure to Powerline Dam, and Rittenhouse Dam control flooding in the southeastern part of the county (References 5 and 8).



Figure 2. Looking Downstream on the Salt River During the December 1965 Flood (Sky Harbor International Airport runways are in the center.)



Figure 3. Salt River Flooding in December 1965 (The 40th Street bridge railing is visible at lower right; flow is from right to left.)





Figure 4. The Salt River Bridges in Tempe, Looking Upstream (The flooded area in the upper center is now developed into athletic fields and parking lots for Arizona State University. Photograph was taken on December 31, 1965.)



Figure 5. The Salt River in Tempe Looking Southwest (The flow is left to right. The buildings in the upper center of the photo are the Arizona State University. Scottsdale Road crosses the photo from the upper left to the lower right. Photograph was taken on December 31, 1965.)



20

Figure 6. Agua Fria River Flooding at U.S. Highway 80 and Southern Pacific Railroad Bridge near Goodyear, Arizona, on December 22, 1965 (Direction of flow is right to left.)

Drainage structures in the Interstate Highway 8 embankment south of Gila Bend were designed, according to State criteria, for a 50-year storm. This provides a shielding effect to Gila Bend because floodwaters from lower frequency storms will be detained by the highway, and flows exceeding the capacity of the highway structures will be diverted to the west (Reference 7).

A storm water detention dike was built approximately 4 miles north of Buckeye under the auspices of MCFCD. This facility was designed and constructed to contain up to the 100-year frequency storm runoff from the drainage areas north of the Roosevelt Canal. This facility provides some flood protection to Buckeye (Reference 13).

The channelization of portions of the Agua Fria, Gila, New, and Salt Rivers, Skunk Creek, and Scatter Wash has significantly reduced their respective flood plain areas.

Adobe Dam was constructed in April 1982 on Skunk Creek across Deer Valley Drive, approximately 1 mile west of Black Canyon Highway. The embankment is a compacted-earthfill structure. The ungated outlet works are designed to release a discharge of 1,890 cfs when the water surface is at the spillway crest (1,377 feet). The dam is designed to reduce the Standard Project Flood peak inflow of 66,000 cfs to an outflow of 1,890 cfs. The 100-year base flood inflow of 39,000 cfs will be reduced to a 1,730-cfs outflow.

In addition, the construction of the New River Dam has reduced the peak flow downstream at the confluence with Skunk Creek from 58,000 cfs to 12,000 cfs.

Levees in the study area that provide the community with some degree of protection from flooding. However, it has been ascertained that some of these levees may not provide 100-year flood protection. The criteria used to evaluate 100-year protection are: (1) adequate design, including freeboard; (2) structural stability; and (3) proper operation and maintenance. Levees that do not provide 100-year flood protection are not considered in the hydraulic analyses of the 100-year flood plain.

3.0 ENGINEERING METHODS

For the flooding sources studied in detail in the county, standard hydrologic and hydraulic study methods were used to determine the flood hazard data required for this study. Flood events of a magnitude which are expected to be equaled or exceeded once on the average during any 10-, 50-, 100-, or 500-year period (recurrence interval) have been selected as having special significance for flood plain management and for flood insurance rates. These events, commonly termed the 10-, 50-, 100-, and 500-year floods, have a 10, 2,

1, and 0.2 percent chance, respectively, of being equaled or exceeded during any year. Although the recurrence interval represents the long term average period between floods of a specific magnitude, rare floods could occur at short intervals or even within the same year. The risk of experiencing a rare flood increases when periods greater than 1 year are considered. For example, the risk of having a flood which equals or exceeds the 100-year flood (1 percent chance of annual exceedence) in any 50-year period is approximately 40 percent (4 in 10), and, for any 90-year period, the risk increases to approximately 60 percent (6 in 10). The analyses reported herein reflect flooding potentials based on conditions existing in the county at the time of completion of this study. Maps and flood elevations will be amended periodically to reflect future changes.

3.1 Hydrologic Analyses

Hydrologic analyses were carried out to establish the peak discharge-frequency relationships for each flooding source studied in detail affecting the county.

Peak discharges for the Hassayampa River were developed from discharge-frequency relationships of historic floods and gage records (Reference 32).

In the absence of observed runoff data, present-condition, discharge-frequency values for Scatter Wash and New River were used. Present-condition, discharge-frequency values for Scatter Wash and Skunk Creek below Adobe Dam were based on future condition values modified to reflect present conditions (Reference 33). Discharge-frequency values for the Agua Fria River were determined by routing balanced hydrographs, which were developed from Waddell Dam inflow-volume-frequency relationships, through the dam and downstream, and adding local flows as appropriate. Discharge-frequency relationships for the Salt River and Gila Rivers concentration points were determined by routing period-of-record flows through existing reservoirs using the HEC-5 computer model (Reference 34).

Peak discharge-frequency relationships for Cave Creek (below Cave Creek Dam), East Fork Cave Creek, and Echo Canyon Wash were taken from the Flood Insurance Study for the City of Phoenix (Reference 14).

Peak discharge-frequency relationships for Cave Creek (above Cave Creek Dam), Andora Hills Wash, Galloway Wash, Apache Creek, Rowe Wash, Grapevine Wash, Ocotillo Wash, Willow Springs Wash, Skunk Creek (above Carefree Highway), Mockingbird Wash, Little San Domingo Wash, Wittmann Drainage, Aguila Farm Channel, Grass Wash, Sand Tank Wash, Bender Wash, Rodeo Wash and its tributary, Airport Wash, Scott Avenue Wash, and Martinez Wash were developed using the U.S. Soil Conservation Service (SCS) TR-20 program (Reference 25). In addition, the SCS TR-55 computer program (Reference 36) was used to determine flood peaks for Buckeye Canal; Atchison, Topeka & Santa Fe Railway Channel; Southern

Pacific Railroad Spur at Chandler; Southern Pacific Railroad at Buckeye, Chandler, Gilbert, Goodyear, Tempe, and Tolleson; and Lower El Mirage Wash and its tributary.

Peak discharge-frequency relationships for Sols, Casandro, South Branch Casandro, Flying E, Hospital, and Powder House Washes were taken from the Flood Insurance Study for Wickenburg (Reference 19).

Peak discharge-drainage area relationships for flooding sources studied by detailed methods are shown in Table 3.

3.2 Hydraulic Analyses

Analyses of the hydraulic characteristics of flooding from the sources studied were carried out to provide estimates of the elevations of floods of the selected recurrence intervals.

For areas of riverine flooding studied by detailed methods, water-surface elevations for floods of the selected recurrence intervals were computed using the COE HEC-2 computer program (Reference 37).

The cross section data for Agua Fria River were taken from several sources of mapping. A 1981 COE topographic map for New River (Reference 38) was used for the river section from the confluence with the Gila River to the confluence with the New River. From New River to Northern Avenue, 1982 City of Glendale mapping was used (Reference 39). From Northern Avenue to Grand Avenue and from Beardsley Road to Jomax Road, 1983 Maricopa County maps were used (Reference 40). The topographic maps for the reach between Grand Avenue and Bell Road (Reference 41) were furnished by American Engineering Company. For the reach between Bell and Beardsley Roads, maps were provided by the Cella, Barr, Evans and Associates (Reference 42).

Cross sections for the Gila River were digitized from 1983 topographic maps or taken from as-built data for the Bullard Avenue Bridge.

Cross sections for the Salt River between Central Avenue and 115th Avenue were based on digitized data from topographic mapping. From Central Avenue to Country Club Road in Mesa, cross sections were also taken from topographic mapping (References 43 and 44).

For study purposes, Skunk Creek was divided into two sections. Lower Skunk Creek lies between Adobe Dam outlet channel and the Bell Road Bridge. Upper Skunk Creek is from the Central Arizona Project channel to Adobe Dam. Cross sections for both reaches were generated using 1974 Maricopa County topographic maps at a scale of 1:2,400 with a contour interval of 2 feet. These maps were supplemented by additional mapping from the City of Phoenix

Table 3. Summary of Discharges

Flooding Source and Location	Drainage Area (Square Miles)	Peak Discharges (Cubic Feet per Second)			
		10-Year	50-Year	100-Year	500-Year
Gila River					
Below Confluence With Agua Fria River (At Bullard Avenue)	41,902	95,000	200,000	250,000	360,000
Agua Fria River					
At Bell Road	1,870	23,000	87,000	115,000	182,000
Above Confluence With New River (At Glendale Avenue)	1,929	18,000	66,000	90,000	177,000
Below Confluence With New River	2,088	28,000	69,000	95,000	184,000
At Avondale	2,241	22,000	67,000	90,000	179,000
Above Confluence With Gila River	2,250	22,000	67,000	89,000	179,000
New River					
At Outflow of New River Dam	0	1,700	2,200	2,350	-- ¹
Above Beardsley Road	10.3	2,400	6,500	9,800	-- ¹
Above Confluence With Skunk Creek	17.3	2,700	8,000	12,000	-- ¹
Below Confluence With Skunk Creek	123.6	4,600	13,000	21,000	-- ¹
Skunk Creek					
At Inflow of Adobe Dam	89.6	15,000	29,000	39,000	85,000
At Outflow of Adobe Dam	0.0	1,370	1,650	1,730	2,000
Above Confluence With Scatter Wash	0.9	1,600	2,200	2,600	4,600
Below Confluence With Scatter Wash (At 59th Avenue)	0.4	2,000	5,500	8,400	22,000
At Confluence With Arizona Canal	19.9	2,200	6,700	11,000	33,000
Scatter Wash					
At Mouth	8.5	580	3,500	6,100	17,000
Above Black Canyon Highway (State Highway 17)	6.3	540	3,200	5,700	16,000

¹Not Computed

Table 3. Summary of Discharges (Cont'd)

Flooding Source and Location	Drainage Area (Square Miles)	Peak Discharges (Cubic Feet per Second)			
		10-Year	50-Year	100-Year	500-Year
Salt River					
At Gilbert Road	12,593	100,000	170,000	230,000	345,000
At Tempe Bridge	12,783	93,000	160,000	215,000	330,000
At Central Avenue	12,831	91,000	155,000	200,000	325,000
At 67th Avenue	12,931	90,000	150,000	190,000	315,000
Above Confluence With Gila River	12,962	85,000	145,000	185,000	310,000
Cave Creek					
At Confluence With Salt River	96.6 ¹	2,800 ^{2,3}	7,700 ^{2,3}	10,900 ^{2,3}	22,000 ^{2,3}
At Grand Canal Crossing	50.4 ¹	3,100 ^{2,3}	8,600 ^{2,3}	12,400 ^{2,3}	26,000 ^{2,3}
At Arizona Canal Crossing	30.4 ¹	3,200 ³	9,000 ³	13,000 ³	27,000 ³
Below Confluence With Moon Valley Wash	29.3 ¹	3,200 ³	9,000 ³	12,000 ³	27,000 ³
Below Confluence With East Fork Cave Creek	22.5 ¹	3,100 ³	8,700 ³	11,000 ³	25,000 ³
Below Deer Valley Road	5.0 ¹	1,400 ³	3,800 ³	5,400 ³	11,000 ³
Above Deer Valley Road	4.5 ¹	1,300 ³	3,500 ³	5,000 ³	10,000 ³
Below Carefree Highway	126.9 ⁴	20,600	32,975	36,860	52,000
Above Carefree Highway	121.5 ⁴	20,130	32,180	35,900	51,000
At Confluence With Andora Hills Wash	115.1 ⁴	19,640	31,430	35,000	50,000
Above Confluence With Willow Springs Wash	80.3 ⁴	13,210	21,480	23,600	33,000

¹Contributing Drainage Area Below Cave Creek Dam Only

²Decrease Due to Storage in Overbanks Upstream

³Regulated by Cave Creek Dam

⁴Contributing Drainage Area Above Cave Creek Dam

Table 3. Summary of Discharges (Cont'd)

Flooding Source and Location	Drainage Area (Square Miles)	Peak Discharges (Cubic Feet per Second)			
		10-Year	50-Year	100-Year	500-Year
East Fork Cave Creek					
At Confluence With Cave Creek	14.4	2,300	6,400	9,000	19,000
Below 7th Avenue Extended	13.8	2,300	6,300	8,900	18,000
Below 7th Street	12.4	2,200	5,900	8,400	17,000
Above 7th Street	10.0	1,900	5,300	7,500	15,200
At Bell Road	3.4	1,100	2,900	4,200	8,200
Below Cave Creek Road	3.0	1,000	2,800	3,900	7,900
At Utopia Road	1.8	800	2,100	3,000	5,800
At Beardsley Road	1.0	600	1,500	2,100	4,300
Andora Hills Wash					
Above Confluence With Cave Creek	2.8	1,450	2,280	2,590	3,550
Above School House Road	1.6	1,070	1,620	1,820	2,500
Below Scottsdale Road	0.6	420	640	720	980
Galloway Wash					
At Spur Cross Road	20.5	10,870	16,920	19,180	26,400
Below Confluence With Grapevine Wash	14.6	7,470	11,800	13,430	18,700
1.4 miles Above Confluence With Grapevine Wash	0.4	170	290	330	490
Rowe Wash					
Above Confluence With Galloway Wash	5.5	4,170	6,190	6,940	9,200
2.5 Miles Above Confluence With Galloway Wash	4.8	4,030	5,940	6,650	8,800
Grapevine Wash					
At Mouth	-- ¹	4,090	6,420	7,290	10,000
Ocotillo Wash					
Above Confluence With Cave Creek	3.8	3,200	4,820	5,420	7,200
Near Intersection of Rockaway Hills Drive and Fleming Springs Road	2.8	2,800	4,140	4,630	6,200

¹Data Not Available

Table 3. Summary of Discharges (Cont'd)

Flooding Source and Location	Drainage Area (Square Miles)	Peak Discharges (Cubic Feet per Second)			
		10-Year	50-Year	100-Year	500-Year
Willow Springs Wash					
Above Confluence With Cave Creek	5.0	3,740	5,570	6,240	8,250
0.8 Mile Above Confluence With Cave Creek	3.1	2,920	4,300	4,800	6,220
Hassayampa River					
At Maricopa-Yavapai County Line	524.0	16,500	42,300	72,200	125,000
Sols Wash					
At River Street	5.0	4,000	16,500	24,000	59,000
Casandro Wash					
At Atchison, Topeka & Santa Fe Railway	1.5	250	1,050	1,500	3,500
At U.S. Highways 60 and 70	0.5	50	500	800	1,900
South Branch Casandro Wash					
Above Yaqui Drive	0.2	50	250	400	1,000
Flying E Wash					
At U.S. Highways 60 and 70	8.4	1,000	4,500	6,500	15,000
Hospital Wash					
At Honeysuckle Avenue	0.5	150	600	900	2,000
Powder House Wash					
At Jack Burden Road	1.9	300	1,300	1,900	4,400
Martinez Wash					
At Mouth	103.0	9,220	27,400	32,000	45,000

Table 3. Summary of Discharges (Cont'd)

Flooding Source and Location	Drainage Area (Square Miles)	Peak Discharges (Cubic Feet per Second)			
		10-Year	50-Year	100-Year	500-Year
Mockingbird Wash At U.S. Highways 60, 70, and 89	6.9	2,750	4,040	5,060	7,400
Little San Domingo Wash At U.S. Highways 60, 70, and 89	6.2	1,690	2,620	3,090	4,250
Wittmann Drainage At Atchison, Topeka & Santa Fe Railway	8.6	1,760	2,770	3,060	4,350
Aguila Farm Channel At Eagle Eye Avenue	216.0	5,450	12,000	16,000	-- ¹
Grass Wash At U.S. Highways 60 and 70	83.0	6,380	11,600	14,400	-- ¹
Lower El Mirage Wash At Cactus Road	1.9	90	200	250	-- ¹
Lower El Mirage Wash Tributary At Mouth	1.3	53	110	150	-- ¹
Sand Tank and Bender Washes At Gila Bend (Gillespie Canal)	261	28,200	33,000 ²	33,500 ²	34,500 ²
At Interstate Highway 8	257 ³	28,000	51,000	64,000	87,000

¹Not Computed²Decrease Due to Diversion at Interstate Highway 8³An Equivalent of 128 Square Miles of Drainage Area Is Diverted to West at Interstate Highway 8

Table 3. Summary of Discharges (Cont'd)

Flooding Source and Location	Drainage Area (Square Miles)	Peak Discharges (Cubic Feet per Second)			
		10-Year	50-Year	100-Year	500-Year
Rodeo Wash					
At U.S. Highway 80	3.3	560	1,100	1,400	2,200
Atchison, Topeka & Santa Fe Railway Channel					
At Confluence With Agua Fria River	1.1	180	370	435	--1
At Olive and 75th Avenues	5.4	490	1,020	1,340	1,920
At Peoria and 83rd Avenues	2.7	280	560	730	1,060
At Hawkins Road	0.3	100	190	230	--1
Echo Canyon Wash					
At Mouth	5.1	2,000	4,600	6,600	18,000
200 Feet East of 40th Street	4.3	1,900	4,200	5,900	14,000
At McDonald Drive	3.5	1,600	3,500	4,900	10,200
At Tatum Road	1.9	1,200	2,550	3,600	8,650
Southern Pacific Railroad					
At Apache Road	2.6	220	450	650	--1
At Miller Road	2.0	50	210	410	--1
At Ray Road	4.7	110	270	360	--1
At Railroad Spur	2.2	120	280	320	--1
1.0 Mile North of Guadalupe Road	143.9	200	2,270	4,090	--1
0.25 Mile South of Western Canal	131.8	130	2,160	3,950	--1
At Airport Entrance	2.2	120	280	320	--1
Southern Pacific Railroad Spur					
At Ray Road	2.5	--1	--1	790	--1

¹Not Computed²Data Not Available

Table 3. Summary of Discharges (Cont'd)

Flooding Source and Location	Drainage Area (Square Miles)	Peak Discharges (Cubic Feet per Second)			
		10-Year	50-Year	100-Year	500-Year
Apache Creek (Apache Junction Alluvial Fan)					
At U.S. Highway 80 and 108th Street	2.64	433	831	1,021	-- ¹
Dreamy Draw Wash East					
At Mouth	0.38	300	750	1,000	1,700
Flynn Lane Wash					
At Flynn Lane and Lincoln Drive	0.63	400	800	1,100	2,300
At Ocotillo Road	0.98	700	1,300	1,700	3,300
Granite Reef Wash					
Pima Road	6.2	74	278	644	1,431
McDowell Road	7.2	580	950	1,240	2,660
Van Buren Street	7.5	720	1,158	1,417	3,150
Indian Bend Wash					
Scottsdale Road	44.26	3,400	11,000	16,000	35,000
Indian Bend Road	59.6	3,500	12,000	17,000	39,000
Indian School Road	100	4,000	14,000	20,000	43,000
Downstream Limit of McKellips Lake, Just Upstream of McKellips Road Bridge	107	4,000	14,000	20,000	42,000
At 32nd Street	2.77	1,000	1,400	2,400	5,500
At 36th Street	9.17	2,000	3,500	6,000	15,500
At Cactus Road	15.07	1,500	5,600	9,000	21,000

¹Not Computed

Table 3. Summary of Discharges (Cont'd)

Flooding Source and Location	Drainage Area (Square Miles)	Peak Discharges (Cubic Feet per Second)			
		10-Year	50-Year	100-Year	500-Year
Myrtle Avenue Wash At Mouth	0.87	600	1,000	1,300	2,800
Tenth Street Wash					
At Cheryl Drive	0.81	385	-- ¹	1,440	3,650
At Hatcher Road	1.59	910	-- ¹	3,400	8,600
At Alice Avenue	2.25	1,170	-- ¹	4,390	11,110
At Griswold Road	2.69	1,265	-- ¹	4,740	12,000
Wash B					
At a point 1,100 Feet Downstream of 124th Street	1.95	290	1,160	1,925	4,580
At a point 4,500 Feet Downstream of 124th Street	2.25	340	1,390	2,300	5,500
At a point 4,500 Feet Downstream of 124th Street	2.25	205	835	1,380	3,300
At a point 5,500 Feet Downstream of 124th Street	2.50	190	820	1,300	3,200
Weekes Wash					
At U.S. Highway 60/89	10.60	2,015	5,485	6,680	9,605
At North Apache Trail (State Highway 88)	9.37	2,145	5,610	6,840	9,847

¹Not Computed

and the COE at scales of 1:1,200 and 1:2,400 respectively, both with a contour interval of 2 feet.

Cross sections for the Hassayampa River (below Carefree Highway) were field surveyed.

Cross section data for the following were developed from topographic maps (Reference 38): Skunk Creek above Carefree Highway; Cave Creek above Cave Creek Dam; Andora Hills, Galloway, Rowe, Grapevine, Ocotillo, Willow Springs, Powder House, Mockingbird, and Little San Domingo Washes; Wittmann Drainage; Aguila Farm Channel; Grass, Sand Tank, and Bender Washes; Rodeo Wash and its tributary; Airport Wash, and Scott Avenue Washes; Lower El Mirage Wash and its tributary; Atchison, Topeka & Santa Fe Railway Channel at El Mirage; the Atchison, Topeka & Santa Fe Railway at Peoria; and the Southern Pacific Railroad and its spurs.

Cross section data for East Branch Scatter Wash and Echo Canyon Washes were developed from topographic maps provided by the City of Phoenix (Reference 39).

Cross section data for Cave Creek below Arizona Canal and for East Fork Cave Creek were developed from aerial photographs flown in March 1980 (Reference 40). Cross section data for Cave Creek between Arizona Canal and Cave Creek Dam were developed from aerial photographs flown in March 1978 (Reference 41).

Cross section data for Sols, Casandro, South Branch Casandro, Flying E, and Hospital Washes were taken from a COE flood plain information report for Wickenburg (Reference 42) and from topographic maps (Reference 45).

Cross section data for Martinez Wash were digitized from topographic maps (Reference 27).

Cross sections were located at close intervals above and below bridges in order to compute the significant backwater effects of these structures. All bridges and culverts were investigated to obtain elevation data and structural geometry.

Locations of selected cross sections used in the hydraulic analyses are shown on the Flood Profiles (Exhibit 1). For stream segments for which a floodway was computed (Section 4.2), selected cross section locations are also shown on the Flood Boundary and Floodway Map (Exhibit 2).

Hydraulic roughness coefficients (Manning's "n") were selected on the basis of field inspection and engineering judgment. Table 4 gives the range of Manning's "n" values for each flooding source studied by detailed methods.

Table 4. Range of Hydraulic Roughness Coefficients (Manning's "n")

<u>Flooding Source</u>	<u>Channel</u>	<u>Overbanks</u>
Agua Fria River	0.030 - 0.035	0.040 - 0.045
Gila River	0.045	0.045
Hassayampa River	0.030 - 0.060	0.040 - 0.060
New River	0.030 - 0.035	0.030 - 0.060
Salt River	0.030 - 0.035	0.040 - 0.050
Skunk Creek	0.035	0.045 - 0.050
Scatter Wash, North Branch	0.020 - 0.050	0.070 - 0.150
Scatter Wash, South Branch	0.035	0.045
Aguila Farm Channel	0.030	0.040
Airport Wash	0.025	0.035
Andora Hills Wash	0.020 - 0.045	0.020 - 0.052
Atchison, Topeka & Santa Fe Railway Channel	0.032 - 0.037	0.032 - 0.047
Atchison, Topeka & Santa Fe Railway Ponding	0.035 - 0.040	0.035 - 0.040
Bender and Sand Tank Washes	0.025	0.035
Casandro Wash	0.030 - 0.060	0.040 - 0.060
South Branch Casandro Wash	0.030 - 0.060	0.040 - 0.060
Cave Creek	0.020 - 0.045	0.020 - 0.052
East Fork Cave Creek	0.015 - 0.050	0.015 - 0.070
Echo Canyon Wash	0.018 - 0.025	0.012 - 0.035
Flying "E" Wash	0.030 - 0.060	0.040 - 0.060
Galloway Wash	0.020 - 0.045	0.020 - 0.052
Grapevine Wash	0.020 - 0.045	0.020 - 0.052
Grass Wash	0.025 - 0.040	0.025 - 0.045
Hospital Wash	0.030 - 0.060	0.040 - 0.060
Little San Domingo Wash	0.030	0.040

Table 4. Range of Hydraulic Roughness Coefficients (Manning's "n")

<u>Flooding Source</u>	<u>Channel</u>	<u>Overbanks</u>
Lower El Mirage Wash	0.044	0.044
Lower El Mirage Wash Tributary	0.044	0.044
Martinez Wash	0.025 - 0.060	0.060 - 0.100
Mockingbird Wash	0.030 - 0.037	0.035 - 0.042
Ocotillo Wash	0.020 - 0.045	0.020 - 0.052
Powder House Wash	0.030 - 0.060	0.040 - 0.060
Rodeo Wash	0.025	0.035
Rodeo Wash Tributary	0.025	0.035
Rowe Wash	0.020 - 0.045	0.020 - 0.052
Sols Wash	.030 - .060	0.040 - 0.060
Scott Avenue Wash	0.025	0.035
Willow Springs Wash	0.020 - 0.045	0.020 - 0.052
Wittmann Drainage	0.033	0.035

Starting water-surface elevations for all riverine flooding sources, except as noted below, were developed using the slope-area method.

The Agua Fria River starting water-surface elevations were determined assuming normal depth. The Manning's "n" values used ranged from 0.03 to 0.035 for the channel and from 0.04 to 0.045 for the overbanks.

The starting water-surface elevations for the Gila River were computed by normal-depth methods. The "n" value used for the Gila River was 0.045 for both the channel and overbanks.

The starting water-surface elevations for the New River were developed through the use of 1985 topographic mapping in the area of its confluence with Skunk Creek. Manning's "n" values were based on field observations and engineering judgment. These "n" values ranged in the channel from 0.03 to 0.035.

In the overbank areas, "n" values ranged from 0.03 to 0.06. A significant feature of the New River flood plain is the channelization in the vicinity its confluence with Skunk Creek. This channelization has occurred from approximately 1,500 feet downstream of the Thunderbird Road Bridge upstream to the Greenway Road. In addition, in the left overbank area above Union Hill Drive, a new wastewater treatment plant with improved channel banks is reflected in the hydraulic model.

For the upper reaches of Skunk Creek, the starting-water surface elevations were computed from the reservoir spillway elevation of 1,377 feet. For the lower reach, normal-depth and New River back-water computations were used. Mannings "n" values were 0.035 for the channel and 0.045 for the overbanks on the lower reach. For the upper reach, the "n" values ranged from 0.035 to 0.040 in the channel and from 0.035 to 0.05 in the overbank.

Salt River photos for the 1978 and 1980 flooding events were extensively used in establishing channel parameters for bank station identification, "n" values and flood flow conveyance patterns. Information from the current Airport channelization project was also transferred to the maps. The Salt River model also includes the proposed south dike on Salt River, which represents an extension of the airport channelization project. This dike is located between Hohokam Expressway (48th Street) and Priest Road on the southern bank of the Salt River.

Water surface elevations computed in the HEC-2 hydraulic model were calibrated with the known flood plains of the 1978 and 1980 flooding events. This technique involved the adjustment at conveyance boundaries and "n" values. The calibrated "n" values ranged from 0.03 to 0.035 for the channel and from 0.04 to 0.05 for the overbanks.

The starting water surface elevation for Scatter Wash was taken from Skunk Creek. Manning's "n" values were determined through field investigations and engineering judgment. Scatter Wash is a relatively flat flood plain for the majority of its reach, with a substantial amount of development in some overbank areas. Manning's "n" values for the channel ranged between 0.02 at Deer Valley underpass to 0.05 for heavy brush areas.

In the upper Scatter Wash drainage basin it was determined that floodflows would proceed along the many braided streamlines, until they reach Interstate Highway 17 (I-17) at I-17, the flows will begin to concentrate in the area north of Williams Road. The 100-year flows at this point will separate into a north and south branch of Scatter Wash. The Scatter Wash, North Branch passes under I-17 through two culverts, and over I-17 via sheet flow action. Scatter Wash, South Branch continues to flow southerly along the eastern side of I-17, until it eventually ponds and passes under I-17 at Deer Valley Road. Both branches of Scatter Wash join in the vicinity of Rose Garden Lane and 33rd Avenue. At this location, the flows proceed downstream to their confluence with Skunk Creek.

During periods of heavy runoff, flows from Sand Tank and Bender Washes near Gila Bend are intermixed. Highway and railroad bridges traverse both washes. These structures cannot pass a 100-year flood, resulting in extensive ponding at each obstruction during floods of low frequency.

Apache Creek is located on an alluvial fan near Apache Junction at the base of the Superstition Mountains. A vast network of intermingling channels exists on the fan. Flooding on alluvial fans is often erratic and unpredictable, and flow may occur on separate parts of an alluvial fan during sequent flood events. Flooding in this area was analyzed using alluvial fan methodology developed by FEMA.

Much of the flooding in the county is caused by sheetflow that originates from alluvial fans. Flows are intercepted by canal levees, railroad embankments, and elevated roads, causing water to pond behind the embankments. Depths of ponding depend on the elevation of the embankments. When the intercepted runoff exceeds ponding storage capacity, the flow will overtop the embankment, thus eroding the levee. Areas immediately downslope of the breakout will be affected by high water. However, flows will fan out to again become shallow sheetflow that is less than 1 foot in depth. Therefore, many areas in the county have been designated Zone B. (See Section 5.3.)

Approximate hydraulic analyses for Bulldog, Apache, and Goldfield Washes and the downstream reach of Weekes Wash were carried out using approximate flow velocities and normal-depth calculations. These analyses revealed that the channels have very little capacity relative to the 100-year flood and, in some cases, the channels are nonexistent. Furthermore, the overbank flow is not

confined to a well-defined flood plain, causing shallow flooding. The average depth of flooding for the overbank areas was determined to be less than 1 foot.

Areas of ponding on the upstream side of U.S. Highway 60/89 were also studied. Water-surface elevations for these areas were based on the elevation of the highway grade with shallow flows over the highway of less than 1 foot. This results in average shallow flooding depths behind the highway between 1 and 3 feet.

Cross sections were taken perpendicular to the canals and railroad embankments using topographic maps (Reference 21). The top of the embankments were assumed to be the maximum ponding elevation upslope of the embankment. Flood hazard areas were then determined by projecting this elevation upslope to intersect the natural ground.

The canal levees and railroad embankments do not permanently retain stormflows, but divert them along the embankments. Most of the canal levees consist of unconsolidated material. These levees are subject to failure when runoff volumes exceed storage capacity. Potential flood hazard areas on the downslope side of the canals were analyzed for levees exceeding 2 feet in height. This analysis determined the distance required for flow through a break in a levee to spread and be reduced to an average depth of 1 foot, using Manning's equation. This analysis assumed the following:

1. A canal breach could occur at any point.
2. A broad, cresting horizontal weir equation with a head of 3 feet could be used to determine the length of a breach, resulting in a weir from 50 to 100 feet long.
3. Floodwaters would spread at a 45 degree angle from the breach in the levee.
4. The peak discharge at a potential levee break was the maximum canal capacity or the concentration of peak flows from runoff in the watershed, whichever was greater.

Due to the nature of flooding along the New River, Skunk Creek below Carefree Highway, Lower El Mirage Wash, Scatter Wash below Black Canyon Highway, and East Branch Scatter Wash, no 500-year flood profiles were developed. The flood plains of these streams are wide; therefore, flow could increase substantially without significantly raising the water-surface elevation or increasing the velocity of flow. Moreover, most of the area contiguous to the flood plains is subject to sheetflow during a 100-year flood.

In addition, 50-year flood profiles for the Agua Fria and New River, Skunk Creek below Carefree Highway, Cave Creek below Cave Creek Dam, East Fork Cave Creek, and Echo Canyon, Scatter, and East Branch Scatter Washes were not computed.

Flood profiles are not applicable for areas of shallow flooding and ponding; therefore, flood profiles are not presented for any of the canals or other areas of shallow flooding, including Sand Tank and Bender Washes, Rodeo Wash and its tributary, Lower El Mirage Wash Tributary, and Airport and Scott Avenue Washes.

For flooding sources studied by approximate methods, 100-year flood elevations were computed using Manning's equation, COE Flood plain Information reports (References 19, 28, 42, and 47), USGS Flood-Prone Area Maps (Reference 48), USGS slope maps (Reference 49), high-resolution Skylab photographs (References 50 and 51), and USGS topographic maps (Reference 52).

The study was limited to the uses of fixed-bed modeling for the hydraulic analyses. However, with the occurrence of a large flood, substantial changes in the riverbed are expected to occur, particularly where the bottom slope is very non-uniform and/or where other structures, such as bridges, cause local increases in the velocity. Resultant changes in the water-surface elevations can be expected.

The hydraulic analyses for this study were based on unobstructed flow. The flood elevations shown on the profiles are thus considered valid only if hydraulic structures remain unobstructed, operate properly, and do not fail.

All elevations are referenced to the National Geodetic Vertical Datum of 1929 (NGVD). Elevation reference marks used in this study are shown on the maps.

4.0 FLOOD PLAIN MANAGEMENT APPLICATIONS

The NFIP encourages State and local governments to adopt sound flood plain management programs. Therefore, each Flood Insurance Study produces maps designed to assist communities in developing flood plain management measures.

4.1 Flood Boundaries

To provide a national standard without regional discrimination, the 1 percent annual chance (100-year) flood has been adopted by FEMA as the base flood for flood plain management purposes. The 0.2 percent annual chance (500-year) flood is employed to indicate additional areas of flood risk in the community. For each stream studied in detail, the 100- and 500-year flood plain boundaries have been delineated using the flood elevations determined at each cross section. Between cross sections, the boundaries were interpolated using topographic maps at scales of 1:1,200, 1:2,400, 1:4,800, and 1:6,000, with contour intervals of 2 and 4 feet (References 38, 39, 45, and 46).

The 100- and 500-year flood plain boundaries are shown on the Flood Boundary and Floodway Map (Exhibit 2). In cases where the 100- and 500-year flood plain boundaries are close together, only the 100-year flood plain boundary has been shown. Small areas within the flood plain boundaries may lie above the flood elevations but cannot be shown due to limitations of the map scale and/or lack of detailed topographic data.

Approximate flood boundaries were delineated using USGS topographic maps and Flood-Prone Areas Maps (References 48 and 52), and high-resolution Skylab photographs (References 50 and 51).

4.2 Floodways

Encroachment on flood plains, such as structures and fill, reduces flood-carrying capacity, increases flood heights and velocities, and increases flood hazards in areas beyond the encroachment itself. One aspect of flood plain management involves balancing the economic gain from flood plain development against the resulting increase in flood hazard. For purposes of the NFIP, a floodway is used as a tool to assist local communities in this aspect of flood plain management. Under this concept, the area of the 100-year flood plain is divided into a floodway and a floodway fringe. The floodway is the channel of a stream, plus any adjacent flood plain areas, that must be kept free of encroachment so that the 100-year flood can be carried without substantial increases in flood heights. Minimum Federal standards limit such increases to 1.0 foot, provided that hazardous velocities are not produced. The floodways in this study are presented to local agencies as minimum standards that can be adopted directly or that can be used as a basis for additional floodway studies.

The floodways presented in this study were computed on the basis of equal-conveyance reduction from each side of the flood plain. The results of these computations are tabulated at selected cross sections for each stream segment for which a floodway is computed (Table 5).

As shown on the Flood Boundary and Floodway Map (Exhibit 2), the floodway boundaries were computed at cross sections. Between cross sections, the boundaries were interpolated. In cases where the floodway and 100-year flood plain boundaries are either close together or collinear, only the floodway boundary has been shown.

The floodways for Little San Domingo, Mockingbird, and Powder House Washes are shown coincident with the 100-year flood plain boundaries because of high, hazardous velocities in their respective flood plains.

No floodway was computed for Wash B downstream of Granite Reef Aqueduct. Also, no floodway was computed for Cave Creek below Arizona Canal.

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	(FEET NGVD)		
						WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Agua Fria River								
A	2,675	2,960	14,542	6.1	923.6	921.1 ²	922.0 ²	0.9
B	5,335	2,200	12,012	7.4	926.7	926.7	927.6	0.9
C	6,165	1,807	10,874	8.2	929.2	929.2	930.1	0.9
D	7,005	2,416	13,849	6.4	933.2	933.2	933.2	0.0
E	9,355	3,288	19,239	4.6	937.0	937.0	937.5	0.5
F	11,075	3,137	14,185	6.3	940.7	940.7	941.0	0.3
G	13,040	2,235	14,088	6.3	946.7	946.7	947.2	0.5
H	14,655	2,130	14,184	6.3	949.9	949.9	950.3	0.4
I	15,870	2,500	13,318	6.8	952.2	952.2	953.2	1.0
J	17,370	2,650	16,102	5.6	955.8	955.8	956.6	0.8
K	18,995	1,960	12,077	7.5	958.8	958.8	959.6	0.8
L	19,995	1,188	9,009	10.0	962.3	962.3	962.8	0.5
M	20,200	1,202	13,534	6.7	964.1	964.1	964.3	0.2
N	22,085	2,375	17,909	5.0	967.8	967.8	968.8	1.0
O	23,950	2,970	16,624	5.4	970.9	970.9	971.9	1.0
P	25,350	2,170	12,170	7.4	973.0	973.0	974.0	1.0
Q	26,600	1,870	13,718	6.6	976.4	976.4	977.1	0.7
R	27,975	1,868	12,911	7.0	978.6	978.6	979.2	0.6
S	28,515	1,452	11,250	8.1	981.0	981.0	981.1	0.1
T	29,955	2,820	25,386	3.6	984.7	984.7	984.8	0.1
U	32,075	3,670	20,941	4.3	987.4	987.4	988.0	0.6
V	34,655	2,835	16,290	5.7	994.1	994.1	995.0	0.9
W	36,095	2,600	15,060	6.2	997.7	997.7	998.2	0.5
X	37,320	2,195	13,171	7.1	1,000.3	1,000.3	1,000.7	0.4
Y	39,470	2,915	15,995	5.8	1,003.7	1,003.7	1,004.5	0.8
Z	42,836	1,596	14,883	6.4	1,012.3	1,012.3	1,012.8	0.5

¹Feet Above Confluence With Gila River

²Elevations Computed Without Consideration of Backwater From Gila River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

AGUA FRIA RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Agua Fria River (Continued)								
AA	42,915	1,587	13,300	7.1	1,012.3	1,012.3	1,012.9	0.6
AB	45,441	3,190	15,994	5.9	1,017.5	1,017.5	1,107.7	0.2
AC	48,497	1,694	11,734	8.1	1,024.3	1,024.3	1,024.5	0.2
AD	50,257	2,700	14,356	6.6	1,029.1	1,029.1	1,029.4	0.3
AE	51,717	4,720	21,241	4.2	1,033.8	1,033.8	1,034.7	0.9
AF	53,647	3,400	12,757	7.1	1,037.7	1,037.7	1,037.8	0.1
AG	56,072	2,950	14,565	6.3	1,043.1	1,043.1	1,044.0	0.9
AH	59,897	4,013	13,839	6.7	1,050.8	1,050.8	1,051.3	0.5
AI	62,971	3,405	38,528	2.5	1,064.7	1,064.7	1,064.8	0.1
AJ	65,371	2,753	9,433	10.2	1,064.7	1,064.7	1,065.0	0.3
AK	66,571	2,425	11,074	8.7	1,068.9	1,068.9	1,069.2	0.3
AL	69,091	2,300	15,303	6.4	1,076.1	1,076.1	1,077.0	0.9
AM	71,091	2,441	19,658	5.0	1,080.1	1,080.1	1,080.7	0.6
AN	74,091	3,136	13,249	7.6	1,089.2	1,089.2	1,089.5	0.3
AO	76,091	2,605	13,945	7.4	1,095.4	1,095.4	1,095.9	0.5
AP	78,091	2,754	17,948	5.7	1,101.5	1,101.5	1,101.8	0.3
AQ	80,091	2,092	12,205	8.5	1,104.6	1,104.6	1,105.1	0.5
AR	82,146	2,259	14,813	7.1	1,111.4	1,111.4	1,111.9	0.5
AS	86,715	2,072	21,346	5.1	1,130.7	1,130.7	1,131.5	0.8
AT	89,081	2,520	15,707	6.9	1,133.6	1,133.6	1,134.4	0.8
AU	91,162	2,855	25,570	4.2	1,137.0	1,137.0	1,137.6	0.6
AV	92,921	2,080	11,667	9.3	1,138.4	1,138.4	1,139.0	0.6
AW	96,615	2,616	12,273	8.5	1,149.1	1,149.1	1,149.1	0.0
AX	98,198	2,143	14,516	7.5	1,154.7	1,154.7	1,154.8	0.1
AY	99,713	1,074	12,826	9.0	1,160.3	1,160.3	1,160.7	0.4
AZ	99,783	1,073	12,995	8.8	1,160.5	1,160.5	1,160.8	0.3

¹Feet Above Confluence With Gila River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

AGUA FRIA RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	(FEET NGVD)		
						WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Agua Fria River (Continued)								
BA	101,573	2,451	16,536	7.0	1,168.9	1,168.9	1,168.9	0.0
BB	103,973	2,796	15,544	7.5	1,174.3	1,174.3	1,174.5	0.2
BC	105,183	2,608	15,653	7.4	1,177.9	1,177.9	1,178.1	0.2
BD	106,203	2,211	14,947	7.8	1,180.7	1,180.7	1,181.1	0.4
BE	109,453	2,521	18,048	6.6	1,191.7	1,191.7	1,192.7	1.0
BF	112,113	2,550	14,014	8.5	1,196.9	1,196.9	1,197.7	0.8
BG	113,313	3,020	26,743	4.4	1,199.4	1,199.4	1,200.4	1.0
BH	114,433	2,868	19,665	6.1	1,200.4	1,200.4	1,201.3	0.9
BI	116,483	2,720	14,168	8.4	1,205.9	1,205.9	1,206.2	0.3
BJ	118,483	2,990	17,358	7.0	1,212.9	1,212.9	1,213.0	0.1
BK	119,483	3,394	20,320	6.0	1,215.9	1,215.9	1,215.9	0.0
BL	121,483	3,383	15,421	7.8	1,222.4	1,222.4	1,222.4	0.0
BM	123,483	3,314	21,455	5.7	1,228.6	1,228.6	1,228.7	0.1
BN	125,483	2,750	14,976	8.2	1,236.6	1,236.6	1,237.1	0.5
BO	127,483	3,015	18,164	6.8	1,244.1	1,244.1	1,244.8	0.7
BP	129,483	3,970	22,373	5.6	1,249.1	1,249.1	1,249.6	0.5
BQ	131,483	3,840	20,042	6.3	1,256.7	1,256.7	1,257.4	0.7
BR	132,483	2,800	16,573	7.7	1,259.3	1,259.3	1,260.0	0.7
BS	134,383	1,272	9,169	13.9	1,266.1	1,266.1	1,266.1	0.0
BT	135,083	1,411	10,556	12.1	1,270.9	1,270.9	1,271.0	0.1

¹Feet Above Confluence With Gila River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

AGUA FRIA RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY		INCREASE
						WITH FLOODWAY		
(FEET NGVD)								
Gila River								
A	163.42	6,627	47,659	4.2	780.2	780.2	781.2	1.0
B	164.25	3,880	47,241	4.2	786.4	786.4	787.1	0.7
C	164.97	2,895	46,076	4.4	795.1	795.1	795.9	0.8
D	165.53	4,828	77,858	2.6	798.3	798.3	799.2	0.9
E	166.05	3,563	57,421	3.5	799.1	799.1	800.0	0.9
F	166.41	3,956	49,730	4.0	800.1	800.1	801.0	0.9
G	166.66	4,769	62,383	3.2	804.0	804.0	804.6	0.6
H	167.08	5,917	85,825	2.3	806.0	806.0	806.6	0.6
I	167.56	6,112	99,836	2.0	807.2	807.2	807.8	0.6
J	167.89	5,702	80,755	2.5	807.9	807.9	808.5	0.6
K	168.42	5,141	76,972	2.6	809.6	809.6	810.3	0.7
L	168.86	4,396	63,953	3.2	810.8	810.8	811.5	0.7
M	169.12	4,162	53,752	3.8	811.8	811.8	812.5	0.7
N	169.45	5,205	65,294	3.1	813.7	813.7	814.3	0.6
O	169.94	5,723	65,013	3.1	814.8	814.8	815.5	0.7
P	170.18	5,294	60,580	3.3	815.5	815.5	816.2	0.7
Q	171.05	5,274	60,079	3.4	818.5	818.5	819.4	0.9
R	171.78	6,418	77,314	2.6	820.4	820.4	821.3	0.9
S	172.15	6,533	69,814	2.9	821.7	821.7	822.5	0.8
T	172.81	6,366	57,194	3.5	826.7	826.7	826.8	0.1
U	173.09	6,269	46,812	4.3	827.7	827.7	828.1	0.4
V	173.37	6,570	72,449	2.8	829.3	829.3	829.9	0.6
W	173.68	6,467	61,820	3.3	830.5	830.5	831.2	0.7
X	174.28	5,474	52,810	3.9	833.5	833.5	834.3	0.8
Y	174.57	5,358	52,050	3.9	836.3	836.3	837.0	0.7
Z	174.73	5,330	56,570	3.6	838.2	838.2	838.8	0.6

¹Miles Above Confluence With Colorado River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

GILA RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Gila River (Continued)								
AA	174.95	5,070	55,822	3.7	840.1	840.1	840.6	0.5
AB	175.58	7,180	62,492	3.3	844.9	844.9	845.4	0.5
AC	176.18	7,449	62,973	3.2	848.4	848.4	849.2	0.8
AD	177.07	6,867	62,956	3.2	855.0	855.0	855.8	0.8
AE	177.66	7,494	70,738	2.9	856.8	856.8	857.7	0.9
AF	178.42	6,798	58,057	3.5	858.4	858.4	859.1	0.7
AG	179.24	5,993	49,526	4.1	861.8	861.8	862.2	0.4
AH	179.82	5,348	62,402	3.3	866.5	866.5	867.5	1.0
AI	180.36	4,570	54,953	3.7	869.0	869.0	870.0	1.0
AJ	180.71	4,330	42,780	4.8	870.2	870.2	871.0	0.8
AK	181.24	3,812	34,557	6.0	874.1	874.1	874.5	0.4
AL	181.63	4,669	46,294	4.4	876.3	876.3	877.0	0.7
AM	182.02	4,930	68,314	3.0	878.0	878.0	878.7	0.7
AN	182.62	4,984	50,702	4.1	878.9	878.9	879.7	0.8
AO	183.56	3,790	40,048	5.2	884.0	884.0	885.0	1.0
AP	184.25	4,660	40,776	5.1	887.6	887.6	888.2	0.6
AQ	184.84	5,217	42,769	4.8	891.1	891.1	892.0	0.9
AR	185.71	5,080	43,487	4.8	894.5	894.5	895.4	0.9
AS	186.68	3,548	35,335	5.9	900.9	900.9	901.9	1.0
AT	186.93	3,570	36,118	5.8	902.7	902.7	903.7	1.0
AU	187.70	3,359	39,452	5.3	908.6	908.6	909.1	0.5
AV	188.19	3,787	37,576	5.5	910.7	910.7	911.3	0.6
AW	189.27	1,794	29,932	8.4	915.5	915.5	915.7	0.2
AX	189.49	2,291	35,526	7.0	917.6	917.6	917.7	0.1
AY	189.79	2,791	33,107	7.6	919.5	919.5	919.6	0.1
AZ	190.91	4,325	49,431	5.1	925.5	925.5	926.2	0.7

¹Miles Above Confluence With Colorado River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

GILA RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Gila River (Continued)								
BA	191.31	4,401	49,611	5.0	927.5	927.5	928.3	0.8
BB	191.04	5,402	44,071	5.7	930.3	930.3	931.0	0.7
BC	191.97	5,395	43,990	5.7	932.9	932.9	933.5	0.5
BD	192.14	5,104	43,271	5.8	934.1	934.1	934.8	0.7
BE	192.45	6,099	39,113	6.4	936.3	936.3	937.1	0.8
BF	192.70	6,000	46,158	5.4	938.7	938.7	939.7	1.0
BG	193.04	5,236	43,926	5.7	941.2	941.2	942.1	0.9
BH	193.21	6,197	43,115	5.8	942.4	942.4	943.3	0.9

¹Miles Above Confluence With Colorado River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

GILA RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION ² AREA (SQUARE FEET)	MEAN ² VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Hassayampa River								
A	40.00	380			1,843.0	1,843.0	1,843.0	0.0
B	40.31	250			1,859.0	1,859.0	1,859.0	0.0
C	40.75	500			1,865.0	1,865.0	1,865.0	0.0
D	41.46	1,070			1,877.0	1,877.0	1,877.0	0.0
E	41.77	510			1,884.0	1,884.0	1,885.0	1.0
F	42.21	550			1,896.0	1,896.0	1,896.0	0.0
G	42.69	780			1,922.5	1,922.5	1,922.5	0.0
H	43.33	700			1,927.0	1,927.0	1,927.0	0.0
I	43.82	700			1,940.0	1,940.0	1,940.0	0.0
J	44.26	570			1,953.0	1,953.0	1,953.0	0.0
K	44.63	900			1,963.5	1,963.5	1,963.5	0.0
L	45.04	1,420			1,974.5	1,974.5	1,974.5	0.0
M	45.60	1,150			1,988.0	1,988.0	1,988.0	0.0
N	46.30	980			2,009.5	2,009.5	2,009.5	0.0
O	46.61	1,050			2,018.9	2,018.9	2,018.9	0.0
P	47.35	1,367			2,034.1	2,034.1	1,034.6	0.5
Q	47.79	1,452			2,050.5	2,050.5	2,051.5	1.0
R	47.98	1,000			2,051.2	2,051.2	2,052.2	1.0
S	48.17	1,070			2,057.4	2,057.4	2,058.4	1.0
T	48.38	960			2,061.9	2,061.9	2,062.9	1.0
U	48.91	2,000			2,074.0	2,074.0	2,075.0	1.0
V	49.29	1,580			2,085.5	2,085.5	2,086.5	1.0
W	49.53	2,200			2,091.5	2,091.5	2,091.5	0.0

¹Miles Above Confluence With Gila River

²Data Not Available

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

HASSAYAMPA RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY		WITH FLOODWAY	INCREASE
						(FEET NGVD)			
New River									
A	0.95	2,250	-- ²	3.2	1,041.6	1,041.6	1,042.0	0.4	
B	1.52	1,840	-- ²	4.9	1,049.0	1,049.0	1,049.8	0.8	
C	2.00	850	-- ²	4.2	1,055.0	1,055.0	1,055.2	0.2	
D	2.56	1,810	-- ²	9.8	1,068.0	1,068.0	1,068.0	0.0	
E	2.95	1,430	-- ²	9.7	1,074.1	1,074.1	1,074.5	0.4	
F	3.73	390	-- ²	12.7	1,084.6	1,084.6	1,084.8	0.2	
G	4.29	860	-- ²	7.2	1,092.4	1,092.4	1,092.6	0.2	
H	4.80	410	-- ²	14.4	1,100.6	1,100.6	1,100.6	0.0	
I	6.28	1,020	-- ²	9.1	1,124.3	1,124.3	1,124.4	0.1	
J	6.91	1,584	-- ²	4.1	1,141.8	1,141.8	1,141.9	0.1	
K	7.28	1,691	-- ²	4.9	1,147.6	1,147.6	1,148.6	1.0	
L	7.65	1,800	-- ²	5.7	1,152.7	1,152.7	1,153.4	0.7	
M	8.88	258	1,047	11.5	1,166.0	1,166.0	1,166.0	0.0	
N	8.98	273	1,338	9.0	1,169.8	1,169.8	1,169.8	0.0	
O	9.13	404	2,192	5.5	1,171.8	1,171.8	1,171.8	0.0	
P	9.32	315	1,121	10.7	1,180.7	1,180.7	1,180.7	0.0	
Q	9.69	188	991	11.6	1,191.4	1,191.4	1,191.4	0.0	
R	9.95	232	1,467	7.8	1,198.2	1,198.2	1,198.2	0.0	
S	9.97	243	1,438	8.0	1,198.4	1,198.4	1,198.4	0.0	
T	10.27	438	1,554	7.0	1,205.1	1,205.1	1,205.1	0.0	
U	10.80	264	1,076	10.1	1,219.7	1,219.7	1,219.7	0.0	
V	10.99	319	1,352	8.1	1,225.2	1,225.2	1,225.2	0.0	
W	11.19	197	1,049	9.9	1,228.1	1,228.1	1,228.1	0.0	
X	11.57	822	3,164	3.3	1,236.0	1,236.0	1,236.0	0.0	
Y	11.95	544	1,691	6.1	1,246.3	1,246.3	1,246.3	0.0	
Z	12.12	664	1,608	6.4	1,251.5	1,251.5	1,251.5	0.0	

¹Miles Above Confluence With Agua Fria River

²Not Computed

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

**MARICOPA COUNTY, AZ
AND INCORPORATED AREAS**

FLOODWAY DATA

NEW RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
New River (Continued)								
AA	12.31	372	1,326	7.4	1,257.6	1,257.6	1,257.6	0.0
AB	12.51	459	1,424	6.9	1,263.1	1,263.1	1,263.1	0.0
AC	12.70	514	1,411	6.9	1,268.8	1,268.8	1,268.8	0.0
AD	12.90	514	1,797	5.5	1,273.7	1,273.7	1,273.7	0.0
AE	13.23	284	1,357	5.8	1,280.2	1,280.2	1,280.2	0.0
AF	13.62	561	1,753	4.5	1,292.4	1,292.4	1,292.5	0.1
AG	13.82	430	935	8.5	1,297.4	1,297.4	1,297.6	0.2
AH	14.01	355	1,198	5.1	1,303.9	1,303.9	1,304.7	0.8
AI	14.20	296	790	7.7	1,308.8	1,308.8	1,308.8	0.0
AJ	14.38	710	1,371	4.5	1,315.1	1,315.1	1,316.1	1.0
AK	14.75	462	1,179	5.2	1,324.6	1,324.6	1,324.6	0.0
AL	14.95	158	524	8.0	1,329.0	1,329.0	1,329.4	0.4
AM	15.14	299	854	4.9	1,335.1	1,335.1	1,335.1	0.0
AN	15.52	287	731	5.7	1,344.0	1,344.0	1,344.0	0.0
AO	15.96	434	838	2.8	1,356.3	1,356.3	1,356.7	0.4
AP	16.17	248	562	4.2	1,362.4	1,362.4	1,363.2	0.8
AQ	16.41	139	350	6.7	1,368.3	1,368.2	1,368.3	0.1
AR	16.61	163	403	5.8	1,372.2	1,372.2	1,372.2	0.0
AS	16.82	102	388	6.0	1,380.6	1,380.6	1,380.9	0.3

¹Miles Above Confluence With Agua Fria River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

NEW RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WATER SURFACE ELEVATION (FEET NGVD)		INCREASE
						WITHOUT FLOODWAY	WITH FLOODWAY	
Salt River								
A	0.23	4,724	36,542	6.7	944.0	944.0	944.9	0.9
B	0.48	5,200/ 4,290 ²	37,486	6.3	946.3	946.3	947.2	0.9
C	0.77	4,700/ 3,780 ²	31,748	6.9	948.6	948.6	949.4	0.8
D	0.95	5,000/ 3,550 ²	31,557	6.7	950.4	950.4	951.0	0.6
E	1.20	4,676/ 2,730 ²	33,348	5.8	952.1	952.1	953.1	1.0
F	1.44	3,905/ 1,930 ²	32,929	5.6	954.2	954.2	954.6	0.4
G	1.87	3,841/ 2,210 ²	30,004	6.2	956.9	956.9	957.0	0.1
H	2.10	3,337/ 1,805 ²	22,643	8.2	959.1	959.1	959.1	0.0
I	2.44	3,481/ 1,988 ²	27,719	6.7	962.3	962.3	962.3	0.0
J	2.75	4,022/ 2,200 ²	30,442	6.1	964.3	964.3	964.3	0.0
K	2.99	4,618/ 2,210 ²	32,064	5.8	966.5	966.5	966.5	0.0
L	3.21	4,122/ 1,680 ²	25,397	7.3	968.2	968.2	968.2	0.0
M	3.46	3,870/ 1,170 ²	25,875	7.1	971.2	971.2	971.2	0.0

¹Miles Above Confluence With Gila River

²Width/Width Within County

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SALT RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	(FEET NGVD)		
						WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Salt River (Continued)								
N	3.71	3,870/ 1,170 ²	25,360	7.3	973.3	973.3	973.3	0.0
O	3.94	3,988/ 1,410 ²	27,616	6.7	975.8	975.8	975.8	0.0
P	4.22	3,361/ 1,300 ²	25,644	7.2	978.2	978.2	978.2	0.0
Q	4.52	3,380	22,032	8.4	981.9	981.9	981.9	0.0
R	4.82	2,964	27,872	6.6	984.8	984.8	984.8	0.0
S	5.24	1,950	21,016	8.8	988.2	988.2	988.6	0.4
T	5.54	2,625	33,048	5.6	990.4	990.4	991.1	0.7
U	5.83	2,699	26,800	6.9	991.7	991.7	992.3	0.6
V	6.21	2,496	26,814	7.1	994.9	994.9	995.3	0.4
W	6.48	3,766	29,417	6.5	997.3	997.3	997.5	0.2
X	6.83	3,352	25,625	7.4	1,000.5	1,000.5	1,000.5	0.0
Y	7.31	3,037	26,321	7.2	1,004.5	1,004.5	1,004.7	0.2
Z	7.60	2,800	23,138	8.2	1,007.3	1,007.3	1,007.4	0.1
AA	7.94	2,302	22,626	8.4	1,010.8	1,010.8	1,010.9	0.1
AB	8.17	1,950	22,575	8.4	1,013.0	1,013.0	1,013.3	0.3
AC	8.42	2,580	23,065	8.2	1,016.1	1,016.1	1,016.2	0.1
AD	8.71	3,071	25,029	7.6	1,018.5	1,018.5	1,018.6	0.1
AE	8.95	2,385	21,067	9.0	1,020.4	1,020.4	1,020.4	0.0
AF	9.20	2,500	25,000	7.6	1,023.6	1,023.6	1,023.6	0.0
AG	9.48	2,360	21,279	8.9	1,026.6	1,026.6	1,026.6	0.0
AH	9.97	1,429	16,306	11.7	1,030.4	1,030.4	1,030.6	0.2
AI	10.30	2,100	33,258	5.9	1,040.6	1,040.6	1,040.6	0.0

¹Miles Above Confluence With Gila River

²Width Does Not Include Zone B Area

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SALT RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
						(FEET NGVD)		
Salt River (Continued)								
AJ	10.66	1,901	31,404	6.2	1,041.5	1,041.5	1,041.5	0.0
AK	10.99	2,045	36,169	5.4	1,042.0	1,042.0	1,042.1	0.1
AL	11.23	2,023 ²	28,710	6.8	1,042.4	1,042.4	1,042.5	0.1
AM	11.95	1,065	20,252	9.6	1,048.8	1,048.8	1,048.8	0.0
AN	11.69	2,250	23,643	8.2	1,045.2	1,045.2	1,045.3	0.1
AN	11.95	1,065	20,252	9.6	1,048.8	1,048.8	1,048.8	0.0
AO	12.23	1,226	26,436	7.4	1,054.5	1,054.5	1,054.6	0.1
AP	12.58	1,208	16,247	12.0	1,054.5	1,054.5	1,054.6	0.1
AQ	12.88	637	13,796	14.1	1,057.1	1,057.1	1,057.3	0.2
AR	13.15	745	14,943	13.0	1,060.0	1,060.0	1,060.1	0.1
AS	13.49	903	18,684	10.4	1,065.6	1,065.6	1,065.6	0.0
AT	13.78	844	19,529	10.2	1,067.0	1,067.0	1,067.0	0.0
AU	14.05	806	12,392	16.1	1,067.3	1,067.3	1,067.3	0.0
AV	14.25	603	14,506	13.8	1,070.5	1,070.5	1,070.6	0.1
AW	14.45	543	11,413	17.5	1,071.8	1,071.8	1,071.8	0.0
AX	14.65	720	15,153	13.2	1,075.5	1,075.5	1,075.8	0.3
AY	14.95	933	19,758	10.1	1,078.8	1,078.8	1,078.9	0.1
AZ	15.15	759	15,025	13.3	1,079.0	1,079.0	1,079.2	0.2
BA	15.31	928	19,183	10.4	1,082.6	1,082.6	1,082.7	0.1
BB	15.56	810	14,476	13.8	1,083.9	1,083.9	1,084.0	0.1
BC	15.85	1,220	21,367	9.4	1,091.6	1,091.6	1,091.6	0.0
BD	16.15	1,550	24,646	8.1	1,093.3	1,093.3	1,093.3	0.0
BE	16.40	919	15,489	13.2	1,093.3	1,093.3	1,093.8	0.5
BF	16.57	750	9,916	20.7	1,096.8	1,096.8	1,096.8	0.0
BG	16.75	1,300	19,603	10.5	1,102.3	1,102.3	1,103.3	1.0

¹Miles Above Confluence With Gila River

²Width Does Not Include Zone B Area

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SALT RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
(FEET NGVD)								
Salt River (Continued)								
BH	16.95	1,089	25,180	8.1	1,105.8	1,105.8	1,106.3	0.5
BI	17.35	1,295	30,186	6.8	1,107.9	1,107.9	1,108.2	0.3
BJ	17.50	1,421	31,053	6.6	1,108.3	1,108.3	1,108.6	0.3
BK	17.69	1,316	24,570	8.3	1,108.6	1,108.6	1,109.0	0.4
BL	17.94	1,216	16,825	12.2	1,109.3	1,109.3	1,109.6	0.3
BM	18.13	1,100	16,313	12.6	1,111.6	1,111.6	1,111.8	0.2
BN	18.29	1,057	17,449	11.7	1,114.7	1,114.7	1,114.8	0.1
BO	18.47	1,070	16,465	12.5	1,117.2	1,117.2	1,117.2	0.0
BP	18.75	1,055	16,611	12.3	1,120.0	1,120.0	1,120.2	0.2
BQ	19.05	1,440	19,776	10.4	1,124.4	1,124.4	1,124.5	0.1
BR	19.67	3,495	27,825	7.5	1,131.7	1,131.7	1,131.7	0.0
BS	19.94	3,660	22,248	9.4	1,135.9	1,135.9	1,135.9	0.0
BT	20.21	3,340	25,735	8.2	1,139.8	1,139.8	1,139.8	0.0
BU	20.49	3,148	28,045	7.5	1,143.1	1,143.1	1,143.1	0.0
BV	20.71	2,428	25,749	8.2	1,145.2	1,145.2	1,145.2	0.0
BW	20.98	1,648	17,361	12.1	1,148.1	1,148.1	1,148.1	0.0
BX	21.34	1,400	21,785	9.6	1,153.3	1,153.3	1,153.6	0.3
BY	21.64	1,677	27,805	7.6	1,155.1	1,155.1	1,155.4	0.3
BZ	22.08	1,255	19,167	11.2	1,157.3	1,157.3	1,157.4	0.1
CA	22.48	1,610	22,393	9.6	1,160.1	1,160.1	1,160.3	0.2
CB	23.14	2,118	25,275	8.5	1,165.0	1,165.0	1,165.5	0.5
CC	23.54	1,458	20,382	10.5	1,169.8	1,169.8	1,169.9	0.1
CD	23.94	1,594	21,382	10.1	1,173.1	1,173.1	1,173.4	0.3
CE	24.54	1,671/ 1,060 ²	28,038	7.7	1,181.3	1,181.3	1,182.1	0.8

¹Miles Above Confluence With Gila River

²Width/Width Within County

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SALT RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY		INCREASE
						WITH FLOODWAY		
(FEET NGVD)								
Salt River (Continued)								
CF	24.94	1,770/ 250 ²	29,788	7.4	1,182.8	1,182.8	1,183.4	0.6
CG	25.33	3,345/ 720 ²	30,190	7.3	1,184.7	1,184.7	1,185.2	0.5
CH	25.93	3,977/ 280 ²	26,558	8.3	1,190.5	1,190.5	1,190.6	0.1
CI	26.53	2,143/ 530 ²	22,145	9.9	1,195.0	1,195.0	1,195.0	0.0
CJ	27.13	2,938/ 650 ²	35,117	6.3	1,202.1	1,202.1	1,202.4	0.3
CK	27.57	2,540/ 1,100 ²	25,295	8.7	1,206.3	1,206.3	1,206.6	0.3
CL	28.09	1,179/ 1,660 ²	16,658	13.2	1,212.0	1,212.0	1,212.0	0.0
CM	28.44	1,090/ 650 ²	21,105	10.4	1,216.4	1,216.4	1,216.4	0.0
CN	28.63	1,820/ 520 ²	23,759	9.5	1,218.7	1,218.7	1,218.7	0.0
CO	29.30	5,175/ 1,000 ²	62,626	3.1	1,227.1	1,227.1	1,228.1	1.0

¹Miles Above Confluence With Gila River

²Width/Width Within County

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SALT RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	(FEET NGVD)		
						WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Skunk Creek								
A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
B	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
D	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
E	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
G	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
H	10,023	117	1,065	10.3	1,196.8	1,196.8	1,196.8	0.0
I	10,833	146	1,114	9.9	1,199.5	1,199.5	1,199.5	0.0
J	11,363	122	899	12.2	1,201.4	1,201.4	1,201.4	0.0
K	12,411	257	1,572	6.9	1,212.7	1,212.7	1,212.7	0.0
L	13,489	223	1,558	6.9	1,214.7	1,214.7	1,215.0	0.3
M	13,999	192	1,029	10.3	1,216.6	1,216.6	1,216.6	0.0
N	15,559	277	1,164	9.0	1,223.6	1,223.6	1,223.6	0.0
O	17,149	299	1,414	7.3	1,230.4	1,230.4	1,230.4	0.0
P	18,202	165	1,156	8.8	1,235.1	1,235.1	1,235.1	0.0
Q	19,255	195	1,268	7.9	1,239.6	1,239.6	1,239.6	0.0
R	20,310	174	806	12.3	1,245.5	1,245.5	1,245.5	0.0
S	21,880	197	1,198	8.1	1,252.0	1,252.0	1,252.4	0.4
T	22,920	148	806	12.0	1,256.7	1,256.7	1,256.7	0.0
U	23,980	270	1,408	6.8	1,262.4	1,262.4	1,262.5	0.1
V	25,025	290	1,507	6.2	1,269.3	1,269.3	1,269.8	0.5
W	26,605	355	1,167	7.9	1,277.2	1,277.2	1,277.2	0.0
X	28,185	283	1,679	5.4	1,283.4	1,283.4	1,284.4	1.0
Y	29,235	279	1,409	6.3	1,289.3	1,289.3	1,290.2	0.9
Z	30,295	316	1,099	8.0	1,295.9	1,295.9	1,295.9	0.0

¹Feet Above Confluence With New River

N/A - Data Not Available (Zone A)

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SKUNK CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY		INCREASE
						WITH FLOODWAY		
(FEET NGVD)								
Skunk Creek (Continued)								
AA	31,820	295	2,152	4.0	1,303.4	1,303.4	1,303.5	0.1
AB	32,836	286	1,724	4.9	1,306.3	1,306.3	1,306.3	0.0
AC	33,893	124	580	4.5	1,310.0	1,310.0	1,310.0	0.0
AD	34,815	100	413	5.3	1,316.0	1,316.0	1,316.0	0.0
AE	36,270	194	340	5.3	1,320.8	1,320.8	1,320.8	0.0
AF	37,780	124	271	6.4	1,327.0	1,327.0	1,327.0	0.0
AG	46,200	1,390	4,840	8.1	1,383.3	1,383.3	1,383.5	0.2
AH	47,780	1,150	6,278	6.2	1,393.1	1,393.1	1,394.0	0.9
AI	49,160	1,120	4,720	8.3	1,401.2	1,401.2	1,401.8	0.6
AJ	50,090	930	4,742	8.2	1,406.4	1,406.4	1,407.0	0.6
AK	51,080	591	3,292	11.8	1,411.7	1,411.7	1,411.7	0.0
AL	51,990	529	3,918	10.0	1,418.7	1,418.7	1,418.7	0.0
AM	53,010	554	3,983	9.8	1,422.2	1,422.2	1,422.2	0.0
AN	53,910	523	3,265	11.9	1,426.6	1,426.6	1,426.6	0.0
AO	54,850	1,540	7,024	5.6	1,434.0	1,434.0	1,434.0	0.0
AP	55,980	1,316	4,570	8.5	1,440.4	1,440.4	1,440.4	0.0
AQ	57,040	1,285	6,088	6.4	1,447.9	1,447.9	1,447.9	0.0
AR	58,140	1,093	5,300	7.4	1,454.7	1,454.7	1,454.7	0.0
AS	64,460	910	4,132	8.5	1,493.4	1,493.4	1,493.4	0.0
AT	65,960	1,100	4,128	8.5	1,503.1	1,503.1	1,503.1	0.0
AU	67,460	1,960	4,481	7.8	1,512.2	1,512.2	1,512.2	0.0

¹Feet Above Confluence With New River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SKUNK CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Skunk Creek (Continued)								
AV	13.05	1,420	--2	6.9	1,522.9	1,522.9	1,523.6	0.7
AW	13.55	940	--2	7.0	1,544.7	1,544.7	1,545.6	0.9
AX	14.05	1,280	--2	6.9	1,565.7	1,565.7	1,566.7	1.0
AY	14.45	840	--2	10.7	1,581.1	1,581.1	1,581.8	0.7
AZ	15.05	993	--2	9.3	1,606.2	1,606.2	1,606.3	0.1
BA	15.55	870	--2	6.5	1,627.3	1,627.3	1,627.3	0.0
BB	16.05	779	--2	9.2	1,649.8	1,649.8	1,649.8	0.0
BC	16.55	710	--2	9.5	1,670.7	1,670.7	1,670.7	0.0
BD	16.75	688	--2	11.3	1,678.0	1,678.0	1,678.0	0.0
BE	16.92	900	3,169	9.9	1,690.1	1,690.1	1,690.7	0.6
BF	17.15	949	3,958	7.9	1,701.7	1,701.7	1,702.7	1.0
BG	17.35	870	3,224	9.7	1,711.8	1,711.8	1,712.4	0.6
BH	17.61	950	4,982	6.3	1,721.8	1,721.8	1,722.5	0.7
BI	17.83	809	3,083	10.2	1,731.0	1,731.0	1,731.0	0.0
BJ	18.11	610	4,109	7.6	1,743.5	1,743.5	1,744.0	0.5
BK	18.39	910	3,801	8.2	1,754.2	1,754.2	1,754.2	0.0
BL	18.77	770	4,037	7.0	1,769.5	1,769.5	1,769.9	0.4
BM	19.00	790	2,867	9.8	1,780.6	1,780.6	1,780.7	0.1
BN	19.21	680	4,109	6.8	1,790.4	1,790.4	1,790.6	0.2
BO	19.43	700	2,535	11.1	1,800.0	1,800.0	1,800.0	0.0
BP	19.63	730	3,384	8.3	1,812.9	1,812.9	1,812.9	0.0
BQ	19.97	1,170	4,200	6.7	1,826.1	1,826.1	1,826.3	0.2
BR	20.28	800	2,870	7.8	1,841.3	1,841.3	1,841.8	0.5

¹Miles Above Confluence With New River

²Data Not Available

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SKUNK CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Skunk Creek (Continued)								
BS	20.44	850	3,761	7.5	1,849.8	1,849.8	1,850.6	0.8
BT	20.78	780	3,075	9.1	1,865.2	1,865.2	1,865.5	0.3
BU	21.05	700	3,242	8.7	1,878.7	1,878.7	1,879.3	0.6
BV	21.29	660	3,456	8.1	1,889.1	1,889.1	1,889.5	0.4
BW	21.64	1,410	4,125	6.8	1,907.4	1,907.4	1,907.4	0.0
BX	21.90	1,330	4,214	6.7	1,921.7	1,921.7	1,922.1	0.4
BY	22.11	1,097	3,871	7.3	1,932.0	1,932.0	1,932.1	0.1
BZ	22.30	1,230	3,535	7.9	1,940.4	1,940.4	1,940.8	0.4
CA	22.67	730	2,606	9.1	1,963.2	1,963.2	1,963.2	0.0
CB	22.86	600	3,137	7.6	1,972.8	1,972.8	1,973.4	0.6
CC	23.14	630	2,958	8.0	1,984.2	1,984.2	1,984.5	0.3
CD	23.47	420	2,205	10.8	2,002.0	2,002.0	2,002.6	0.6
CE	23.77	460	2,228	5.7	2,017.0	2,017.0	2,017.3	0.3
CF	24.03	210	1,086	11.6	2,026.7	2,026.7	2,026.7	0.0
CG	24.36	450	1,989	6.3	2,043.9	2,043.9	2,044.4	0.5
CH	24.60	340	1,356	9.3	2,054.8	2,054.8	2,055.2	0.4
CG	24.83	280	1,413	6.6	2,065.2	2,065.2	2,066.1	0.9
CJ	25.04	300	1,030	9.1	2,076.7	2,076.7	2,076.7	0.0
CK	25.32	710	1,916	4.9	2,088.9	2,088.9	2,089.8	0.9
CL	25.53	750	1,620	5.8	2,098.0	2,098.0	2,098.9	0.9
CM	25.82	650	1,045	6.9	2,120.1	2,120.1	2,121.1	1.0
CN	25.97	685	1,362	5.3	2,131.5	2,131.5	2,131.6	0.1
CO	26.19	418	1,252	5.7	2,143.7	2,143.7	2,143.7	0.0

¹Miles Above Confluence With New River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SKUNK CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WATER SURFACE ELEVATION		INCREASE
						WITHOUT FLOODWAY	WITH FLOODWAY	
(FEET NGVD)								
Skunk Creek (Continued)								
CP	26.35	383	1,047	6.9	2,153.6	2,153.6	2,153.6	0.0
CQ	26.53	487	1,039	6.9	2,164.4	2,164.4	2,164.4	0.0
CR	26.77	273	856	8.4	2,179.1	2,179.1	2,179.1	0.0
CS	26.94	449	1,067	6.7	2,190.4	2,190.4	2,190.4	0.0
CT	27.05	249	873	8.2	2,196.4	2,196.4	2,196.4	0.0
CU	27.37	193	461	7.9	2,220.3	2,220.3	2,220.3	0.0
CV	27.56	288	608	6.0	2,235.7	2,235.7	2,235.7	0.0
CW	27.69	137	375	9.7	2,245.5	2,245.5	2,245.5	0.0
CX	27.81	80	320	11.4	2,254.7	2,254.7	2,254.7	0.0

¹Miles Above Confluence With New River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SKUNK CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
						(FEET NGVD)		
Cave Creek								
A	15.28	974	2,201	5.5	1,237.2	1,237.2	1,238.2	1.0
B	15.53	723	2,346	5.1	1,241.4	1,241.4	1,242.3	0.9
C	15.64	672	2,474	4.9	1,243.0	1,243.0	1,243.8	0.8
D	15.85	348	1,516	7.9	1,248.2	1,248.2	1,249.0	0.8
E	15.94	300	2,070	5.8	1,252.3	1,252.3	1,252.9	0.6
F	16.00	202	1,412	8.5	1,253.1	1,253.1	1,253.3	0.2
G	16.12	267	1,664	7.2	1,254.5	1,254.5	1,255.1	0.6
H	16.23	229	1,114	10.8	1,256.6	1,256.6	1,256.6	0.0
I	16.35	254	1,318	9.1	1,259.7	1,259.7	1,260.3	0.6
J	16.46	160	1,365	8.8	1,261.8	1,261.8	1,262.6	0.8
K	16.58	205	1,534	7.8	1,264.2	1,264.2	1,264.5	0.3
L	16.70	324	1,669	7.2	1,266.0	1,266.0	1,266.1	0.1
M	16.83	167	943	12.7	1,268.2	1,268.2	1,268.2	0.0
N	16.92	172	1,306	10.0	1,271.7	1,271.7	1,272.1	0.4
O	17.00	124	866	15.0	1,273.3	1,273.3	1,273.6	0.3
P	17.06	290	2,620	5.0	1,277.8	1,277.8	1,278.3	0.5
Q	17.26	196	1,307	9.9	1,278.0	1,278.0	1,278.8	0.8
R	17.37	225	2,062	6.3	1,280.2	1,280.2	1,281.0	0.8
S	17.49	210	1,090	11.9	1,281.1	1,281.1	1,281.6	0.5
T	17.57	357	2,067	5.8	1,284.4	1,284.4	1,284.9	0.5
U	17.67	280	2,243	5.4	1,285.0	1,285.0	1,285.8	0.8
V	17.77	195	946	12.7	1,286.2	1,286.2	1,286.5	0.3
W	17.93	200	1,316	9.1	1,293.9	1,293.9	1,294.3	0.4
X	18.05	86	1,201	10.0	1,297.6	1,297.6	1,298.3	0.7
Y	18.39	-- ²	1,510	7.3	1,299.7	1,299.7	1,300.1	0.4
Z	18.53	-- ²	1,205	9.1	1,301.0	1,301.0	1,301.2	0.2

¹Miles Above Confluence With Salt River

²Floodway Contained In Channel

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

CAVE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Cave Creek (Cont'd)								
AA	18.68	--2	843	13.1	1,303.4	1,303.4	1,303.4	0.0
AB	18.75	--2	1,203	9.1	1,306.2	1,306.2	1,306.2	0.0
AC	18.89	--2	1,097	10.0	1,308.0	1,308.0	1,308.0	0.0
AD	18.96	--2	1,461	7.5	1,309.6	1,309.6	1,309.6	0.0
AE	19.05	--2	818	13.4	1,309.8	1,309.8	1,309.8	0.0
AF	19.16	--2	1,058	10.4	1,315.3	1,315.3	1,315.3	0.0
AG	19.24	--2	1,089	10.1	1,316.6	1,316.6	1,316.6	0.0
AH	19.28	--2	959	11.5	1,317.1	1,317.1	1,317.1	0.0
AI	19.30	--2	740	14.9	1,319.9	1,319.9	1,319.9	0.0
AJ	19.33	--2	1,432	7.7	1,324.0	1,324.0	1,324.0	0.0
AK	19.42	--2	1,180	9.3	1,324.6	1,324.6	1,324.6	0.0
AL	19.56	115	827	14.5	1,326.4	1,326.4	1,326.7	0.3
AM	19.65	327 ³	1,336	4.3	1,331.7	1,331.7	1,332.2	0.5
AN	19.73	103	787	7.4	1,332.0	1,332.0	1,332.6	0.6
AO	19.83	87	676	8.6	1,332.8	1,332.8	1,333.7	0.9
AP	19.98	--2	440	9.5	1,336.0	1,336.0	1,336.0	0.0
AQ	20.04	158	400	10.5	1,338.8	1,338.8	1,338.8	0.0
AR	20.18	--2	687	6.1	1,342.0	1,342.0	1,342.0	0.0
AS	20.26	--2	1,216	3.5	1,347.7	1,347.7	1,347.7	0.0
AT	20.29	149	403	10.4	1,347.7	1,347.7	1,347.7	0.0
AU	20.32	--2	999	4.2	1,349.4	1,349.4	1,349.4	0.0
AV	20.44	--2	463	9.1	1,352.2	1,352.2	1,352.2	0.0
AW	20.54	149	576	7.3	1,357.4	1,357.4	1,357.4	0.0
AX	20.76	189	1,008	4.2	1,364.0	1,364.0	1,364.0	0.0
AY	20.78	--2	498	8.4	1,364.0	1,364.0	1,364.0	0.0
AZ	20.80	--2	431	9.7	1,364.1	1,364.1	1,364.1	0.0

¹Miles Above Confluence With Salt River

²Floodway Contained In Channel

³Combined Floodway for Cave Creek and East Fork Cave Creek

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

CAVE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WATER SURFACE ELEVATION		INCREASE
						WITHOUT FLOODWAY	WITH FLOODWAY	
(FEET NGVD)								
Cave Creek (Cont'd)								
BA	20.81	141	810	5.2	1,365.5	1,365.5	1,365.5	0.0
BB	20.88	-- ²	763	5.5	1,366.4	1,366.4	1,366.4	0.0
BC	20.95	-- ²	438	9.6	1,368.4	1,368.4	1,368.4	0.0
BD	21.01	163	427	9.8	1,372.8	1,372.8	1,372.8	0.0
BE	21.09	65	441	9.5	1,374.9	1,374.9	1,375.1	0.2
BF	21.15	-- ²	546	7.7	1,376.3	1,376.3	1,376.8	0.5
BG	21.28	-- ²	504	8.3	1,380.8	1,380.8	1,380.8	0.0
BH	21.35	123	668	6.3	1,382.4	1,382.4	1,382.5	0.1
BI	21.37	151	555	7.6	1,382.7	1,382.7	1,382.7	0.0
BJ	21.46	357	753	5.6	1,385.4	1,385.4	1,385.5	0.1
BK	21.55	110	482	8.7	1,387.9	1,387.9	1,387.9	0.0
BL	21.63	205	490	8.6	1,391.9	1,391.9	1,391.9	0.0
BM	21.70	83	432	9.7	1,393.6	1,393.6	1,394.0	0.4
BN	21.81	121	589	7.1	1,397.0	1,397.0	1,397.4	0.4
BO	21.88	371	681	6.2	1,398.8	1,398.8	1,399.3	0.5
BP	21.92	361	1,644	2.6	1,399.7	1,399.7	1,400.5	0.8
BQ	22.05	263	956	4.4	1,402.8	1,402.8	1,403.6	0.8
BR	22.25	299	906	4.6	1,408.2	1,408.2	1,409.1	0.9
BS	22.37	139	484	8.7	1,412.3	1,412.3	1,412.6	0.3
BT	22.44	307	1,580	2.7	1,414.7	1,414.7	1,415.5	0.8
BU	22.53	180	1,522	2.8	1,414.9	1,414.9	1,415.6	0.7
BV	23.18	-- ²	581	6.5	1,434.1	1,434.1	1,434.1	0.0
BW	23.36	212	799	4.8	1,443.5	1,443.5	1,444.2	0.7
BX	23.46	-- ²	297	12.1	1,449.3	1,449.3	1,449.3	0.0
BY	23.61	-- ²	341	10.6	1,454.6	1,454.6	1,454.6	0.0
BZ	23.64	87	478	7.5	1,456.1	1,456.1	1,456.1	0.0

¹Miles Above Confluence With Salt River

²Floodway Contained in Channel

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

CAVE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY		INCREASE
						WITH FLOODWAY		
(FEET NGVD)								
Cave Creek (Cont'd)								
CA	23.69	-- ²	398	9.0	1,456.5	1,456.5	1,456.5	0.0
CB	23.89	76	466	7.7	1,458.9	1,458.9	1,458.9	0.0
CC	23.99	-- ²	599	9.0	1,459.9	1,459.9	1,459.9	0.0
CD	24.05	-- ²	628	8.6	1,462.5	1,462.5	1,462.5	0.0
CE	24.07	88	1,500	3.6	1,463.5	1,463.5	1,463.5	0.0
CF	24.16	-- ²	2,353	2.3	1,463.8	1,463.8	1,463.9	0.1
CG	24.61	87	405	12.4	1,474.0	1,474.0	1,474.0	0.0
CH	24.71	210	868	5.8	1,480.5	1,480.5	1,480.8	0.3
CI	24.86	280	1,116	4.5	1,483.4	1,483.4	1,484.1	0.7
CJ	25.06	205	541	9.2	1,489.9	1,489.9	1,490.4	0.5
CK	25.12	225	1,077	4.6	1,492.2	1,492.2	1,493.2	1.0
CL	25.22	130	463	10.8	1,495.1	1,495.1	1,496.0	0.9
CM	25.29	185	810	6.2	1,499.7	1,499.7	1,500.7	1.0
CN	25.37	137	672	7.4	1,503.2	1,503.2	1,503.2	0.0
CO	25.42	86	472	10.6	1,504.1	1,504.1	1,504.5	0.4
CP	25.46	75	520	9.6	1,507.1	1,507.1	1,507.1	0.0
CQ	25.50	100	810	6.2	1,515.1	1,515.1	1,515.1	0.0
CR	25.57	150	965	4.1	1,515.4	1,515.4	1,515.8	0.4
CS	25.72	178	553	7.2	1,516.7	1,516.7	1,517.6	0.9
CT	29.000	450	3,088	11.9	1,833.3	1,833.3	1,833.3	0.0
CU	29.193	446	2,892	12.7	1,841.1	1,841.1	1,841.1	0.0
CV	29.386	551	4,316	8.5	1,848.6	1,848.6	1,849.6	1.0
CW	29.574	530	2,974	12.4	1,859.0	1,859.0	1,859.0	0.0
CX	29.703	535	3,064	12.0	1,866.2	1,866.2	1,866.3	0.1
CY	29.795	500	3,355	11.0	1,869.6	1,869.6	1,870.4	0.8
CZ	29.938	791	4,680	7.9	1,875.2	1,875.2	1,875.7	0.5

¹Miles Above Confluence With Salt River

²Floodway Contained in Channel

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

CAVE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Cave Creek (Cont'd)								
DA	30.104	730	3,553	10.4	1,880.2	1,880.2	1,880.2	0.0
DB	30.331	579	3,233	11.1	1,891.7	1,891.7	1,891.9	0.2
DC	30.644	327	2,596	13.8	1,909.9	1,909.9	1,909.9	0.0
DD	30.862	691	4,622	7.8	1,918.7	1,918.7	1,919.7	1.0
DE	31.057	783	3,220	11.2	1,928.2	1,928.2	1,928.8	0.6
DF	31.303	555	3,902	9.2	1,941.5	1,941.5	1,942.0	0.5
DG	31.485	551	3,128	11.5	1,949.4	1,949.4	1,949.9	0.5
DH	31.646	501	3,389	10.6	1,957.5	1,957.5	1,958.0	0.5
DI	31.820	301	2,573	14.0	1,965.0	1,965.0	1,965.5	0.5
DJ	32.032	435	4,406	8.1	1,973.4	1,973.4	1,974.2	0.8
DK	32.237	367	2,541	14.1	1,979.3	1,979.3	1,979.7	0.4
DL	32.466	502	3,929	9.1	1,991.6	1,991.6	1,992.3	0.7
DM	32.655	370	2,594	13.5	2,001.0	2,001.0	2,001.0	0.0
DN	32.911	461	3,848	10.0	2,013.1	2,013.1	2,013.9	0.8
DO	33.112	404	2,655	13.2	2,024.5	2,024.5	2,024.5	0.0
DP	33.316	338	3,204	10.9	2,033.9	2,033.9	2,034.0	0.1
DQ	33.468	279	2,444	14.3	2,042.7	2,042.7	2,042.7	0.0
DR	33.646	151	1,910	18.3	2,055.0	2,055.0	2,055.2	0.2
DS	33.741	283	3,832	9.1	2,062.4	2,062.4	2,062.4	0.0
DT	34.032	454	2,309	10.2	2,068.5	2,068.5	2,068.5	0.0
DU	34.202	259	1,730	13.6	2,078.1	2,078.1	2,078.1	0.0
DV	34.416	444	2,958	8.0	2,088.8	2,088.8	2,088.8	0.0
DW	34.615	362	1,990	11.9	2,099.6	2,099.6	2,099.6	0.0
DX	34.812	431	2,343	10.1	2,115.1	2,115.1	2,115.1	0.0
DY	35.005	580	2,596	9.1	2,124.9	2,124.9	2,124.9	0.0
DZ	35.204	715	2,613	9.0	2,137.0	2,137.0	2,137.0	0.0
EA	35.460	425	2,188	10.8	2,148.5	2,148.5	2,148.5	0.0

¹Miles Above Confluence With Salt River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

CAVE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
						(FEET NGVD)		
East Fork Cave Creek								
A	0.080	377	1,276	7.1	1,332.8	1,332.8	1,332.8	0.0
B	0.120	260	760	11.8	1,332.8	1,332.8	1,332.8	0.0
C	0.170	255	1,498	6.0	1,335.4	1,335.4	1,335.4	0.0
D	0.240	166	1,402	6.4	1,335.8	1,335.8	1,335.8	0.0
E	0.310	213	1,552	5.8	1,338.6	1,338.6	1,339.1	0.5
F	0.405	270	1,657	5.4	1,339.4	1,339.4	1,340.1	0.7
G	0.495	169	726	12.4	1,342.5	1,342.5	1,342.5	0.0
H	0.845	180	1,181	7.5	1,350.4	1,350.4	1,351.1	0.7
I	0.965	230	1,603	5.6	1,352.0	1,352.0	1,353.0	1.0
J	1.145	170	1,306	6.8	1,355.0	1,355.0	1,355.4	0.4
K	1.225	220	1,044	8.0	1,356.0	1,356.0	1,356.6	0.6
L	1.345	460	1,684	5.0	1,359.0	1,359.0	1,359.6	0.6
M	1.445	400	1,343	6.3	1,361.0	1,361.0	1,361.6	0.6
N	1.805	449	1,617	5.2	1,372.8	1,372.8	1,373.7	0.9
O	2.025	670	1,857	4.0	1,377.6	1,377.6	1,378.3	0.7
P	2.255	772	2,090	3.6	1,384.4	1,384.4	1,385.4	1.0
Q	2.395	812	1,599	4.7	1,387.7	1,387.7	1,388.7	1.0
R	2.705	649	1,392	5.4	1,395.9	1,395.9	1,396.7	0.8
S	3.025	219	619	6.8	1,407.8	1,407.8	1,407.9	0.1
T	3.175	310	775	5.0	1,412.3	1,412.3	1,413.2	0.9
U	3.355	211	506	7.7	1,419.3	1,419.3	1,419.5	0.2
V	3.565	282	738	5.3	1,426.6	1,426.6	1,427.5	0.9
W	3.765	194	555	7.0	1,433.3	1,433.3	1,433.9	0.6
X	4.145	188	558	7.0	1,441.4	1,441.4	1,442.2	0.8
Y	4.395	210	572	6.8	1,449.7	1,449.7	1,450.6	0.9
Z	4.628	390	623	4.8	1,460.7	1,460.7	1,461.3	0.6

¹Miles Above Confluence With Cave Creek

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

EAST FORK CAVE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
East Fork Cave Creek (Cont'd)								
AA	4.787	420	878	3.4	1,466.0	1,466.0	1,466.9	0.9
AB	4.935	337	454	6.6	1,470.0	1,470.0	1,470.6	0.6
AC	5.085	370	718	4.2	1,474.9	1,474.9	1,475.7	0.8
AD	5.220	122	328	9.1	1,479.8	1,479.8	1,479.8	0.0
AE	5.387	140	407	7.4	1,483.4	1,483.4	1,483.4	0.0
AF	5.510	220	365	5.8	1,485.6	1,485.6	1,486.1	0.5
AG	5.624	193	410	5.1	1,489.0	1,489.0	1,489.6	0.6
AH	5.790	130	328	6.4	1,494.0	1,494.0	1,494.0	0.0
AI	5.917	130	515	4.1	1,496.7	1,496.7	1,497.3	0.6

¹Miles Above Confluence With Cave Creek

TABLE 5	FEDERAL EMERGENCY MANAGEMENT AGENCY	FLOODWAY DATA
	MARICOPA COUNTY, AZ AND INCORPORATED AREAS	

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
(FEET NGVD)								
Scatter Wash								
A	1,185	128	526	11.6	1,314.3	1,314.3	1,314.3	0.0
B	2,180	310	1,136	5.4	1,317.1	1,317.1	1,317.1	0.0
C	4,385	240	1,022	6.0	1,329.9	1,329.9	1,330.7	0.8
D	5,969	380	1,171	5.2	1,336.4	1,336.4	1,337.2	0.8
E	7,553	350	1,277	4.8	1,344.2	1,344.2	1,345.0	0.8
F	8,609	320	993	6.1	1,349.6	1,349.6	1,350.4	0.8
G	10,721	250	1,423	4.3	1,360.1	1,360.1	1,361.1	1.0

¹Feet Above Confluence With Skunk Creek

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SCATTER WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
						(FEET NGVD)		
Scatter Wash, North Branch								
A	1,056	115	619	5.7	1,363.8	1,363.8	1,364.6	0.8
B	2,112	150	695	5.0	1,368.8	1,368.8	1,369.3	0.5
C	3,168	60	318	11.0	1,374.6	1,374.6	1,375.2	0.6
D	4,224	100	473	7.0	1,379.9	1,379.9	1,380.2	0.3
E	6,864	200	783	4.2	1,395.7	1,395.7	1,395.9	0.2
F	7,920	210	852	3.6	1,402.2	1,402.2	1,403.2	1.0
Scatter Wash, South Branch								
A	1,584	440	1,011	2.6	1,368.9	1,368.9	1,369.8	0.9
B	3,168	300	528	4.9	1,379.3	1,379.3	1,379.7	0.4
C	4,752	400	897	2.9	1,390.1	1,390.1	1,390.9	0.8
D	6,080	400	627	3.6	1,398.1	1,398.1	1,398.6	0.5
E	8,885	200	497	4.6	1,411.3	1,411.3	1,411.9	0.6

¹Feet Above Confluence With Scatter Wash

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SCATTER WASH, NORTH BRANCH - SCATTER WASH, SOUTH
BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	(FEET NGVD)		
						WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Andora Hills Wash								
A	0.15	125	292	8.8	2,013.3	2,013.3	2,013.3	0.0
B	0.23	269	318	8.1	2,022.6	2,022.6	2,022.6	0.0
C	0.29	104	275	9.4	2,032.1	2,032.1	2,032.1	0.0
D	0.44	222	322	8.0	2,048.4	2,048.4	2,048.4	0.0
E	0.59	280	382	6.8	2,066.5	2,066.5	2,066.5	0.0
F	0.73	117	313	8.2	2,079.6	2,079.6	2,079.6	0.0
G	0.85	321	384	6.7	2,097.0	2,097.0	2,097.0	0.0
H	0.90	849	7,884	0.3	2,111.0	2,111.0	2,111.0	0.0
I	0.97	215	322	8.0	2,111.5	2,111.5	2,111.5	0.0
J	1.06	96	222	9.2	2,120.4	2,120.4	2,120.4	0.0
K	1.13	67	205	10.0	2,127.1	2,127.1	2,127.1	0.0
L	1.22	79	245	8.4	2,134.0	2,134.0	2,134.0	0.0
M	1.33	137	276	7.4	2,142.8	2,142.8	2,142.8	0.0
N	1.42	69	226	9.1	2,152.0	2,152.0	2,152.0	0.0
O	1.57	88	207	8.8	2,166.9	2,166.9	2,166.9	0.0
P	1.67	87	221	8.2	2,174.1	2,174.1	2,174.1	0.0
Q	1.82	93	216	8.4	2,186.5	2,186.5	2,186.5	0.0
R	1.88	148	361	5.0	2,191.2	2,191.2	2,191.2	0.0
S	1.99	82	201	9.0	2,201.1	2,201.1	2,201.1	0.0
T	2.07	61	184	9.9	2,214.1	2,214.1	2,214.1	0.0
U	2.23	72	151	8.4	2,240.9	2,240.9	2,240.9	0.0
V	2.35	90	178	7.1	2,253.4	2,253.4	2,253.4	0.0
W	2.46	93	184	6.9	2,261.6	2,261.6	2,261.6	0.0
X	2.58	107	171	7.4	2,272.2	2,272.2	2,272.2	0.0
Y	2.68	59	173	7.4	2,279.8	2,279.8	2,279.8	0.0
Z	2.76	77	162	7.8	2,287.0	2,287.0	2,287.0	0.0
AA	2.92	117	217	3.3	2,295.7	2,295.7	2,295.7	0.0

¹Miles Above Confluence With Cave Creek

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

ANDORA HILLS WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WATER SURFACE ELEVATION (FEET NGVD)		
						WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Atchison, Topeka & Santa Fe Railway Channel								
A	0.24 ¹	30	112	3.9	1,128.8	1,127.2 ²	1,127.7 ²	0.5
B	0.46 ¹	30	128	3.1	1,128.8	1,128.7 ²	1,129.4 ²	0.7
C	0.63 ¹	30	83	4.8	1,130.5	1,130.5	1,131.3	0.8
D	0.86 ¹	30	73	4.6	1,136.0	1,136.0	1,136.6	0.6
E	1.11 ¹	30	66	4.6	1,141.6	1,141.6	1,142.3	0.7
F	1.27 ¹	30	41	6.7	1,148.1	1,148.1	1,148.7	0.6
Casandro Wash								
A	0.355 ³	190	236	6.35	2,076.3	2,076.3	2,076.5	0.2
B	0.555 ³	271	259	5.78	2,092.0	2,092.0	2,092.0	0.0
C	0.755 ³	273	267	5.63	2,110.0	2,110.0	2,110.0	0.0
D	0.955 ³	105	194	7.72	2,127.5	2,127.5	2,127.5	0.0
E	1.455 ³	126	206	7.28	2,181.9	2,181.9	2,181.9	0.0
F	1.900 ³	196	254	3.50	2,215.5	2,215.5	2,215.5	0.0
G	2.460 ³	164	271	2.95	2,253.0	2,253.0	2,253.0	0.0
H	2.560 ³	169	378	2.21	2,258.8	2,258.8	2,258.8	0.0
South Branch Casandro Wash								
A	0.375 ³	157	122	4.50	2,245.5	2,245.5	2,245.5	0.0
B	0.565 ³	105	128	3.91	2,257.4	2,257.4	2,257.4	0.0
C	0.730 ³	98	104	4.81	2,272.1	2,272.1	2,272.1	0.0

¹Miles Above Confluence With Agua Fria River
Backwater From Agua Fria River

²Elevation Computed Without Consideration of
³Miles Above Mouth

TABLE 5	FEDERAL EMERGENCY MANAGEMENT AGENCY	FLOODWAY DATA
	MARICOPA COUNTY, AZ AND INCORPORATED AREAS	ATCHISON, TOPEKA & SANTA FE RAILWAY CHANNEL - CASANDRO WASH - SOUTH BRANCH CASANDRO WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY		INCREASE
						(FEET NGVD)		
Dreamy Draw Wash East A	0.04	250 ²	-- ³	-- ³	1,242.0	1,242.0	1,242.9	0.9
Echo Canyon Wash A	0.23	400	750	7.9	1,258.7	1,258.7	1,258.7	0.0
B	0.37	200	680	8.8	1,264.3	1,264.3	1,264.6	0.3
C	0.51	150	1,432	4.1	1,271.7	1,271.7	1,272.7	1.0
D	0.71	180	1,466	4.0	1,278.0	1,278.0	1,278.8	0.8
E	1.04	210	1,501	3.9	1,293.1	1,293.1	1,293.5	0.4
F	1.19	180	1,169	5.0	1,298.0	1,298.0	1,298.3	0.3
G	1.43	150	635	7.8	1,308.4	1,308.4	1,308.9	0.5
H	1.49	150	377	11.9	1,310.2	1,310.2	1,310.7	0.5
I	1.54	150	734	6.1	1,314.4	1,314.4	1,314.4	0.0
J	1.60	150	774	5.8	1,316.1	1,316.1	1,316.1	0.0
K	1.71	150	729	6.2	1,317.6	1,317.6	1,318.0	0.4
L	1.86	150	451	8.0	1,321.9	1,321.9	1,322.8	0.9
M	2.02	150	609	4.9	1,327.5	1,327.5	1,327.5	0.0
Flynn Lane Wash A	0.05	350	-- ³	-- ³	1,244.3	1,244.3	1,244.7	0.4
B	0.21	250	-- ³	-- ³	1,259.8	1,259.8	1,259.9	0.1
C	0.34	200	-- ³	-- ³	1,272.5	1,272.5	1,273.0	0.5
D	0.53	400	-- ³	-- ³	1,290.1	1,290.1	1,291.1	1.0

¹Miles Above Mouth

²Combined Floodway for Dreamy Draw Wash East and Myrtle Avenue Wash

³Data Not Available

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

DREAMY DRAW WASH EAST - ECHO CANYON WASH - FLYNN
LANE WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WATER SURFACE ELEVATION (FEET NGVD)		INCREASE
						WITHOUT FLOODWAY	WITH FLOODWAY	
Flying "E" Wash								
A	1.800 ¹	237	676	9.62	2,278.2	2,278.2	2,278.2	0.0
B	1.881 ¹	484	1,148	5.66	2,286.4	2,286.4	2,286.4	0.0
C	1.955 ¹	476	1,243	5.23	2,290.4	2,290.4	2,290.4	0.0
D	2.080 ¹	474	1,356	4.79	2,297.2	2,297.2	2,297.2	0.0
E	2.234 ¹	142	561	11.59	2,309.6	2,309.6	2,309.6	0.0
F	2.434 ¹	499	943	6.89	2,322.0	2,322.0	2,322.0	0.0
Galloway Wash								
A	240 ²	206	1,320	14.3	2,032.3	2,032.3	2,032.3	0.0
B	630 ²	175	1,243	15.2	2,041.0	2,041.0	2,041.0	0.0
C	1,110 ²	259	1,431	13.2	2,050.1	2,050.1	2,050.1	0.0
D	1,780 ²	189	1,264	15.0	2,065.0	2,065.0	2,065.0	0.0
E	2,655 ²	392	1,688	11.3	2,080.2	2,080.2	2,080.2	0.0
F	3,770 ²	261	1,570	12.1	2,102.1	2,102.1	2,102.1	0.0
G	4,940 ²	251	1,107	12.1	2,122.5	2,122.5	2,122.5	0.0
H	5,700 ²	632	1,671	8.0	2,142.9	2,142.9	2,142.9	0.0
I	6,060 ²	525	1,476	9.1	2,149.9	2,149.9	2,149.9	0.0
J	6,830 ²	346	1,398	9.6	2,168.1	2,168.1	2,168.1	0.0
K	7,340 ²	242	1,147	11.7	2,179.2	2,179.2	2,179.2	0.0
L	8,180 ²	114	537	11.9	2,199.9	2,199.9	2,199.9	0.0
M	8,745 ²	118	562	11.4	2,209.8	2,209.8	2,209.8	0.0
N	8,995 ²	133	578	11.1	2,213.7	2,213.7	2,213.7	0.0
O	9,235 ²	104	516	12.4	2,220.3	2,220.3	2,220.3	0.0
P	9,615 ²	94	494	12.9	2,227.4	2,227.4	2,227.4	0.0
Q	9,805 ²	124	552	11.6	2,232.5	2,232.5	2,232.5	0.0
R	10,240 ²	433	845	7.6	2,241.3	2,241.3	2,241.3	0.0

¹Miles Above Mouth

²Feet Above Confluence With Cave Creek

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

FLYING "E" WASH - GALLOWAY WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Galloway Wash (Cont'd)								
S	10,710 ¹	212	520	8.4	2,250.6	2,250.6	2,250.6	0.0
T	11,290 ¹	316	575	7.6	2,265.8	2,265.8	2,265.8	0.0
U	11,890 ¹	176	466	9.4	2,281.7	2,281.7	2,281.7	0.0
V	12,240 ¹	163	458	9.6	2,288.4	2,288.4	2,288.4	0.0
W	12,880 ¹	291	610	7.2	2,303.5	2,303.5	2,303.5	0.0
X	13,310 ¹	112	261	9.0	2,312.6	2,312.6	2,312.6	0.0
Y	13,990 ¹	137	367	6.4	2,322.0	2,322.0	2,322.0	0.0
Z	14,840 ¹	399	339	6.9	2,348.4	2,348.4	2,348.4	0.0
AA	15,690 ¹	59	58	5.7	2,368.9	2,368.9	2,368.9	0.0
AB	16,730 ¹	51	59	5.6	2,392.8	2,392.8	2,392.8	0.0
Granite Reef Wash								
A	6,600 ²	40	135	10.5	1,203.4	1,203.4	1,203.4	0.0
B	7,700 ²	50	177	8.0	1,207.2	1,207.2	1,207.8	0.6
C	8,400 ²	63	216	6.6	1,208.7	1,208.7	1,209.3	0.6
D	9,300 ²	66	273	4.5	1,210.7	1,210.7	1,211.1	0.4
E	9,900 ²	47	373	3.3	1,213.6	1,213.6	1,213.6	0.0
F	11,200 ²	40	175	7.1	1,216.0	1,216.0	1,216.2	0.2
G	12,500 ²	40	162	7.6	1,218.7	1,218.7	1,218.9	0.2
H	13,700 ²	40	147	8.4	1,221.2	1,221.2	1,221.5	0.3
I	14,600 ²	40	211	5.9	1,223.3	1,223.3	1,223.5	0.2
J	15,700 ²	80	179	6.9	1,224.9	1,224.9	1,225.2	0.3

¹Feet Above Confluence With Cave Creek

²Feet Above Confluence With Salt River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

GALLOWAY WASH - GRANITE REEF WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WATER SURFACE ELEVATION		INCREASE
						WITHOUT FLOODWAY	WITH FLOODWAY	
(FEET NGVD)								
Grapevine Wash								
A	0.15 ¹	384	1,023	7.1	2,197.2	2,197.2	2,197.2	0.0
B	0.26 ¹	291	779	9.4	2,207.3	2,207.3	2,207.3	0.0
C	0.32 ¹	376	885	8.2	2,215.7	2,215.7	2,215.7	0.0
D	0.44 ¹	238	495	7.5	2,229.8	2,229.8	2,229.8	0.0
E	0.58 ¹	125	413	9.0	2,248.1	2,248.1	2,248.1	0.0
F	0.71 ¹	127	393	9.5	2,263.6	2,263.6	2,263.6	0.0
G	0.78 ¹	96	348	10.7	2,270.9	2,270.9	2,270.9	0.0
H	0.84 ¹	90	105	2.1	2,277.5	2,277.5	2,277.5	0.0
I	0.89 ¹	27	28	5.8	2,283.1	2,283.1	2,283.1	0.0
J	0.99 ¹	55	42	4.0	2,296.8	2,296.8	2,296.8	0.0
Grass Wash								
A	5.54 ²	224	1,471	9.5	2,157.3	2,157.3	2,157.3	0.0
B	5.76 ²	1,030	5,350	2.6	2,159.6	2,159.6	2,160.1	0.5
C	6.14 ²	1,100	2,824	5.0	2,161.5	2,161.5	2,162.5	1.0
D	6.45 ²	1,000	3,666	3.8	2,166.8	2,166.8	2,167.4	0.6
E	6.81 ²	1,300	4,848	2.9	2,169.2	2,169.2	2,170.1	0.9
F	7.11 ²	1,050	2,953	4.7	2,172.7	2,172.7	2,173.0	0.3

¹Miles Above Confluence With Galloway Wash

²Miles Above Confluence With Centennial Wash

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

GRAPEVINE WASH - GRASS WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
						(FEET NGVD)		
Indian Bend Wash								
A	12,400	787	2,753	7.3	1,199.1	1,199.1	1,199.1	0.0
B	13,540	700	3,174	6.3	1,202.7	1,202.7	1,202.7	0.0
C	14,150	498	3,117	6.4	1,203.7	1,203.7	1,203.8	0.1
D	15,000	395	4,028	5.0	1,204.8	1,204.8	1,204.9	0.1
E	15,400	386	3,683	5.4	1,207.0	1,207.0	1,207.0	0.0
F	16,500	503	2,626	7.6	1,212.3	1,212.3	1,212.6	0.3
G	17,500	867	4,368	4.6	1,214.0	1,214.0	1,214.3	0.3
H	18,700	685	2,054	9.7	1,217.3	1,217.3	1,217.3	0.0
I	19,600	719	2,379	8.4	1,219.8	1,219.8	1,219.9	0.1
J	20,724	258	1,989	10.1	1,223.1	1,223.1	1,223.2	0.1
K	21,403	648	4,565	4.4	1,225.7	1,225.7	1,225.7	0.0
L	22,623	660	3,947	5.1	1,227.1	1,227.1	1,227.1	0.0
M	24,116	660	4,528	4.4	1,229.5	1,229.5	1,229.5	0.0
N	25,000	640	2,731	7.3	1,231.9	1,231.9	1,231.9	0.0
O	26,112	140	3,307	5.1	1,238.7	1,238.7	1,238.7	0.0
P	27,664	500	3,615	4.6	1,239.5	1,239.5	1,239.5	0.0
Q	30,000	470	2,875	5.8	1,245.0	1,245.0	1,245.0	0.0
R	31,000	470	2,590	6.4	1,246.0	1,246.0	1,246.0	0.0
S	31,982	745	4,011	4.0	1,255.5	1,255.5	1,255.5	0.0
T	32,950	685	3,704	4.2	1,255.8	1,255.8	1,255.8	0.0
U	34,100	638	1,644	9.4	1,259.2	1,259.2	1,259.2	0.0
V	35,400	817	3,144	4.4	1,263.1	1,263.1	1,263.1	0.0
W	42,900	1,350	7,226	2.4	1,284.4	1,284.4	1,285.1	0.7
X	45,000	1,710	4,166	4.1	1,290.2	1,290.2	1,290.2	0.0
Y	47,300	700	8,789	1.9	1,296.2	1,296.2	1,296.3	0.1
Z	48,325	870	2,026	7.9	1,298.7	1,298.7	1,299.0	0.3

¹Feet Above Confluence With Salt River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

**MARICOPA COUNTY, AZ
AND INCORPORATED AREAS**

FLOODWAY DATA

INDIAN BEND WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY		WITH FLOODWAY	INCREASE
						(FEET NGVD)			
Indian Bend Wash (Cont'd)									
AA	48,748	710	2,880	5.6	1,300.3	1,300.3	1,300.8	0.5	
AB	49,328	740	3,496	4.6	1,301.3	1,301.3	1,302.2	0.9	
AC	50,331	800	2,855	5.6	1,303.8	1,303.8	1,304.6	0.8	
AD	51,282	710	3,289	4.9	1,307.6	1,307.6	1,307.6	0.0	
AE	52,282	760	2,894	5.5	1,310.0	1,310.0	1,310.2	0.2	
AF	53,341	725	2,291	7.0	1,314.6	1,314.6	1,314.6	0.0	
AG	54,344	688	3,321	4.8	1,317.7	1,317.7	1,317.9	0.2	
AH	54,925	780	3,171	5.0	1,318.7	1,318.7	1,318.8	0.1	
AI	55,099	706	2,060	7.8	1,319.0	1,319.0	1,319.1	0.1	
AJ	55,105	746	2,330	6.9	1,319.2	1,319.2	1,319.2	0.0	
AK	55,348	652	3,999	4.0	1,320.1	1,310.1	1,320.1	0.0	
AL	56,298	648	1,797	8.9	1,321.7	1,321.7	1,321.7	0.0	
AM	57,301	637	3,412	4.7	1,325.3	1,325.3	1,325.3	0.0	
AN	58,304	652	1,719	8.4	1,327.1	1,327.1	1,327.1	0.0	
AO	58,674	684	3,049	4.8	1,329.2	1,329.2	1,329.2	0.0	
AP	58,954	666	2,159	6.7	1,329.4	1,329.4	1,329.4	0.0	
AQ	58,959	595	1,779	8.2	1,329.4	1,329.4	1,329.4	0.0	
AR	59,360	670	1,807	8.0	1,331.5	1,331.5	1,331.5	0.0	
AS	60,364	651	2,387	6.1	1,336.5	1,336.5	1,336.5	0.0	
AT	61,472	629	2,622	5.5	1,339.4	1,339.4	1,339.4	0.0	
AU	62,317	659	1,683	8.6	1,342.8	1,342.8	1,342.8	0.0	
AV	62,476	645	2,303	6.3	1,344.1	1,344.1	1,344.1	0.0	
AW	63,479	658	3,408	4.3	1,346.2	1,346.2	1,346.2	0.0	
AX	64,588	441	1,415	10.2	1,350.8	1,350.8	1,350.8	0.0	

¹Feet Above Confluence With Salt River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

INDIAN BEND WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Indian Bend Wash (Cont'd)								
AY	0.210	270	1,658	5.4	1,385.7	1,385.7	1,386.2	0.5
AZ	0.296	385	980	9.2	1,388.6	1,388.6	1,388.6	0.0
BA	0.408	399	1,686	5.3	1,391.5	1,391.5	1,391.5	0.0
BB	0.895	617	1,474	4.1	1,398.1	1,398.1	1,398.2	0.1
BC	1.013	408	1,406	4.3	1,399.9	1,399.9	1,400.0	0.1
BD	1.285	397	885	6.8	1,404.3	1,404.3	1,404.3	0.0
BE	1.430	390	1,179	5.1	1,407.3	1,407.3	1,407.5	0.2
BF	1.674	430	1,218	4.9	1,411.9	1,411.9	1,411.9	0.0
BG	1.825	369	1,295	4.6	1,413.7	1,413.7	1,414.0	0.3
BH	1.973	-- ²	538	4.5	1,414.8	1,414.8	1,415.2	0.4
BI	2.060	404	509	4.7	1,418.0	1,418.0	1,418.0	0.0

¹Miles Above Cactus Road

²Coincident With Channel Banks

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

INDIAN BEND WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY		WITH FLOODWAY	INCREASE
						(FEET NGVD)			
Indian Bend Wash- Low Flow Channel									
O	26,112	720	891	3.6	1,234.2	1,234.2	1,234.2	0.0	
P	27,664	350	65	4.8	1,240.2	1,240.2	1,240.3	0.1	
Q	30,000	180	563	5.7	1,246.6	1,246.6	1,246.6	0.0	
R	31,000	250	834	4.0	1,250.0	1,250.0	1,250.0	0.0	
S	31,982	270	1,240	3.2	1,253.7	1,253.7	1,253.7	0.0	
T	32,950	265	886	5.1	1,254.9	1,254.9	1,254.9	0.0	
U	34,100	232	725	6.3	1,258.9	1,258.9	1,258.9	0.0	
V	35,400	163	885	7.8	1,263.3	1,263.3	1,263.3	0.0	

¹Feet Above Confluence With Salt River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

INDIAN BEND WASH - LOW FLOW CHANNEL

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY		WITH FLOODWAY	INCREASE
						(FEET NGVD)			
Little San Domingo Wash									
A	0	40	400	7.7	1,962.0	1,962.0	1,962.0	0.0	
B	80	148	1,119	2.8	1,963.1	1,963.1	1,963.1	0.0	
C	370	131	547	5.6	1,963.1	1,963.1	1,963.1	0.0	
D	650	77	312	9.9	1,965.5	1,965.5	1,965.5	0.0	
E	920	125	383	8.1	1,968.8	1,968.8	1,968.8	0.0	
F	1,140	123	479	6.5	1,970.7	1,970.7	1,970.7	0.0	
G	1,430	117	355	8.7	1,973.3	1,973.3	1,973.3	0.0	
H	1,670	78	311	9.9	1,977.9	1,977.9	1,977.9	0.0	
I	2,105	94	335	9.2	1,981.8	1,981.8	1,981.8	0.0	
J	2,525	76	318	9.7	1,986.0	1,986.0	1,986.0	0.0	
K	2,815	109	348	8.3	1,989.1	1,989.1	1,989.1	0.0	
L	3,100	79	295	9.8	1,992.3	1,992.3	1,992.3	0.0	
M	3,515	78	300	9.6	1,998.2	1,998.2	1,998.2	0.0	
N	3,865	100	383	7.5	2,001.1	2,001.1	2,001.1	0.0	

¹Stream Distance In Feet Above U.S. Highways 60, 70 and 89

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

LITTLE SAN DOMINGO WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY		INCREASE
						WITH FLOODWAY		
(FEET NGVD)								
Lower El Mirage Wash								
A	0.05 ¹	50	99	2.5	1,115.4	1,115.4	1,116.4	1.0
B	0.21 ¹	50	74	1.6	1,117.4	1,117.4	1,118.0	0.6
C	0.38 ¹	50	28	4.3	1,122.9	1,122.9	1,122.9	0.0
Martinez Wash								
A	2,140 ²	1,365 ³	5,129	6.2	2,117.8	2,117.8	2,118.0	0.2
Mockingbird Wash								
A	1,425 ²	1,508	6,959	0.8	1,996.0	1,996.0	1,996.0	0.0
B	1,615 ²	1,380	3,734	1.4	1,996.0	1,996.0	1,996.0	0.0
C	1,905 ²	930	848	6.9	2,000.9	2,000.9	2,000.9	0.0
D	2,300 ²	392	712	7.8	2,012.3	2,012.3	2,012.3	0.0
E	2,580 ²	320	742	8.0	2,017.5	2,017.5	2,017.5	0.0
F	2,900 ²	411	678	7.8	2,023.0	2,023.0	2,023.0	0.0
G	3,325 ²	429	696	7.3	2,033.3	2,033.3	2,033.3	0.0
H	3,735 ²	566	765	6.7	2,041.9	2,041.9	2,041.9	0.0
I	4,085 ²	456	721	7.1	2,049.4	2,049.4	2,049.4	0.0
J	4,635 ²	465	595	6.5	2,064.4	2,064.4	2,064.4	0.0
K	4,960 ²	206	427	8.6	2,071.4	2,071.4	2,071.4	0.0
Moon Valley Wash								
A	0.45 ⁴	49	295	12.8	1,288.1	1,288.1	1,288.2	0.1
B	0.75 ⁴	66	347	10.9	1,299.0	1,299.0	1,299.0	0.0
C	0.88 ⁴	70	312	12.1	1,305.0	1,305.0	1,305.0	0.0

¹Miles Above Cactus Road

³Floodway Lies Entirely Outside County Limits

²Feet Above Confluence With Hassayampa River

⁴Miles Above Confluence With Cave Creek

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

LOWER EL MIRAGE WASH - MARTINEZ WASH - MOCKINGBIRD
WASH - MOON VALLEY WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Myrtle Avenue Wash								
A	0.04 ¹	250 ²	-- ³	-- ³	1,242.0	1,242.0	1,242.9	0.9
B	0.22 ¹	250	-- ³	-- ³	1,260.2	1,260.2	1,260.8	0.6
Ocotillo Wash								
A	0.05 ⁴	98	449	12.1	2,039.2	2,039.2	2,039.2	0.0
B	0.13 ⁴	88	443	12.2	2,045.5	2,045.5	2,045.5	0.0
C	0.18 ⁴	104	452	12.0	2,049.1	2,049.1	2,049.1	0.0
D	0.23 ⁴	305	735	7.4	2,053.7	2,053.7	2,053.7	0.0
E	0.31 ⁴	204	596	9.1	2,064.6	2,064.6	2,064.6	0.0
F	0.39 ⁴	121	523	10.4	2,074.1	2,074.1	2,074.1	0.0
G	0.46 ⁴	89	460	11.8	2,080.4	2,080.4	2,080.4	0.0
H	0.55 ⁴	102	459	11.4	2,086.6	2,086.6	2,086.6	0.0
I	0.70 ⁴	87	426	12.3	2,099.6	2,099.6	2,099.6	0.0
J	0.78 ⁴	162	617	8.5	2,105.6	2,105.6	2,105.6	0.0
K	0.89 ⁴	187	542	9.6	2,114.2	2,114.2	2,114.2	0.0
L	0.92 ⁴	277	628	8.3	2,117.0	2,117.0	2,117.0	0.0
M	0.97 ⁴	454	806	6.2	2,123.2	2,123.2	2,123.2	0.0
N	1.14 ⁴	293	614	8.2	2,142.7	2,142.7	2,142.7	0.0
O	1.36 ⁴	390	679	7.4	2,165.4	2,165.4	2,165.4	0.0
P	1.47 ⁴	297	632	7.6	2,177.9	2,177.9	2,177.9	0.0
Q	1.56 ⁴	416	723	6.7	2,189.1	2,189.1	2,189.1	0.0
R	1.71 ⁴	188	515	9.4	2,207.0	2,207.0	2,207.0	0.0
S	1.83 ⁴	196	579	8.3	2,220.7	2,220.7	2,220.7	0.0
T	2.03 ⁴	186	528	8.8	2,243.7	2,243.7	2,243.7	0.0

¹Miles Above Mouth

²Combined Floodway for Myrtle Avenue Wash and Dreamy Draw Wash East

³Data Not Available

⁴Miles Above Confluence With Cave Creek

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

MYRTLE AVENUE WASH - OCOTILLO WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY		WITH FLOODWAY	INCREASE
						(FEET NGVD)			
Powder House Wash									
A	1,230	43	123	15.5	2,057.9	2,057.9	2,057.9	0.0	
B	1,540	80	278	6.8	2,066.4	2,066.4	2,066.4	0.0	
C	1,690	70	199	9.6	2,070.1	2,070.1	2,070.1	0.0	
D	2,020	88	214	8.9	2,075.7	2,075.7	2,075.7	0.0	
E	2,184	98	221	8.6	2,079.2	2,079.2	2,079.7	0.5	
F	2,494	50	177	10.7	2,087.3	2,087.3	2,087.6	0.3	
G	2,814	85	210	9.0	2,095.2	2,095.2	2,095.7	0.5	
H	3,034	70	199	9.6	2,098.6	2,098.6	2,098.7	0.1	
I	3,294	152	279	7.5	2,102.5	2,102.5	2,102.5	0.0	
J	3,504	122	250	8.3	2,108.3	2,108.3	2,108.3	0.0	
K	3,814	132	253	7.8	2,115.8	2,115.8	2,115.8	0.0	
L	4,439	122	251	8.0	2,130.2	2,130.2	2,130.2	0.0	
M	4,724	104	229	8.5	2,137.1	2,137.1	2,137.1	0.0	
N	4,989	110	231	8.3	2,141.7	2,141.7	2,141.7	0.0	
O	5,154	110	233	8.3	2,144.3	2,144.3	2,144.3	0.0	
P	5,379	117	236	8.1	2,148.6	2,148.6	2,148.6	0.0	
Q	5,769	135	247	7.7	2,157.9	2,157.9	2,157.9	0.0	
R	6,179	90	217	8.9	2,166.9	2,166.9	2,166.9	0.0	
S	6,579	65	198	10.0	2,178.6	2,178.6	2,178.6	0.0	

¹Feet Above Confluence With Hassayampa River

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

POWDER HOUSE WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Rowe Wash								
A	280 ¹	209	770	9.0	2,113.5	2,113.5	2,113.5	0.0
B	640 ¹	184	692	10.0	2,120.9	2,120.9	2,120.9	0.0
C	1,180 ¹	212	677	10.3	2,133.3	2,133.3	2,133.3	0.0
D	1,580 ¹	346	849	8.2	2,145.0	2,145.0	2,145.0	0.0
E	2,020 ¹	320	790	8.8	2,156.3	2,156.3	2,156.3	0.0
F	2,540 ¹	335	855	8.0	2,170.0	2,170.0	2,170.0	0.0
G	3,340 ¹	505	1,003	6.8	2,194.0	2,194.0	2,194.0	0.0
H	3,930 ¹	625	1,026	6.7	2,209.7	2,209.7	2,209.7	0.0
I	4,580 ¹	309	794	8.6	2,227.7	2,227.7	2,227.7	0.0
J	4,960 ¹	463	981	7.0	2,238.2	2,238.2	2,238.2	0.0
K	5,410 ¹	660	1,073	6.3	2,249.7	2,249.7	2,249.7	0.0
L	5,970 ¹	587	928	7.3	2,265.6	2,265.6	2,265.6	0.0
M	6,480 ¹	558	959	7.0	2,277.7	2,277.7	2,277.7	0.0
N	6,910 ¹	476	951	7.1	2,291.7	2,291.7	2,291.7	0.0
O	7,440 ¹	290	785	8.5	2,304.1	2,304.1	2,304.1	0.0
P	7,840 ¹	328	775	8.6	2,314.5	2,314.5	2,314.5	0.0

¹Feet Above Confluence With Galloway Wash

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

ROWE WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Sols Wash								
A	0.620 ²	600	2,910	8.25	2,067.5	2,067.5	2,068.2	0.7
B	0.820 ²	920	3,558	6.74	2,077.9	2,077.9	2,078.6	0.7
C	1.020 ²	1,082	3,384	7.09	2,086.9	2,086.9	2,087.9	1.0
D	1.120 ²	808	3,326	7.22	2,091.1	2,091.1	2,092.1	1.0
E	1.219 ²	374	1,913	12.55	2,096.8	2,096.8	2,097.1	0.3
F	1.317 ²	650	3,808	6.30	2,100.7	2,100.7	2,101.7	1.0
G	1.412 ²	729	2,342	10.25	2,104.4	2,104.4	2,104.4	0.0
H	1.508 ²	1,060	3,307	7.26	2,110.7	2,110.7	2,110.9	0.2
I	1.609 ²	1,043	3,699	6.49	2,114.8	2,114.8	2,114.8	0.0

¹Stream Distance In Feet Above Confluence With Hassayampa River

²Total Width/Width Within Corporate Limits Of Town Of Wickenburg

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

SOLS WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION ² AREA (SQUARE FEET)	MEAN ² VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Tenth Street Wash								
A	0.09	1,590	--2	--2	1,241.8	1,241.8	1,242.8	1.0
B	0.31	370	--2	--2	1,246.5	1,246.5	1,247.4	0.9
C	0.54	530	--2	--2	1,257.6	1,257.6	1,258.5	0.9
D	0.74	400	--2	--2	1,267.7	1,267.7	1,268.7	1.0
E	0.92	140	--2	--2	1,278.6	1,278.6	1,279.6	1.0
F	1.12	260	--2	--2	1,287.5	1,287.5	1,288.5	1.0
G	1.37	80	--2	--2	1,297.3	1,297.3	1,298.3	1.0
H	1.50	250	--2	--2	1,306.0	1,306.0	1,306.0	0.0
I	1.75	80	--2	--2	1,314.4	1,314.4	1,315.1	0.7
J	1.91	60	--2	--2	1,323.2	1,323.2	1,323.4	0.2

¹Miles Above Mouth

²Data Not Available

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

TENTH STREET WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Willow Springs Wash								
A	0.25	82	496	12.6	2,067.3	2,067.3	2,067.3	0.0
B	0.32	77	551	11.3	2,071.4	2,071.4	2,071.4	0.0
C	0.39	60	412	15.1	2,074.0	2,074.0	2,074.0	0.0
D	0.47	65	445	14.1	2,078.6	2,078.6	2,078.6	0.0
E	0.54	59	413	15.2	2,082.3	2,082.3	2,082.3	0.0
F	0.60	78	454	13.8	2,087.4	2,087.4	2,087.4	0.0
G	0.70	109	524	12.0	2,095.3	2,095.3	2,095.3	0.0
H	0.79	183	756	8.4	2,100.8	2,100.8	2,100.8	0.0
I	0.84	260	459	10.5	2,103.3	2,103.3	2,103.3	0.0
J	0.89	292	725	6.6	2,110.3	2,110.3	2,110.3	0.0
K	1.02	177	588	8.2	2,120.7	2,120.7	2,120.7	0.0
L	1.09	279	656	7.3	2,126.5	2,126.5	2,126.5	0.0
M	1.19	332	698	6.9	2,135.1	2,135.1	2,135.1	0.0
N	1.27	299	660	7.3	2,142.3	2,142.3	2,142.3	0.0
O	1.34	346	732	6.6	2,147.8	2,147.8	2,147.8	0.0
P	1.40	429	745	6.4	2,154.4	2,154.4	2,154.4	0.0
Q	1.48	403	709	6.8	2,162.2	2,162.2	2,162.2	0.0
R	1.57	160	494	9.7	2,169.4	2,169.4	2,169.4	0.0
S	1.70	78	373	12.9	2,179.2	2,179.2	2,179.2	0.0
T	1.78	53	337	14.3	2,188.4	2,188.4	2,188.4	0.0

¹Miles Above Confluence With Cave Creek

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

WILLOW SPRINGS WASH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET NGVD)			
Weekes Wash								
A	5,500	439	807	8.5	1,778.3	1,778.3	1,779.0	0.7
B	6,380	220	818	8.4	1,788.1	1,788.1	1,789.1	1.0
C	7,290	297	867	7.9	1,796.5	1,796.5	1,797.4	0.9
D	8,010	725	1,352	5.1	1,803.9	1,803.9	1,804.2	0.3
E	8,910	793	1,139	6.0	1,814.5	1,814.5	1,815.3	0.8
F	9,660	267	807	8.5	1,823.5	1,823.5	1,824.4	0.9
G	10,460	199	767	8.9	1,831.7	1,831.7	1,832.6	0.9
H	11,140	320	854	8.0	1,840.2	1,840.2	1,840.3	0.1
I	12,090	449	962	7.1	1,851.3	1,851.3	1,852.3	1.0
J	12,990	385	1,046	6.5	1,860.3	1,860.3	1,861.2	0.9

¹Feet Above U.S. Highway 60/89

TABLE 5

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOODWAY DATA

WEEKES WASH

No floodway was computed for Wittmann Drainage due to the split flow below Center Street.

Floodways for Grass Wash below the U.S. Highway 60 bridge and for Aguila Farm Channel were not computed due to excessive overbank losses.

Floodways are not applicable for areas of shallow flooding; therefore, floodways were not computed for any of the canals, railroad embankments, or for Sand Tank and Bender Washes, Rodeo Wash and its tributary, Airport and Scott Avenue Washes, Lower El Mirage Wash Tributary, and Apache Creek.

The area between the floodway and 100-year flood plain boundaries is termed the floodway fringe. The floodway fringe encompasses the portion of the flood plain that could be completely obstructed without increasing the water-surface elevation of the 100-year flood by more than 1.0 foot at any point. Typical relationships between the floodway and the floodway fringe and their significance to flood plain development are shown in Figure 7.




Figure 7. Floodway Schematic

5.0 INSURANCE APPLICATION

To establish actuarial insurance rates, data from the engineering study must be transformed into flood insurance criteria. This process includes the determination of reaches, Flood Hazard Factors, and flood insurance zone designations for each flooding source studied in detail affecting Maricopa County.

5.1 Reach Determinations

Reaches are defined as sections of flood plain that have relatively the same flood hazard, based on the average weighted difference in water-surface elevations between the 10- and 100-year floods. This difference may not have a variation greater than that indicated in the following table for more than 20 percent of the reach:

<u>Average Difference Between 10- and 100-Year Floods</u>	<u>Variation</u>
Less than 2 feet	0.5 foot
2 to 7 feet	1.0 foot
7.1 to 12 feet	2.0 feet
More than 12 feet	3.0 feet

The locations of the reaches determined for the flooding sources of Maricopa County are shown on the Flood Profiles (Exhibit 1) and summarized in Table 6.

5.2 Flood Hazard Factors

The Flood Hazard Factor (FHF) is used to establish relationships between depth and frequency of flooding in any reach. This relationship is then used with depth-damage relationships for various classes of structures to establish actuarial insurance rate tables.

The FHF for a reach is the average weighted difference between the 10- and 100-year flood water-surface elevations rounded to the nearest one-half foot, multiplied by 10, and shown as a three-digit code. For example, if the difference between water-surface elevations of the 10- and 100-year floods is 0.7 foot, the FHF is 005; if the difference is 1.4 feet, the FHF is 015; if the difference is 5.0 feet, the FHF is 050. When the difference between the 10- and 100-year flood water-surface elevations is greater than 10.0 feet, it is rounded to the nearest whole foot.

The FHF for the split flow area on the Gila River at Buckeye Canal was based on the average depth of the 100-year flood.

The FHF for the overflow area on the Salt River between 39th and 75th Avenues was based on the average differences between the natural ground and 100-year flood elevations.

5.3 Flood Insurance Zones

Flood insurance zones and zone numbers are assigned based on the type of flood hazard and the FHF, respectively. A unique zone number is associated with each possible FHF, and varies from 1 for a FHF of 005 to a maximum of 30 for a FHF of 200 or greater.

- Zone A: Special Flood Hazard Areas inundated by the 100-year flood, determined by approximate methods; no base flood elevations shown or FHF's determined.
- Zone A0: Special Flood Hazard Areas inundated by types of 100-year shallow flooding where depths are between 1.0 and 3.0 feet; depths are shown, or areas of alluvial fan flooding, depths and velocities are shown, but no FHF's are determined.
- Zone AH: Special Flood Hazard Areas inundated by types of 100-year shallow flooding where depths are between 1.0 and 3.0 feet; base flood elevations are shown, but no FHF's are determined.
- Zones A1-A15, A17, A19, and A23: Special Flood Hazard Areas inundated by the 100-year flood; with base flood elevations shown, and zones subdivided according to FHF's.
- Zone B: Areas between the Special Flood Hazard Areas and the limits of the 500-year flood; areas that are protected from the 100- or 500-year floods by dike, levee, or other local water-control structure; areas subject to certain types of 100-year shallow flooding where depths are less than 1.0 foot; and areas subject to 100-year flooding from sources with drainage areas less than 1 square mile. Zone B is not subdivided.
- Zone C: Areas of minimal flood hazard; not subdivided.
- Zone D: Areas of undetermined, but possible flood hazard.

For all irrigation canals, Zone A is designated for the upslope side of canals and Zone B for the downslope. Alluvial fan flood hazard areas are shown on the Flood Insurance Rate Map (published separately) as A0 zones, with average depths and velocities of flow given. In these areas, depths of the 100-year flood may exceed 3 feet. Development on alluvial fans is subject to a more severe

flood hazard than would normally be encountered in an A0 zone due to high velocities and unpredictability of the location of the stream channel across the width of the fan.

The flood elevation differences, FHF's, flood insurance zones, and base flood elevations for each flooding source studied in detail in the community are summarized in Table 6.

5.4 Flood Insurance Rate Map Description

The Flood Insurance Rate Map for Maricopa County is, for insurance purposes, the principal product of the Flood Insurance Study. This map contains the official delineation of flood insurance zones and base flood elevations. Base flood elevation lines show the locations of the expected whole-foot water-surface elevation of the base (100-year) flood. The base flood elevations and zone numbers are used by insurance agents, in conjunction with structure elevations and characteristics, to assign actuarial insurance rates to structures and contents insured under the NFIP.

The current Flood Insurance Rate Map presents flooding information for the entire geographic area of Maricopa County. Previously, separate Flood Hazard Boundary Maps (FHBMs) and/or Flood Insurance Rate Maps (FIRMs) were prepared for each identified flood-prone incorporated community and the unincorporated areas of the county. Historical data relating to the maps prepared for each community are presented in Table 7.

6.0 OTHER STUDIES

Flood Insurance Studies have been published for the following: City of Apache Junction (Reference 1), City of Avondale (Reference 2), Town of Buckeye (Reference 3), Town of Carefree (Reference 4), City of Chandler (Reference 5), Town of El Mirage (Reference 6), Town of Gila Bend (Reference 7), Town of Gilbert (Reference 8), City of Glendale (Reference 9), Town of Goodyear (Reference 10), City of Mesa (Reference 11), City of Peoria (Reference 13), City of Phoenix (Reference 14), City of Tempe (Reference 17), City of Scottsdale (Reference 15), City of Tolleson (Reference 18) Town of Surprise (Reference 16), Town of Wickenburg (Reference 19), Town of Youngtown (Reference 20), and the unincorporated areas of Maricopa County (Reference 53). Information from all of these studies has been incorporated into this study.

Flood Insurance Studies have been published for adjacent areas of La Paz County (Reference 54), Yavapai County (Reference 55), and Yuma County (Reference 56), Revised Flood Insurance Studies are being prepared for Pinal County (Reference 59) and Pima County (Reference 58). Approximate flooding areas in Yavapai and Pinal Counties were not studied in Maricopa County. All other county studies are in agreement with this study.

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)			
Agua Fria River							
Reach 1	1615,1620 2080,2085 2090	-3.63	-0.94	2.55	035	A7	Varies - See Map
Reach 2	1615,1620	-6.13	-2.27	2.40	060	A12	Varies - See Map
Reach 3	1615,1620	-3.28	-0.09	0.48	035	A7	Varies - See Map
Reach 4	1615,1620	-0.24	-0.12	1.09	005	A1	Varies - See Map
Reach 5	1605,1610						
Reach 6	1615,1620 1170,1605	-4.36	-1.09	2.12	045	A9	Varies - See Map
Reach 7	1610 1160,1165 1170,1605	-8.53	-0.89	3.79	085	A17	Varies - See Map
Shallow Flooding	1610 1620	-3.65 --	-0.90 --	1.53 --	035 --	A7 AH	Varies - See Map 3
Gila River							
Reach 1	2040,2070	-6.10	-1.92	2.54	060	A12	Varies - See Map
Reach 2	2040,2045	-3.83	-0.96	1.70	040	A8	Varies - See Map

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

AGUA FRIA RIVER - GILA RIVER

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10-YEAR)	2% (50-YEAR)	0.2% (500-YEAR)			
Hassayampa River							
Reach 1	0270	-13.5	-5.7	10.7	135	A23	Varies - See Map
Reach 2	0270	-5.7	-2.2	4.2	055	A11	Varies - See Map
Reach 3	0265,0270	-6.0	-2.6	5.5	060	A12	Varies - See Map
Reach 4	0255,0265	-4.0	-1.5	3.1	040	A8	Varies - See Map
Reach 5	0255	-6.9	-3.0	9.1	070	A14	Varies - See Map
Reach 6	0255	-3.6	-1.4	6.2	035	A7	Varies - See Map
Reach 7	0255	-2.9	-1.0	3.0	030	A6	Varies - See Map
New River							
Reach 1	1620	-2.2	--4	--4	020	A4	Varies - See Map
Reach 2	1620	-4.3	--4	--4	045	A9	Varies - See Map
Reach 3	1620	-6.6	--4	--4	065	A13	Varies - See Map
Reach 4	1620	-3.4	--4	--4	035	A7	Varies - See Map
Reach 5	1610,1620	-6.7	--4	--4	065	A13	Varies - See Map
Reach 6	1610	-4.7	--4	--4	045	A9	Varies - See Map
Reach 7	1610	-6.3	--4	--4	065	A13	Varies - See Map
Reach 8	1610,1630	-7.2	--4	--4	070	A14	Varies - See Map
Reach 9	1610,1630	-3.3	--4	--4	035	A7	Varies - See Map
Reach 10	1190,1630	-3.0	-1.1	--4	030	A6	Varies - See Map
Reach 11	1180,1190	-2.0	-0.8	--4	020	A4	Varies - See Map
Reach 12	1180	-1.3	-0.6	--4	015	A3	Varies - See Map
Reach 13	1180	-1.0	-0.8	--4	010	A2	Varies - See Map
Reach 14	1180	-2.5	-2.1	--4	025	A5	Varies - See Map
Reach 15	1180	-0.5	-0.1	--4	005	A1	Varies - See Map

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

⁴ Data Not Computed

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

HASSAYAMPA RIVER - NEW RIVER

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³	
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)				
Salt River Reach 1	2140, 2120	-4.07	-1.42	2.34	040	A8	Varies - See Map	
	2115							
	Reach 2							
	2095, 2090							
	2155, 2165							
Reach 3	2145	-7.40	-2.62	6.21	075	A15	Varies - See Map	
	2155, 2165	-4.14	-1.66	3.06	040	A8	Varies - See Map	
Reach 4	2160, 2170	-6.30	-2.43	3.92	065	A13	Varies - See Map	
Reach 5	2180, 2190							
Skunk Creek	2180	-5.31	-2.10	3.69	055	A11	Varies - See Map	
	Reach 1	1190, 1630	-6.61	-2.58	5.89	065	A13	Varies - See Map
	Reach 2	1190, 1195	-3.93	-1.50	2.97	040	A8	Varies - See Map
	Reach 3	1195	-2.15	-0.77	2.15	020	A4	Varies - See Map
	Reach 4	1195	-0.81	-0.13	0.78	010	A2	Varies - See Map
	Reach 5	1185	-2.39	-0.74	2.44	025	A5	Varies - See Map
	Reach 6	1185, 1205	-3.46	-1.17	4.09	035	A7	Varies - See Map
	Reach 7	0770, 0790	-2.0	--4	--4	020	A4	Varies - See Map
		1185, 1190						
		1195, 1205						
	Reach 8	0390, 0770	-1.5	-0.8	0.6	015	A3	Varies - See Map
		0780, 0790						

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

⁴ Data Not Computed

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

SALT RIVER - SKUNK CREEK

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)			
Scatter Wash Reach 1	1195	-2.24	-0.61	--	20	A4	Varies - See Map
Scatter Wash; North Branch Reach 1	1195	-2.2	-0.61	--	020	A4	Varies - See Map
	1195,1205 Reach 2 1215	-3.42	-1.94	--	035	A7	Varies - See Map
Scatter Wash; South Branch Reach 1	1195,1205	-2.24	-0.61	--	020	A4	Varies - See Map
	1215						
Aguila Farm Channel Reach 1	0160	-1.2	-0.3	-- ⁴	010	A2	Varies - See Map
Andora Hills Wash Reach 1	0805,0810	-0.9	-0.2	0.6	010	A2	Varies - See Map
Atchison, Topeka & Santa Fe Railway Channel Reach 1	1605	-0.5	-0.1	-- ⁴	005	A1	Varies - See Map
	Shallow Flooding 1630	N/A	N/A	N/A	N/A	AH	1141
	Shallow Flooding 1630,1640	N/A	N/A	N/A	N/A	AH	1140
	Shallow Flooding 1630,1640	N/A	N/A	N/A	N/A	A0	Depth 1

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

⁴ Data Not Computed

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

SCATTER WASH - SCATTER WASH NORTH BRANCH - SCATTER WASH
SOUTH BRANCH - AGUILA FARM CHANNEL - ANDORA HILLS
WASH - ATCHISON, TOPEKA & SANTA FE RAILWAY CHANNEL

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)			
Casandro Wash							
Reach 1	0235,0255	-1.4	-0.4	1.3	015	A3	Varies - See Map
Reach 2	0235	-2.9	-0.8	1.5	030	A6	Varies - See Map
South Branch Casandro Wash							
Reach 1	0235	-2.0	-1.0	1.6	020	A4	Varies - See Map
Reach 2	0235	-1.5	-0.6	1.0	015	A3	Varies - See Map
Cave Creek							
Reach 1	1655,1665 2120,2130						
	2140	-1.3	-0.4	1.1	015	A3	Varies - See Map
Reach 2	1655	-2.3	-0.5	1.8	025	A5	Varies - See Map
Reach 3	1655	-4.5	-1.0	3.2	045	A9	Varies - See Map
Reach 4	1655	-4.1	-1.1	3.1	040	A8	Varies - See Map
Reach 5	1655	-6.4	-1.9	5.0	065	A13	Varies - See Map
Reach 6	1215,1655	-4.9	-1.2	5.7	050	A10	Varies - See Map
Reach 7	1215	-4.6	-1.1	6.1	045	A9	Varies - See Map
Reach 8	1215	-2.6	0.0	3.1	025	A5	Varies - See Map
Reach 9	1215,1220	-4.5	-0.9	6.0	045	A9	Varies - See Map
Reach 10	1210,1220	-2.3	-0.8	1.9	025	A5	Varies - See Map
Reach 11	0795,0805						
	0815	-2.4	-0.5	1.7	025	A5	Varies - See Map
Shallow Flooding	-- ⁴	N/A	N/A	N/A	N/A	A0	Depth 1
Shallow Flooding	-- ⁴	N/A	N/A	N/A	N/A	A0	Depth 2

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

CASANDRO WASH - SOUTH BRANCH
CASANDRO WASH - CAVE CREEK

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)			
East Fork Cave Creek							
Reach 1	1215	-4.5	-1.3	2.5	045	A9	Varies - See Map
Reach 2	1215	-2.1	-0.5	1.1	020	A4	Varies - See Map
Reach 3	1215						
	1220	-0.9	-0.3	0.7	010	A2	Varies - See Map
Reach 4	1220	-3.3	-- ⁴	0.9	035	A7	Varies - See Map
Reach 5	1220	-1.9	-- ⁴	1.1	020	A4	Varies - See Map
Shallow Flooding	-- ⁵	N/A	N/A	N/A	N/A	A0	Depth 2
Dreamy Draw Wash East							
Reach 1	1670	-1.0	-- ⁶	+0.8	010	A2	Varies - See Map
Reach 2	1670	-2.1	-- ⁶	+1.2	020	A4	Varies - See Map
Echo Canyon Wash							
Reach 1	1690	-2.2	-- ⁶	2.1	020	A4	Varies - See Map
Reach 2	1690	-4.4	-- ⁶	2.8	045	A9	Varies - See Map
Reach 3	1690	-2.4	-- ⁶	2.2	025	A5	Varies - See Map

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

⁴ Data Not Computed

⁵ Data Not Printed

⁶ Data Not Available

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

EAST FORK CAVE CREEK - DREAMY DRAW
WASH EAST - ECHO CANYON WASH

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)			
Flynn Lane Wash							
Reach 1	1670	-0.5	--4	+0.5	005	A1	Varies - See Map
Reach 2	1670	-1.2	--4	+1.0	010	A2	Varies - See Map
Flying "E" Wash							
Reach 1	0235	-4.3	-1.4	2.2	045	A9	Varies - See Map
Reach 2	0235	-5.3	-1.7	6.5	055	A11	Varies - See Map
Reach 3	0235	-2.4	-0.7	2.5	025	A5	Varies - See Map
Galloway Wash							
Reach 1	0805,0810	-1.9	-0.5	1.3	020	A4	Varies - See Map
Reach 2	0810	-0.8	-0.2	0.7	010	A2	Varies - See Map
Grapevine Wash							
Reach 1	0805,0810	-1.0	-0.3	0.7	010	A2	Varies - See Map
Grass Wash							
Reach 1	0155,0160 0165,0170	-1.2	-0.4	--5	010	A2	Varies - See Map
Shallow Flooding	0160	N/A	N/A	N/A	N/A	A0	Depth 1
Shallow Flooding	0160	N/A	N/A	N/A	N/A	AH	2166

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

⁴ Data Not Computed

⁵ Data Not Printed

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

FLYNN LANE WASH - FLYING "E" WASH -
GALLOWAY WASH - GRAPEVINE WASH - GRASS WASH

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)			
Hospital Wash Reach 1	0255	-0.8	-0.4	0.8	010	A2	Varies - See Map
Little San Domingo Wash Reach 1	0660,0680	-1.6	-0.5	1.1	015	A3	Varies - See Map
Lower El Mirage Wash Reach 1	1605	-0.5	-0.1	-- ⁴	005	A1	Varies - See Map
Lower El Mirage Wash Tributary Shallow Flooding	1605	N/A	N/A	N/A	N/A	A0	Depth 1
Martinez Wash Reach 1	0235,0255	-2.5	-0.4	1.0	025	A5	Varies - See Map
Mockingbird Wash Reach 1	0255	-3.7	-0.9	1.0	035	A7	Varies - See Map
Reach 2	0255	-0.8	-0.3	0.5	010	A2	Varies - See Map

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

⁴ Data Not Computed

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

HOSPITAL WASH - LITTLE SAN DOMINGO WASH - LOWER EL MIRAGE WASH -
LOWER EL MIRAGE WASH TRIBUTARY - MARTINEZ WASH - MOCKINGBIRD WASH

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)			
Moon Valley Wash Reach 1	1655	-3.2	-0.8	+7.7	030	A6	Varies - See Map
Myrtle Avenue Wash Reach 1	1670	-1.0	-- ⁴	+1.3	010	A2	Varies - See Map
Ocotillo Wash Reach 1	0805	-1.1	-0.3	0.7	010	A2	Varies - See Map
Powder House Wash Reach 1	0255	-1.9	-0.6	1.6	020	A4	Varies - See Map
Rowe Wash Reach 1	0805,0810	-0.7	-0.2	0.5	005	A1	Varies - See Map

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

⁴ Data Not Available

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

MOON VALLEY WASH - MYRTLE AVENUE WASH - OCOTILLO WASH -
POWDER HOUSE WASH - ROWE WASH

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)			
Sols Wash							
Reach 1	0255	-3.9	-0.8	3.9	040	A8	Varies - See Map
Reach 2	0255	-7.4	-2.8	5.2	075	A15	Varies - See Map
Reach 3	0255	-4.2	-0.9	4.1	040	A8	Varies - See Map
Reach 4	0235,0255	-3.2	-0.7	2.4	030	A6	Varies - See Map
Sand Tank and Bender Washes:							
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	747
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	740
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	735
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	744
Shallow Flooding	3480	N/A	N/A	N/A	N/A	A0	Depth 2
Scott Avenue Wash							
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	747
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	745
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	740
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	733
Shallow Flooding	3480	N/A	N/A	N/A	N/A	A0	Depth 2

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

SOLS WASH - SAND TANK AND BENDER WASHES - SCOTT AVENUE WASH

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)			
Tenth Street Wash Reach 1	1655,1660 1665,1670	-2.2	-- ⁴	2.1	020	A4	Varies - See Map
Wash B Reach 1		-1.6	-0.5	1.0	015	A3	Varies - See Map
Willow Springs Wash Reach 1	0805	-2.1	-0.5	1.4	020	A4	Varies - See Map
Reach 2	0805	-0.9	-0.2	0.6	010	A2	Varies - See Map
Wittmann Drainage Reach 1	0695	-0.8	-0.1	0.5	010	A2	Varies - See Map

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

⁴ Data Not Available

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

TENTH STREET WASH - WASH B - WILLOW SPRINGS WASH -
WITTMANN DRAINAGE

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)			
Weekes Wash Reach 1 Shallow Flooding Along U.S. Highway 60/89	2235,2245	-1.2	-0.2	0.5	010	A2	Varies - See Map
	2240,2235	N/A	N/A	N/A	N/A	AH	Varies - See Map
Airport Wash Shallow Flooding	3485	N/A	N/A	N/A	N/A	AH	761
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	742
Apache Creek Alluvial Fan Flooding	2220,2240	N/A	N/A	N/A	N/A	A0	Depth 1 Velocity 4 fps

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

WEEKES WASH - AIRPORT WASH - APACHE CREEK

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10 - YEAR)	2% (50 - YEAR)	0.2% (500 - YEAR)			
Rodeo Wash							
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	753
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	749
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	742
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	737
Rodeo Wash Tributary							
Shallow Flooding	3480, 3485	N/A	N/A	N/A	N/A	AH	759
Shallow Flooding	3480	N/A	N/A	N/A	N/A	AH	742
Southern Pacific Railroad							
Shallow Flooding	2105, 2185 2190, 2195	N/A	N/A	N/A	N/A	A0	Depth 2
Shallow Flooding	2190	N/A	N/A	N/A	N/A	AH	1212
Shallow Flooding	2040	N/A	N/A	N/A	N/A	AH	891
Southern Pacific Railroad Spur							
Shallow Flooding	2630, 2640	N/A	N/A	N/A	N/A	A0	Depth 2

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

RODEO WASH - RODEO WASH TRIBUTARY - SOUTHERN
PACIFIC RAILROAD - SOUTHER PACIFIC RAILROAD SPUR

FLOODING SOURCE	PANEL ¹	ELEVATION DIFFERENCE ² BETWEEN 1% (100 - YEAR) FLOOD AND			FLOOD HAZARD FACTOR	ZONE	BASE FLOOD ELEVATION (FEET NGVD) ³
		10% (10-YEAR)	2% (50-YEAR)	0.2% (500-YEAR)			
Granite Reef Wash							
Reach 1	2160	-1.3	-0.5	+2.3	015	A3	Varies - See Map
Reach 1	1695, 2160	-3.9	-1.0	+2.7	040	A8	Varies - See Map
Reach 2	1695	-5.8	-1.6	+4.6	060	A12	Varies - See Map
Reach 3	1695	-4.1	-1.2	+3.1	040	A8	Varies - See Map
Reach 4	1680, 1690						
1695		-2.6	-0.7	+2.1	025	A5	Varies - See Map
Reach 5	1660, 1680	-2.9	-1.1	+2.8	030	A6	Varies - See Map
Reach 6	1660, 1680	-1.3	-0.7	+2.0	015	A3	Varies - See Map
Indian Bend Wash- Low Flow Channel							
Reach 1	1695, 2160	-0.6	-0.1	+0.3	005	A1	Varies - See Map

¹ Flood Insurance Rate Map Panel

² Weighted Average

³ Rounded to Nearest Foot

TABLE 6

FEDERAL EMERGENCY MANAGEMENT AGENCY

MARICOPA COUNTY, AZ
AND INCORPORATED AREAS

FLOOD INSURANCE ZONE DATA

GRANITE REEF WASH - INDIAN BEND WASH - LOW FLOW CHANNEL

Table 7. Community Map History

<u>Community Name</u>	<u>Initial Identification</u>	<u>FHBM Revision Date(s)</u>	<u>FIRM Effective Date</u>	<u>FIRM Revision Date(s)</u>
Apache Junction, City of	June 10, 1980		September 30, 1982	
Avondale, City of	February 15, 1974	January 16, 1976	June 15, 1979	August 3, 1982
Buckeye, Town of	February 15, 1980		February 15, 1980	
Carefree, Town of	July 2, 1979		July 2, 1979	
Chandler, City of	May 24, 1977	January 17, 1978	July 16, 1980	
El Mirage, City of	February 15, 1974		December 1, 1978	
Gila Bend, Town of	January 23, 1974	December 24, 1976	December 4, 1979	
Gilbert, Town of	April 5, 1974	October 15, 1976	January 16, 1980	September 30, 1983
Glendale, City of	July 26, 1974	April 9, 1976	April 16, 1979	September 22, 1981
Goodyear, Town of	March 15, 1974	April 30, 1976	July 16, 1979	October 18, 1983
Guadalupe, Town of	(Not Previously Identified)			
Mesa, City of	April 13, 1973	April 22, 1977	May 15, 1980	
Paradise Valley, Town of	December 7, 1973	May 21, 1976	May 1, 1980	June 3, 1986
Peoria, Town of	September 4, 1979		September 4, 1979	January 16, 1981
Phoenix, City of	June 28, 1974	September 12, 1975	December 4, 1979	June 1, 1984
Scottsdale, City of	September 21, 1973		September 21, 1973	December 4, 1984
Surprise, Town of	June 28, 1974	December 5, 1975	December 15, 1978	March 1, 1983
Tempe, City of	June 28, 1974	September 5, 1975	August 15, 1980	December 14, 1982
Tolleson, City of	April 12, 1974	December 19, 1975	January 16, 1978	
Wickenburg, Town of	February 1, 1974	October 10, 1975	January 5, 1978	March 29, 1983
Youngtown, Town of	December 28, 1973		November 15, 1978	
Unincorporated Areas	July 2, 1979		July 2, 1979	

Flood Plain Information reports for several streams in Maricopa County have been published. Those reports are in agreement with this Flood Insurance Study (References 19, 28, 42, and 47).

A portion of Consolidated Canal between East Boundary Avenue and East Pueblo Avenue was revised to reflect a modified flood plain. This study was performed by Greiner Engineering Sciences and was completed in October 1984 (Reference 21).

A portion of the Agua Fria River from Peoria Avenue to Cactus Road was revised to reflect a modified flood plain. The study was performed by Engineering and Surveying of Arizona, Inc. and was completed in April 1986 (Reference 22).

A portion of Consolidated Canal, bounded on the north by Elliot Road and on the south by the Southern Pacific Railroad, was revised as a result of information submitted by Richmond American Homes, Inc. (Reference 59).

For a portion of East Fork Cave Creek downstream of Coral Gables Drive, flood plain and floodway boundaries as well as base flood elevations were revised using information provided by Erie and Associates, Inc. (Reference 24).

7.0 LOCATION OF DATA

Information concerning the pertinent data used in the preparation of this study can be obtained by contacting the Natural and Technological Hazards Division, FEMA, Building 105, Presidio of San Francisco, San Francisco, California 94129.

8.0 BIBLIOGRAPHY AND REFERENCES

1. Federal Emergency Management Agency, Flood Insurance Study, City of Apache Junction, Arizona, September 30, 1982
2. Federal Emergency Management Agency, Flood Insurance Study, City of Avondale, Arizona, Revised August 3, 1982
3. Federal Emergency Management Agency, Flood Insurance Study, Town of Buckeye, Arizona, February 15, 1980
4. Federal Emergency Management Agency, Flood Insurance Study, Town of Carefree, Arizona, unpublished
5. Federal Emergency Management Agency, Flood Insurance Study, City of Chandler, Arizona, July 16, 1980
6. U.S. Department of Housing and Urban Development, Federal Insurance Administration, Flood Insurance Study, Town of El Mirage, Arizona, December 1, 1978

7. Federal Emergency Management Agency, Flood Insurance Study, Town of Gila Bend, Arizona, December 4, 1979
8. Federal Emergency Management Agency, Flood Insurance Study, Town of Gilbert, Arizona, Revised September 30, 1983
9. Federal Emergency Management Agency, Flood Insurance Study, City of Glendale, Arizona, Revised September 22, 1981
10. Federal Emergency Management Agency, Flood Insurance Study, Town of Goodyear, Arizona, Revised October 18, 1983
11. Federal Emergency Management Agency, Flood Insurance Study, City of Mesa, Arizona, May 15, 1980
12. Federal Emergency Management Agency, Flood Insurance Study, Town of Paradise Valley, Revised June 3, 1986
13. Federal Emergency Management Agency, Flood Insurance Study, City of Peoria, Arizona, Revised January 16, 1981
14. Federal Emergency Management Agency, Flood Insurance Study, City of Phoenix, Arizona, Revised June 1, 1984
15. Federal Emergency Management Agency, Flood Insurance Study, City of Scottsdale, Arizona, Revised December 4, 1984
16. Federal Emergency Management Agency, Flood Insurance Study, Town of Surprise, Arizona, Revised March 1, 1983
17. Federal Emergency Management Agency, Flood Insurance Study, City of Tempe, Arizona, Revised December 14, 1982
18. Federal Emergency Management Agency, Flood Insurance Study, City of Tolleson, Arizona, January 16, 1980
19. Federal Emergency Management Agency, Flood Insurance Study, Town of Wickenburg, Arizona, Revised March 24, 1983
20. U.S. Department of Housing and Urban Development, Federal Insurance Administration, Flood Insurance Study, Town of Youngtown, Arizona, November 15, 1978
21. Greiner Engineering Sciences, Request for Map Amendment, Summer Place Subdivision, Mesa, Arizona, August 16, 1984
22. Engineering and Surveying of Arizona, Inc., Request for Map Amendment, Pueblo El Mirage RV. Resort, El Mirage, Arizona, April 24, 1986
23. Harris-Toups Associates, City of Chandler, Arizona, Flood Insurance Rate Map Worksheet, November 15, 1984

24. Erie and Associates, Inc., Flood Insurance Rate Map Amendment Hydraulic Analysis for Coral Gables Estates Unit Six Subdivision, Phoenix, Arizona, November 1985
25. U.S. Department of the Interior, Geological Survey, Water Data Report AZ-80-1, Water Resources Data for Arizona, Water Year 1980, 1982
26. U.S. Department of the Army, Corps of Engineers, Los Angeles District, Flood Plain Information, Hassayampa River, Vicinity of Wickenburg, Arizona, April 1972
27. U.S. Department of the Army, Corps of Engineers, Los Angeles District, Flood Plain Information, Agua Fria River, Maricopa County, Arizona, March 1968
28. U.S. Department of the Army, Corps of Engineers, Los Angeles District, Flood Plain Information, Maricopa County, Arizona, Volume V, New River Report, April 1967
29. U.S. Department of the Interior, Geological Survey, Miscellaneous Investigations Series, Index and Description of Flood-Prone Area Maps in the Tucson-Phoenix Area, Arizona, E.S. Davidson, 1973
30. U.S. Department of the Interior, Geological Survey, Delineation of Flood Hazards in the Marana Quadrangle, Pima County, Arizona, B.N. Aldridge and D.E. Burkham, 1974
31. U.S. Department of the Army, Corps of Engineers, South Pacific Division, Water Resources Development by the U.S. Army Corps of Engineers in Arizona, January 1979
32. U.S. Department of the Army, Corps of Engineers, Los Angeles District, Design Memorandum No. 2, Hydrology, Part 1, Gila River Basin, New River and Phoenix City Streams, Arizona, October 1974
33. U.S. Department of the Army, Corps of Engineers, Gila River Basin, Phoenix, Arizona and Vicinity (Including New River), Design Memorandum No. 2 Hydrology Part 2, April 1982
34. U.S. Department of the Army, Corps of Engineers, Gila River and Tributaries, Central Arizona Water Control Study, Hydrology, May 1982
35. U.S. Department of Agriculture, Soil Conservation Service, Technical Report No. 20 Computer Programs for Project Formulation--Hydrology, May 1965
36. U.S. Department of Agriculture, Soil Conservation Service, Technical Release No. 55, Urban Hydrology for Small Watersheds, January 1975

37. U.S. Department of the Army, Corps of Engineers, Hydrologic Engineering Center, HEC-2 Water Surface Profiles, Generalized Computer Program, Davis, California, October 1973
38. Harris-Toups Associates, Topographic Maps, Scale 1:4,800, Contour Interval 4 feet, 1976
39. City of Phoenix, Topographic Maps, Scale 1:1,200, Contour Interval 2 Feet, 1967
40. Aerial Mapping of Phoenix, Arizona, Topographic Maps, Scale 1:3,600, Contour Interval 4 Feet: East Fork Cave Creek and Cave Creek, March 1980
41. Aerial Mapping of Phoenix, Arizona, Topographic Maps, Scale 1:2,400, Contour Interval 2 Feet: Cave Creek, March 1978
42. U.S. Department of the Army, Corps of Engineers, Los Angeles District, Flood Plain Information, Maricopa County, Arizona, Volume IV, Wickenburg, December 1965
43. Arizona Department of Transportation, Salt River Topographic Map, Scale 1:2,400, Contour Interval 5 feet, October 1982
44. City of Phoenix, Salt River Topographic Map, Scale 1:2,400, Contour Interval 4 feet, January 1983
45. U.S. Department of the Army, Corps of Engineers, Topographic Map for Area South of U.S. Highway 60 and West of Country Club Drive, Scale 1:6,000, Contour Interval 4 feet, 1976
46. Aerial Mapping Company, Topographic Maps, Scale 1:2,400, Contour Interval 4 feet, 1979
47. U.S. Department of the Army, Corps of Engineers, Los Angeles District, Flood Plain Information, Maricopa County, Arizona, Volume II, Cave Creek, November 1964
48. U.S. Department of the Interior, Geological Survey, Maps of Flood-Prone Areas, 1969-1972, Scale 1:24,000, Contour Interval 20 Feet: Phoenix, Arizona (1969, 1972)
49. U.S. Department of the Interior, Geological Survey, Slope Maps of Selected Maricopa County Quadrangles, Scale 1:6,000, Contour Interval 5 Feet, 1974-75
50. National Aeronautics and Space Administration, Skylab Earth Terrain Camera Color Photography, Mission 3, Roll 86, Frames 009-012, 1973
51. National Aeronautics and Space Administration, Skylab Multispectral Camera Black and White Photography, Mission 3, Roll 35, Frames 241-244, 1973

52. U.S. Department of the Interior, Geological Survey, 7.5-Minute Series Topographic Maps, Scale 1:24,000, Contour Intervals 10, 20, and 40 feet: Adams Mesa, Arizona (1964); Agua Caliente, Arizona (1965), Photorevised (1982); Antelope Peak, Arizona (1981); Apache Junction, Arizona (1956), Photorevised (1982); Avondale SE, Arizona (1957), Photorevised (1971); Avondale SW, Arizona (1957), Photorevised (1971); Baldy Mountain, Arizona (1964), Photorevised (1981); Bartlett Dam, Arizona (1964); Big Horn, Arizona (1974); Biscuit Flat, Arizona (1965); Black Canyon City, Arizona (1969); Bosque, Arizona (1973); Boulder Mountain, Arizona (1964); Buckeye, Arizona (1958), Photorevised (1971); Buckeye NW., Arizona (1958), Photorevised (1971); Buckhorn, Arizona (1956), Photorevised (1982); Butterfield Pass, Arizona (1973); Calderwood Butte, Arizona (1957), Photorevised (1971, 1974); Cave Creek, Arizona (1965); Chandler, Arizona (1952), Photorevised (1967, 1973); Chandler Heights, Arizona (1956), Photorevised (1973); Citrus Valley West, Arizona (1973); Citrus Valley East (1973); Conley Well, Arizona (1979); Cooks Mesa, Arizona (1967); Cotton Center, Arizona (1973); Cotton Center NW., Arizona (1973); Cotton Center SE, Arizona (1973); Copperosity Hills, Arizona (1981); Currys Corner, Arizona (1964), Photorevised (1982); Daisy Mountain, Arizona (1964); Desert Well, Arizona (1956), Photorevised (1973); El Mirage, Arizona (1957), Photorevised (1982); Enid, Arizona (1952), Photorevised (1967); Estrella, Arizona (1979); Fort McDowell, Arizona (1964), Photorevised (1974); Fowler, Arizona (1952), Photorevised (1967, 1973); Four Peaks, Arizona (1964), Photoinspected (1978); Garfias Mountain, Arizona (1964); Gila Bend, Arizona (1973); Gila Butte, Arizona (1952), Photorevised 1981); Gila Butte NW., Arizona (1952), Photorevised (1967); Goldfield, Arizona (1956); Governors Peak, Arizona (1964); Glendale, Arizona (1957), Photorevised (1982); Granite Reef Dam, Arizona (1964), Photorevised (1974); Guadalupe, Arizona (1952), Photorevised (1967, 1973); Haley Hills, Arizona (1981); Hassayampa, Arizona (1958), Photorevised (1971); Haunted Canyon, Arizona (1948); Hedgpeth Hills, Arizona (1957), Photorevised (1971, 1974); Hieroglyphic Mountains SW., Arizona (1965), Photorevised (1981); Higley, Arizona (1956), Photorevised (1981); Horse Mesa Dam, Arizona (1964); Horseshoe Dam, Arizona (1964); Humbolt Mountain, Arizona (1964); Hyder NE., Arizona (1964); Hyder SE., Arizona (1965), Photorevised (1982); Iron Mountain, Arizona (1948); Laureen, Arizona (1952), Photorevised (1967, 1973); Lion Mountain, Arizona (1964); Little Table Top, Arizona (1981); Lone Butte, Arizona (1952), Photorevised (1967, 1973); Lost Horse Peak, Arizona (1979); Margies Peak, Arizona (1973); Maverick Mountain, Arizona (1964); McMicken Dam, Arizona (1957), Photorevised (1971, 1974); McDowell Peak, Arizona (1965), Photorevised (1982); Mesa, Arizona (1972), Photorevised (1967, 1973); Mine Mountain, Arizona (1963); Montezuma Peak, Arizona (1952), Photorevised (1967); Mobile, Arizona (1973); Mobile NE., Arizona (1973); Mobile NW., Arizona (1973); Mormon Flat Dam, Arizona (1964), Photoinspected (1978); New River, Arizona (1964), Photorevised (1981); New River Mesa, Arizona (1964); New River SE., Arizona (1964); Paradise Valley, Arizona (1965), Photorevised (1982); Perryville, Arizona (1957), Photorevised (1982); Phoenix, Arizona (1952), Photorevised (1967, 1973); Pima Butte, Arizona

(1952), Photorevised (1967); Pinyon Mountain, Arizona (1964); Red Pkacho, Arizona (1964); Reno Pass, Arizona (1964); Rover Peak, Arizona (1967); Sacaton NE., Arizona (1956), Photorevised (1973); Sawik Mountain, Arizona (1964), Photorevised (1982); Smurr, Arizona (1973); Spring Mountain, Arizona (1973); Squaw Creek Mesa, Arizona (1969); Stewart Mountain, Arizona (1964); Sunnyslope, Arizona (1965), Photorevised (1982); Tempe, Arizona (1952), Photorevised (1967, 1973); Theba, Arizona (1973); Theodore Roosevelt Dam, Arizona (1964); Tolleson, Arizona (1957), Photorevised (1982); Two Bar Mountain, Arizona (1964); Union Hills, Arizona (1964), Photorevised (1973); Valencia, Arizona (1957), Photorevised (1971); Waddell, Arizona (1957), Photorevised (1971), Photoinspected (1975); Weavers Needle, Arizona (1966); White Tank Mountains NE., Arizona (1957), Photorevised (1971); White Tank Mountains SE., Arizona (1957), Photorevised (1971); Wickenburg, Arizona (1964); Wickenburg SW., Arizona (1965); Wildcat Hill, Arizona (1965); Wittmann, Arizona (1965), Photorevised (1981); Woolsey Peak, Arizona (1973), Congress, Congress S.W., Date Creek Ranch, Date Creek Ranch S.E., Flores, O'Neil Pass, and Vulture Mountains, Maricopa and Yavapai Counties, Arizona.

53. U.S. Department of Housing and Urban Development, Federal Insurance Administration, Flood Insurance Study, Maricopa County, Arizona (Unincorporated Areas), July 2, 1979
54. Federal Emergency Management Agency, Flood Insurance Study, La Paz County, Arizona (Unincorporated Areas), September 19, 1984
55. Federal Emergency Management Agency, Flood Insurance Study, Yavapai County, Arizona (Unincorporated Areas), September 18, 1985
56. Federal Emergency Management Agency, Flood Insurance Study, Yuma County, Arizona (Unincorporated Areas), Revised November 15, 1985
57. Federal Emergency Management Agency, Type 19 Flood Insurance Study, Pinal County, Arizona (Unincorporated Areas), unpublished
58. Federal Emergency Management Agency, Type 19 Flood Insurance Study, Pima County, Arizona (Unincorporated Areas), unpublished

Arizona Department of Transportation, Report No. ADOT-RS-15-121, Methods for Estimating the Magnitude and Frequency of Floods in Arizona, prepared by the U.S. Geological Survey, Phoenix, Arizona, September 1978

Boyle Engineering Corporation and L.H. Bell and Associates, Storm Drainage and Flood Control Study, Southeastern Maricopa County, State of Arizona, June 1973

Chow, Ven Te, Open-Channel Hydraulics, New York: McGraw-Hill Book Company, 1959

City of Chandler, Arizona, Ordinance No. 648, Storm Drainage Requirements, Adopted by the City Council of the City of Chandler, September 17 and 24, 1975

City of Phoenix, Metropolitan Chamber of Commerce, Community Profile, Phoenix, Arizona, 1975

City of Phoenix, Engineering Department, Storm Drain, North Mountain Detention Dams Nos. 2a and 2b, 7th Street and Thunderbird Road, Project No. ST 71183, As-Built Plans, Phoenix, Arizona, May 1976

City of Phoenix, Engineering Department, Storm Drain Detention Basin No. 7, Central Avenue and Cactus Road, ST 75093, As-Built Plans, Phoenix, Arizona, August 1978

City of Phoenix, Engineering Department, Storm Drain, Sweetwater Channel, 15th Avenue at Cave Creek and 19th Avenue and Sweetwater to 12th Avenue and Thunderbird, As-Built Plans, Phoenix, Arizona, August 15, 1976

Dibble and Associates, Offsite Drainage Design Report, Ehrenberg-Phoenix Highway, Phoenix, January 1976

Dibble and Associates, Litchfield Road Storm Drainage System, Phoenix, February 1974

Maricopa County Flood Control District, Hydraulic Study of the Confluence of the Agua Fria and the Gila Rivers, Phoenix, Arizona, unpublished

Maricopa County Flood Control District, Flood Control Report, Section II, Western Maricopa County, Phoenix, Arizona, 1961

State of Arizona Department of Transportation, Hydrologic Design for Highway Drainage in Arizona, December 1968

Toups Corporation, Flood Water Study for Rossmoor Leisure World, July 1974

U.S. Department of Agriculture, Soil Conservation Service, National Engineering Handbook, August 1972

U.S. Department of the Army, Corps of Engineers, Los Angeles District, General Design Memorandum No. 1, Phase I, Gila River Basin, Arizona, October 1973

U.S. Department of the Army, Corps of Engineers, Los Angeles District, General Design Memorandum No. 1, Phase II, Gila River Basin, Arizona, May 1975

U.S. Department of the Army, Corps of Engineers, Los Angeles District, Design Memorandum No. 1, General Design Memorandum, Phase I, Plan Formulation for Indian Bend Wash, Supplementary Report on Side Channels System, September 1974

U.S. Department of the Army, Corps of Engineers, Los Angeles District, Design Memorandum No. 2, Gila River Basin, Phoenix, Arizona, and Vicinity (Including New River), Hydrology, Part 2, 1982

U.S. Department of the Army, Corps of Engineers, Los Angeles District, Design Memorandum, No. 3, Gila River Basin, New River, and Phoenix City Streams, Arizona, General Design Memorandum, Phase I, Plan Formulation, March 1976

U.S. Department of the Army, Corps of Engineers, Los Angeles District, Design Memorandum No. 3, Gila River Basin, Arizona, Feature Design for Inlet Channel, Project Design for Indian Bend Wash, January 1978

U.S. Department of the Army, Corps of Engineers, Los Angeles District, Arizona Hydrology, Paradise Valley, Maricopa County, August 1974

U.S. Department of the Army, Corps of Engineers, Los Angeles District, Report on the Flood of June 22, 1972, Phoenix Metropolitan Area, Arizona, October 1972

U.S. Department of the Army, Corps of Engineers, Hydrologic Engineering Center, HEC-1 Flood Hydrograph Package, Davis, California, September 1981

U.S. Department of the Army, Corps of Engineers, Los Angeles District, Gila Floodway, Survey Report, Hydrology, Part 1, Maricopa County, Arizona, January 1976

U.S. Department of the Army, Corps of Engineers, Los Angeles District, Interim Report, Survey for Flood Control, Gila and Salt Rivers, Gillespie Dam to McDowell Dam Site, Arizona, December 1957

U.S. Department of the Army, Corps of Engineers, Hydrologic Engineering Center, Program 704-G9-L2020, Multiple Regression Package, R.G. Wiley and H.E. Kubic, Davis, California, 1970

U.S. Department of the Army, Corps of Engineers, Los Angeles District, Flood Plain Information, Maricopa County, Arizona, Volume I, Indian Bend Wash, June 1964

U.S. Department of the Army, Corps of Engineers, Sacramento District, Statistical Methods in Hydrology, Leo R. Beard, January 1962

U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Precipitation-Frequency Atlas of the Western United States, Volume VIII, Arizona, 1973

U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Local Climatological Data, Annual Summaries for 1975, Phoenix, Arizona, 1976

U.S. Department of the Interior, Geological Survey, Water-Supply Paper 1850-C, Floods of November 1965 to January 1966 in the Gila River Basin, Arizona and New Mexico, and Adjacent Basins in Arizona, B.N. Aldridge, 1970

U.S. Department of the Interior, Geological Survey, "A Method for Adjusting Values of Manning's Roughness Coefficient for Flooded Urban Areas," Research Journal, Volume 5, No. 5, pages 541-545, H.R. Hejl, Jr., September-October 1977

Yost and Gardner, Engineers, City of Phoenix Drainage Study, Phoenix, Arizona, 1975

Yost and Gardner, Engineers, Drainage Study, Tenth Street Wash, Phoenix, Arizona, July 1975

Yost and Gardner, Engineers, Stormwater Drainage for the City of Mesa, Project No. 71-6, Phoenix, Arizona, November 1973